

原水測定記録																						平成25年7月				【参考値】		
月	日	曜日	東コルゲート				西コルゲート				旧排水路				法尻西				調整池			降水量 (mm)						
			流入量 (l/min)	pH	電気伝導率 (mS/m)	水温 (°C)	流入量 (l/min)	pH	電気伝導率 (mS/m)	水温 (°C)	流入量 (l/min)	pH	電気伝導率 (mS/m)	水温 (°C)	流入量 (l/min)	pH	電気伝導率 (mS/m)	水温 (°C)	pH	電気伝導率 (mS/m)	水温 (°C)							
7	1	月	58.3	5.0	65	17.5	3.3	6.4	72	18.1	0	5.6	29	20.8	18.3	5.7	71	16.4	6.8	36	21.2	0						
	2	火	56.7	-	-	-	3.3	-	-	-	0	-	-	-	16.7	-	-	-	-	-	-	0						
	3	水	55.0	5.1	62	17.2	3.3	6.4	71	17.3	0	5.5	31	19.8	18.3	5.7	71	16.3	6.8	39	20.6	5						
	4	木	55.0	5.2	62	17.3	3.3	6.4	71	17.7	0	5.4	34	17.6	16.7	5.8	77	16.6	6.9	43	21.2	9						
	5	金	55.0	-	-	-	5.0	-	-	-	0	-	-	-	15.0	-	-	-	-	-	-	5						
	6	土	53.3	5.3	58	17.7	5.0	6.4	70	18.9	0	5.4	36	25.3	16.7	5.7	79	18.2	6.9	42	24.0	12						
	7	日	55.0	5.3	59	17.4	5.0	6.4	71	17.8	0	5.4	35	23.4	16.7	5.8	78	18.1	6.8	40	24.3	9						
	8	月	55.0	-	-	-	3.3	-	-	-	1.7	-	-	-	16.7	-	-	-	-	-	-	0						
	9	火	53.3	5.4	55	17.7	3.3	6.9	69	19.1	0	5.5	39	25.8	16.7	5.7	78	17.5	6.8	40	24.8	0						
	10	水	53.3	5.3	56	17.8	1.7	6.4	70	19.5	0	5.4	39	19.7	15.0	5.7	77	17.0	6.9	45	25.1	0						
	11	木	51.7	-	-	-	1.7	-	-	-	0	-	-	-	15.0	-	-	-	-	-	-	0						
	12	金	50.0	5.3	59	17.8	1.7	6.4	72	19.7	0	5.6	40	27.5	15.0	5.8	77	18.5	6.8	47	24.6	0						
	13	土	50.0	5.2	58	17.7	3.3	6.4	72	19.3	0	5.4	40	22.4	15.0	5.8	76	16.7	7.1	49	25.4	25.5						
	14	日	51.7	-	-	-	3.3	-	-	-	0	-	-	-	15.0	-	-	-	-	-	-	8						
	15	月	55.0	5.4	52	17.7	5.0	6.5	65	17.4	0	5.6	39	25.2	16.7	5.7	75	17.7	6.8	26	25.0	18.5						
	16	火	51.7	5.4	53	17.5	3.3	6.4	68	18.5	0	5.5	41	21.9	16.7	5.7	78	17.4	6.9	36	24.4	0						
	17	水	50.0	-	-	-	3.3	-	-	-	0	-	-	-	15.0	-	-	-	-	-	-	0						
	18	木	60.0	5.5	51	17.3	3.3	6.5	65	18.7	0	5.4	40	22.1	18.3	5.7	72	16.2	6.9	21	24.3	38						
	19	金	55.0	5.5	53	17.5	3.3	6.4	68	18.5	0	5.4	39	19.1	16.7	5.7	77	17.6	6.8	31	23.6	0						
	20	土	53.3	-	-	-	3.3	-	-	-	0	-	-	-	15.0	-	-	-	-	-	-	0						
	21	日	53.3	5.4	54	17.3	3.3	6.4	70	18.0	0	5.3	37	20.1	16.7	5.7	79	16.7	6.8	37	23.7	0						
	22	月	51.7	5.2	55	17.7	3.3	6.4	70	19.1	0	5.4	37	26.4	15.0	5.7	80	16.6	7.1	39	24.2	0						
	23	火	50.0	-	-	-	1.7	-	-	-	1.7	-	-	-	15.0	-	-	-	-	-	-	0						
	24	水	65.0	5.3	54	17.5	5.0	6.5	60	18.9	0	5.5	37	24.5	18.3	5.7	80	16.6	6.8	28	24.7	34.5						
	25	木	60.0	5.5	52	17.4	6.7	6.3	67	18.0	0	5.4	37	20.6	18.3	5.7	79	17.4	6.8	31	24.3	5						
	26	金	68.3	-	-	-	6.7	-	-	-	1.7	-	-	-	21.7	-	-	-	-	-	-	33						
	27	土	68.3	5.5	53	17.4	8.3	6.3	67	17.7	0	5.8	33	21.2	21.7	5.7	77	16.7	6.7	31	25.8	0						
	28	日	66.7	5.3	60	17.7	5.0	6.3	72	18.3	0	5.8	30	22.6	21.7	5.6	86	16.5	6.7	33	25.1	0						
	29	月	138.3	-	-	-	30.0	-	-	-	6.7	-	-	-	46.7	-	-	-	-	-	-	88.5						
	30	火	186.7	5.0	65	17.1	81.7	5.8	83	16.6	5.0	6.0	24	20.1	93.3	5.6	68	15.7	6.9	23	23.9	2.5						
	31	水	150.0	4.7	93	17.3	38.3	6.0	87	16.9	1.7	5.9	25	21.2	71.7	5.6	99	15.9	6.8	38	21.5	0						

※測定時間は毎日午前9時(ただし、流入量は日平均値)  
 ※現地計測による計測結果のため参考値