

中部地方整備局 木曽川水系 主要洪水時刻流量表(点検前)

様式 1 -10

洪水No.		S33.7.25		中部地方整備局 木曾川水系 主要洪水時刻流量表																									
日	時	三浦ダム		牧尾ダム		読書ダム		阿木川ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋神ダム		岩屋ダム		川辺ダム		今渡	犬山	味噌川ダム	
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量			流入量	放流量
24日	1	6.7	0.0							143.4	94.0	175.9	157.0					6.9	15.0	2.2	0.2								
	2	6.7	0.0							133.0	94.0	160.9	142.0					6.6	12.5	2.2	0.2								
	3	6.7	0.0							133.4	97.0	157.8	120.0					8.9	10.0	3.6	0.2								
	4	6.7	0.0							107.4	97.0	168.6	93.0					7.2	8.5	2.2	0.2								
	5	6.7	0.0							110.0	97.0	167.8	130.0					6.7	8.0	2.1	0.2								
	6	6.7	0.0							136.0	97.0	177.8	140.0					4.5	8.0	2.1	0.2								
	7	6.7	0.0							157.8	120.0	156.9	138.0					6.8	8.0	2.1	0.2								
	8	6.7	0.0							169.2	220.0	62.9	170.0					6.8	8.0	3.7	0.2								
	9	6.7	0.0							222.8	254.0	179.2	217.0					6.8	8.0	2.0	0.2								
	10	6.7	0.0							241.0	254.0	164.9	209.0					9.2	8.0	2.0	0.2								
	11	6.0	0.0							226.2	247.0	162.9	207.0					6.9	8.0	1.9	0.2								
	12	6.0	0.0							205.2	213.0	161.1	180.0					7.0	8.0	2.0	0.2								
	13	6.0	0.0							118.8	85.0	179.7	123.0					7.0	8.0	1.8	0.2								
	14	10.0	0.0							189.6	213.0	180.1	199.0					5.8	9.0	1.8	0.2								
	15	10.0	0.0							201.0	214.0	175.0	175.0					8.1	9.0	1.8	0.2								
	16	10.0	0.0							165.4	207.0	182.9	164.0					8.1	9.0	1.7	0.2								
	17	25.0	0.0							203.4	219.0	173.1	192.0					8.2	9.0	1.7	0.2								
	18	33.6	0.0							208.6	219.0	162.2	200.0					8.2	9.0	1.7	0.2								
	19	27.0	0.0							205.2	213.0	209.3	203.0					9.5	8.0	3.2	0.2								
	20	27.0	0.0							235.8	254.0	224.3	218.0					8.5	7.0	3.2	0.2								
	21	27.0	0.0							241.8	247.0	215.6	203.0					8.6	7.0	3.1	0.2								
	22	27.0	0.0							194.0	233.0	249.9	168.0					8.6	7.0	1.5	0.2								
	23	34.9	0.0							165.4	213.0	379.5	222.0					8.7	7.0	3.0	0.2								
	24	69.7	0.0							402.8	233.0	310.6	361.0					8.7	7.0	3.0	0.2								
25日	1	160.3	0.0							378.0	247.0	311.4	324.0					15.5	7.0	7.8	0.2								
	2	195.1	0.0							492.0	411.0	595.8	495.0					17.1	4.0	7.5	0.0								
	3	223.0	0.0							851.0	824.0	796.1	815.0					35.3	4.0	18.7	0.0								
	4	223.0	0.0							1186.8	1230.0	988.5	1083.0					64.7	1.0	26.6	0.0								
	5	187.2	0.0							1364.4	1386.0	1096.6	1210.0					127.9	2.0	42.3	0.0								
	6	172.8	0.0							1392.3	1368.0	1321.3	1316.0					136.6	17.0	40.6	0.0								
	7	189.4	0.0							1605.0	1632.0	1668.0	1668.0					160.8	32.0	58.8	0.0								
	8	163.2	0.0							2054.9	2063.0	1734.4	1873.0					149.0	32.0	46.9	0.0								
	9	149.0	0.0							1721.0	1721.0	1523.3	1580.0					128.8	32.0	50.7	0.0								
	10	133.5	0.0							1719.2	1649.0	1499.4	1575.0					133.9	32.0	58.1	0.0								
	11	111.3	0.0							1622.0	1649.0	1488.6	1476.0					139.2	32.0	58.0	0.0								
	12	111.3	0.0							1605.5	1592.0	1525.8	1488.0					141.6	20.0	79.2	0.0								
	13	96.4	0.0							1636.9	1618.0	1556.2	1531.0					181.0	0.0	132.0	0.0								
	14	96.4	0.0							1848.5	1835.0	1717.7	1724.0					275.8	23.0	130.2	0.0								
	15	104.0	0.0							1885.5	1899.0	1656.3	1713.0					205.6	32.0	104.6	0.0								
	16	83.7	0.0							1779.8	1769.0	1399.8	1537.0					164.9	39.0	73.9	0.0								
	17	76.1	0.0							1561.6	1567.0	1378.7	1397.0					144.4	104.0	68.2	0.0								
	18	98.0	17.5							1399.8	1443.0	1244.3	1226.0					106.8	79.0	67.8	30.0								
	19	131.7	17.5							1242.2	1253.0	1154.6	1093.0					107.1	72.0	60.5	45.0								
	20	324.0	67.5							1251.0	1170.0	1165.3	1159.0					119.4	72.0	84.7	45.0								
	21	306.0	117.5							1210.5	1170.0	1012.6	1050.0					146.4	72.0	83.1	45.0								
	22	188.2	117.5							1099.3	1183.0	973.9	980.0					181.2	166.0	98.8	45.0								
	23	156.8	117.5							1056.1	1156.0	940.8	891.0					200.3	198.0	99.4	45.0								
	24	156.8	117.5							1052.7	1023.0	968.5	937.0					237.6	236.0	115.6	70.0								

※ - : 欠測

様式 1-10

洪水No.		S33.7.25		中部地方整備局 木曾川水系 主要洪水時刻流量表																										
日	時	木 曾 川																												
		三浦ダム		牧尾ダム		読書ダム		阿木川ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋神ダム		岩屋ダム		川辺ダム		今渡	犬山	味噌川ダム		
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量			流入量	放流量	
26 日	1	125.0	100.0							1180.0	1180.0	1126.5	1095.0					257.9	257.0	108.6	100.0							3172.0		
	2	108.0	70.0							1368.0	1368.0	1202.3	1259.0					372.0	372.0	175.0	175.0					3201.0				3998.5
	3	93.6	70.0							1363.0	1390.0	1228.8	1254.0					362.0	362.0	200.0	200.0					2933.0				4353.9
	4	93.6	70.0							1393.4	1361.0	1316.2	1291.0					442.0	442.0	200.0	200.0					2943.0				4273.6
	5	85.7	67.5							1364.5	1324.0	1296.2	1271.0					665.0	665.0	200.0	200.0					2929.0				4154.6
	6	83.2	67.5							1429.1	1448.0	1267.9	1312.0					552.0	552.0	180.0	180.0					3350.0				4154.6
	7	83.2	67.5							1448.6	1454.0	1345.7	1289.0					457.0	457.0	180.0	180.0					3903.0				4703.4
	8	93.6	67.5							1318.9	1381.0	1164.8	1127.0					407.0	407.0	180.0	180.0					4262.0				5353.2
	9	122.5	67.5							1309.4	1196.0	1257.0	1257.0					492.0	492.0	210.0	210.0					4309.0				5533.6
	10	470.8	317.5							1464.2	1394.0	1270.1	1289.0					537.0	537.0	307.0	307.0					4157.0				5308.6
	11	382.2	317.5							1443.9	1452.0	1266.0	1266.0					616.0	616.0	360.0	360.0					3849.0				4979.8
	12	235.3	267.5							1561.5	1629.0	1360.5	1516.0					607.0	607.0	330.0	330.0					3880.0				5023.1
	13	111.9	267.5							2050.0	2131.0	1512.5	1909.0					507.0	507.0	260.0	260.0					4703.0				5533.6
	14	110.0	217.5							1971.5	2038.0	2043.7	1940.0					407.0	407.0	200.0	200.0					5300.0				6728.6
	15	60.3	167.5							2393.5	2327.0	2540.2	2467.0					382.0	382.0	190.0	190.0					5336.0				7032.8
	16	53.9	67.5							2719.9	2755.0	2840.4	2816.0					257.0	257.0	150.0	150.0					5181.0				7501.6
	17	41.0	32.5							2964.5	2951.0	2450.0	2511.0					182.0	182.0	120.0	120.0					4598.0				7634.6
	18	40.0	32.5							2458.0	2431.0	2152.6	2177.0					162.0	162.0	120.0	120.0					3866.0				7109.9
	19	48.2	32.5							2169.1	2188.0	1846.1	1779.0					162.0	162.0	120.0	120.0					3375.0				6728.6
	20	41.0	32.5							1788.9	1743.0	1554.7	1573.0					157.0	157.0	100.0	100.0					2113.0				5533.6
	21	41.0	32.5							1570.1	1562.0	1376.9	1322.0					162.0	162.0	100.0	100.0					2546.0				4766.5
	22	40.0	32.5							1441.6	1447.0	1293.7	1251.0					162.0	162.0	80.0	80.0					2278.0				4154.6
	23	23.0	15.0							1259.8	1276.0	1104.3	1086.0					152.0	152.0	80.0	80.0					1875.0				3864.4
	24	23.0	15.0							1144.0	1117.0	1026.9	972.0					112.0	112.0	80.0	80.0					1678.0				3475.7
27 日	1	23.0	15.0							1040.1	1005.0	981.5	890.0					112.0	112.0	70.0	70.0					1749.0				2760.2
	2	23.0	15.0							1030.0	1030.0	929.9	849.0					112.0	112.0	70.0	70.0					1690.0				2540.0
	3	23.0	15.0							857.7	828.0	872.1	765.0					112.0	112.0	70.0	70.0					1498.0				
	4	23.0	15.0							807.0	753.0	865.9	721.0					112.0	112.0	60.0	60.0					1392.0				
	5	23.0	15.0							813.4	808.0	824.8	724.0					102.0	102.0	60.0	60.0					1372.0				
	6	23.0	15.0							807.3	810.0	730.9	712.0					102.0	102.0	50.0	50.0					1266.0				
	7	18.3	15.0							805.6	811.0	654.9	699.0					90.0	90.0	50.0	50.0					1259.0				
	8	18.3	0.0							771.9	780.0	702.4	652.0					90.0	90.0	40.0	40.0					1137.0				
	9	18.3	0.0							807.1	772.0	728.7	735.0					85.0	85.0	40.0	40.0					954.0				
	10	18.3	0.0							755.9	818.0	536.9	644.0					76.0	76.0	39.0	39.0									
	11	18.3	0.0							653.4	648.0	558.1	577.0					72.0	72.0	34.0	34.0									
	12	18.3	0.0							647.2	631.0	645.3	576.0					72.0	72.0	34.0	34.0									
	13	15.7	0.0							667.6	646.0	643.1	599.0					67.0	67.0	34.0	34.0									
	14	15.7	0.0							672.0	645.0	556.9	601.0					67.0	67.0	34.0	34.0									
	15	15.7	0.0							626.2	637.0	502.2	540.0					67.0	67.0	30.0	30.0									
	16	15.7	0.0							541.4	563.0	525.9	507.0					67.0	67.0	30.0	30.0									
	17	15.7	0.0							609.0	582.0	570.1	526.0					67.0	67.0	30.0	30.0									
	18	15.7	0.0							585.9	621.0	573.0	573.0					62.0	62.0	30.0	30.0									
	19	15.7	17.5							631.8	621.0	487.4	563.0					62.0	62.0	30.0	30.0									
	20	15.7	17.5							547.9	583.0	459.0	459.0					58.0	58.0	30.0	30.0									
	21	15.7	17.5							485.2	442.0	422.0	422.0					58.0	58.0	30.0	30.0									
	22	15.7	0.0							445.2	456.0	434.1	390.0					52.0	52.0	25.0	25.0									
	23	15.7	0.0							469.5	456.0	494.9	476.0					52.0	52.0	25.0	25.0									
	24	15.7	0.0							498.5	458.0	391.5	423.0					52.0	52.0	25.0	25.0									

※--:欠測

樣式 1-10

療一：欠測

様式 1-10

洪水No.		S35.8.13		中部地方整備局 木曾川水系 主要洪水時刻流量表																									
日	時	三浦ダム		牧尾ダム		読書ダム		阿木川ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋神ダム		岩屋ダム		川辺ダム		今渡	大山	根増川ダム	
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量			流入量	放流量
12日	1	39.0	0.0							812.6	737.0	484.0	634.0					33.4	0.0	10.5	0.0			661.2	667.6		1688.7		
	2	45.0	0.0							564.4	586.0	418.0	478.0					34.5	0.0	10.4	0.0			586.9	602.4		1668.2		
	3	52.0	0.0							503.5	490.0	419.0	347.0					34.6	0.0	10.3	0.0			550.6	544.4		1410.1		
	4	52.0	0.0							383.3	359.0	470.0	368.0					30.2	0.0	6.7	0.0			531.5	483.9		1062.2		
	5	52.0	0.0							367.8	330.0	511.0	361.0					24.3	0.0	6.7	0.0			472.4	485.1		877.1		
	6	52.0	0.0							413.5	373.0	520.0	430.0					24.3	0.0	6.7	0.0			430.6	456.0		877.1		
	7	48.0	0.0							618.6	594.0	457.0	529.0					24.4	0.0	9.3	0.0			468.4	417.7		885.5		
	8	55.0	0.0							595.4	644.0	460.0	484.0					31.0	0.0	9.5	0.0			430.4	417.7		894.0		
	9	48.0	0.0							579.2	590.0	485.0	521.0					29.5	3.0	9.5	0.0			437.7	428.2		945.5		
	10	35.0	0.0							640.3	616.0	537.0	561.0					28.0	3.0	7.0	0.0			423.5	423.5		1062.2		
	11	34.0	0.0							621.9	630.0	564.0	546.0					24.9	3.0	7.0	0.0			424.8	424.8		1235.0		
	12	37.0	0.0							592.2	630.0	536.0	494.0					25.0	3.0	7.0	0.0			428.0	421.6		1255.0		
	13	24.0	17.5							535.9	598.0	515.0	509.0					23.4	3.0	7.0	0.0			421.1	414.7		1245.0		
	14	20.0	17.5							612.0	558.0	486.0	522.0					21.9	3.0	7.0	0.0			415.7	415.7		1215.2		
	15	20.0	17.5							585.5	545.0	483.0	513.0					18.8	3.0	5.8	0.0			471.2	420.5		1108.9		
	16	20.0	17.5							537.0	537.0	455.0	467.0					18.8	3.0	5.8	0.0			461.6	423.5		1016.6		
	17	20.0	17.5							530.1	549.0	444.0	456.0					19.1	3.0	7.6	0.0			443.8	424.7		1016.6		
	18	20.0	0.0							514.8	504.0	436.0	454.0					20.6	3.0	6.4	0.0			423.1	426.3		1016.6		
	19	21.0	0.0							516.4	511.0	440.0	452.0					19.1	3.0	6.4	0.0			410.2	457.8		1025.6		
	20	21.0	0.0							534.5	521.0	438.0	450.0					22.3	0.0	6.4	0.0			425.3	460.2		1034.7		
	21	21.0	0.0							518.7	543.0	436.0	454.0					22.4	0.0	6.4	0.0			451.6	458.0		1034.7		
	22	25.0	0.0							513.6	519.0	414.0	426.0					20.8	0.0	5.1	0.0			467.9	458.4		1043.8		
	23	27.0	0.0							465.0	519.0	412.0	376.0					22.4	0.0	5.1	0.0			454.9	458.1		1043.8		
	24	27.0	0.0							466.2	477.0	443.0	407.0					20.9	0.0	5.1	0.0			445.3	454.8		1043.8		
13日	1	23.5	0.0							593.4	507.0	474.0	510.0					20.9	0.0	6.3	0.0			470.7	464.3		1043.8		
	2	40.0	0.0							598.6	604.0	528.0	504.0					22.4	0.0	7.6	0.0			463.1	456.7		1043.8		
	3	80.0	0.0							738.3	768.0	677.0	671.0					24.4	0.0	7.6	0.0			485.6	495.1		1137.4		
	4	100.0	0.0							885.4	880.0	789.0	807.0					24.6	0.0	7.9	0.0			508.4	498.9		1463.8		
	5	112.0	0.0							922.0	949.0	865.0	889.0					49.0	0.0	10.7	0.0			566.0	582.4		1631.0		
	6	133.0	0.0							1144.0	1117.0	1016.0	1016.0					63.8	0.0	14.5	0.0			653.3	669.2		1992.4		
	7	331.0	0.0							1264.5	1278.0	1225.0	1177.0					105.1	0.0	27.4	0.0			1023.9	1049.3		2321.2		
	8	410.0	0.0							1505.7	1503.0	1468.0	1420.0					140.9	0.0	51.0	0.0			1352.7	1352.7		2749.0		
	9	572.0	17.5							1684.3	1660.0	1481.0	1583.0					235.5	8.0	112.7	0.0			1716.2	1728.9		3261.2		
	10	492.0	17.5							1678.5	1746.0	1483.0	1501.0					337.9	32.0	131.0	0.0			2791.0	2786.5		3887.5		
	11	481.0	17.5							1944.0	1890.0	1855.0	1915.0					311.0	32.0	105.0	0.0			3071.5	3071.5		4723.3		
	12	303.0	117.5							2062.7	2060.0	1849.0	1945.0					270.6	32.0	106.6	0.0			4303.5	4303.5		5534.6		
	13	174.0	67.5							2180.0	2260.0	2120.0	2054.0					167.0	32.0	78.8	0.0			4923.5	4923.5		6989.8		
	14	91.0	67.5							2434.4	2402.0	2485.0	2449.0					158.0	32.0	74.6	0.0			4030.5	4030.5		7830.0		
	15	66.0	67.5							2664.0	2664.0	2499.0	2445.0					139.5	32.0	69.1	0.0			3872.5	3812.5		7301.3		
	16	65.0	67.5							2652.0	2652.0	2520.0	2460.0					123.2	32.0	46.3	0.0			3278.5	3278.5		6989.8		
	17	66.0	67.5							2611.5	2652.0	2477.0	2375.0					105.8	32.0	40.2	0.0			2936.5	2936.5		6630.0		
	18	52.0	47.5							2641.4	2636.0	2404.0	2446.0					107.6	32.0	37.6	0.0			2178.5	2178.5		5964.3		
	19	31.8	47.5							2524.5	2565.0	2126.0	2186.0					85.1	32.0	38.3	0.0			2378.9	2329.5		5325.7		
	20	55.7	47.5							2110.0	2137.0	1994.0	1946.0					85.0	32.0	49.4	0.0			2406.6	2440.5		5222.8		
	21	63.2	47.5							1974.1	1939.0	1801.0	1795.0					118.8	32.0	54.9	0.0			2253.7	2213.5		5080.4		
	22	59.6	67.5							1893.4	1915.0	1782.0	1734.0					109.2	32.0	60.4	0.0			2181.8	2203.5		4626.4		
	23	43.9	67.5							1729.0	1756.0	1634.0	1586.0					104.6	32.0	47.8	0.0			2243.5	2243.5		4530.6		
	24	51.8	67.5							1692.1	1684.0	1476.0	1566.0					97.6	32.0	40.7	0.0			2089.3	2095.5		4341.8		

※--:欠測

洪水Na	S35. 8. 13
------	------------

木 曾

療-：欠測

様式 1-10

洪水No.		S36.6.27		中部地方整備局 木曽川水系 主要洪水時刻流量表																									
日	時	三浦ダム		牧尾ダム		読書ダム		阿木川ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋神ダム		岩屋ダム		川辺ダム		今渡	大山	根増川ダム	
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量			流入量	放流量
25 日	1	14.0	0.0			94.0	70.0			30.2	33.0	35.0	35.0					11.4	6.0	5.8	0.2			214.7	198.8			348.8	
	2	21.0	0.0			89.0	63.0			5.0	33.0	5.7	0.0					8.6	3.0	4.2	0.2			208.3	198.8			399.5	
	3	28.0	0.0			86.0	63.0			2.2	33.0	28.5	0.0					8.6	3.0	4.2	0.2			234.0	224.8			411.3	
	4	28.0	0.0			81.0	63.0			7.8	33.0	11.4	0.0					14.9	3.0	5.5	0.2			252.0	242.5			423.2	
	5	28.0	0.0			89.0	63.0			5.0	33.0	40.5	12.0					16.0	3.0	3.7	0.2			259.8	259.8			479.0	
	6	28.0	0.0			96.0	73.0			38.6	75.0	199.6	40.0					14.6	3.0	3.2	0.0			275.0	284.5			511.4	
	7	28.0	0.0			114.0	73.0			63.8	75.0	250.5	51.0					16.5	3.0	6.0	0.0			327.8	315.1			579.5	
	8	42.0	0.0			119.0	96.0			39.6	75.0	275.2	57.0					18.3	3.0	7.3	0.0			372.7	372.7			586.6	
	9	47.0	0.0			126.0	107.0			88.8	159.0	306.6	63.0					21.9	3.0	5.7	0.0			463.8	542.9			712.9	
	10	54.0	0.0			155.0	107.0			100.6	163.0	281.6	96.0					24.2	1.5	6.9	0.0			460.9	486.3			1011.6	
	11	60.0	0.0			168.0	160.0			162.0	162.0	282.0	170.0					28.1	0.0	11.1	0.0			532.6	478.7			1155.6	
	12	55.0	0.0			176.0	179.0			228.8	195.0	371.8	215.0					37.0	0.0	12.4	0.0			480.8	477.6			1058.6	
	13	45.0	0.0			191.0	188.0			239.2	247.0	363.0	207.0					47.4	0.0	12.1	0.0			535.5	551.4			1058.6	
	14	40.0	0.0			225.0	225.0			257.4	247.0	329.0	251.0					44.1	0.0	11.9	0.0			516.2	535.3			1165.6	
	15	34.0	0.0			279.0	278.0			344.0	240.0	324.0	312.0					38.9	0.0	10.2	0.0			540.7	512.1			1175.6	
	16	27.0	0.0			294.0	312.0			372.6	233.0	312.0	312.0					30.1	0.0	10.0	0.0			534.5	515.4			1175.6	
	17	237.0	0.0			284.0	268.0			367.2	328.0	412.0	352.0					24.8	0.0	10.3	0.0			515.7	515.7			1155.6	
	18	21.0	0.0			286.0	300.0			439.8	423.0	401.0	389.0					21.6	0.0	10.3	0.0			530.8	511.7			1257.0	
	19	21.0	0.0			264.0	276.0			437.0	409.0	406.0	406.0					25.5	0.0	8.7	0.0			556.4	537.3			1416.9	
	20	21.0	0.0			257.0	262.0			453.0	467.0	419.0	407.0					33.0	0.0	8.6	0.0			536.1	586.8			1528.9	
	21	20.0	0.0			240.0	243.0			447.4	467.0	413.0	407.0					33.1	0.0	8.5	0.0			517.6	549.4			1645.1	
	22	20.0	0.0			237.0	229.0			454.4	474.0	410.0	404.0					27.7	0.0	9.8	0.0			497.1	513.0			1586.5	
	23	20.0	0.0			222.0	221.0			448.8	474.0	404.0	404.0					24.1	0.0	8.3	0.0			493.2	477.3			1517.5	
	24	20.0	0.0			220.0	213.0			451.0	465.0	312.0	384.0					20.4	0.0	6.7	0.0			484.1	474.6			1494.9	
26 日	1	20.0	0.0			205.0	200.0			471.2	418.0	379.0	397.0					20.5	0.0	8.2	0.0			467.5	476.8			1416.9	
	2	20.0	0.0			204.0	203.0			386.8	384.0	330.0	372.0					20.6	0.0	8.2	0.0			458.7	474.6			1309.2	
	3	20.0	0.0			339.0	193.0			339.0	395.0	310.0	280.0					21.0	0.0	8.2	0.0			465.4	471.8			1257.0	
	4	14.0	0.0			198.0	198.0			359.0	331.0	296.0	314.0					21.1	0.0	6.6	0.0			446.7	430.8			1236.4	
	5	14.0	0.0			189.0	193.0			383.0	313.0	254.0	326.0					23.0	0.0	8.3	0.0			439.9	433.5			1126.1	
	6	14.0	0.0			181.0	176.0			314.2	359.0	290.0	268.0					23.1	0.0	8.3	0.0			429.7	429.7			1106.6	
	7	14.0	0.0			179.0	176.0			279.4	257.0	214.0	238.0					23.1	0.0	8.3	0.0			412.0	434.2			1126.1	
	8	20.0	0.0			172.0	177.0			279.4	257.0	242.0	248.0					23.2	0.0	6.7	0.0			414.6	389.2			1126.1	
	9	27.0	0.0			171.0	174.0			309.0	281.0	272.0	266.0					23.2	0.0	8.2	0.0			425.0	390.1			1135.9	
	10	28.0	0.0			175.0	174.0			359.8	371.0	389.0	329.0					23.2	0.0	9.7	0.0			421.5	411.6			1155.6	
	11	35.0	0.0			192.0	191.0			475.2	490.0	413.0	449.0					27.1	0.0	9.6	0.0			456.7	459.9			1226.1	
	12	42.0	0.0			197.0	196.0			510.8	508.0	440.0	446.0					33.4	0.0	9.5	0.0			572.8	633.5			1586.5	
	13	66.0	17.5			226.0	234.0			600.2	631.0	581.0	575.0					40.0	0.0	10.9	0.0			648.7	655.1			2019.4	
	14	89.0	17.5			270.0	280.0			755.0	769.0	756.0	750.0					44.1	0.0	12.3	0.0			757.3	773.2			2360.5	
	15	80.0	17.5			350.0	355.0			1130.0	1130.0	914.0	1010.0					39.3	5.0	10.7	0.0			1210.5	1210.5			2961.6	
	16	73.0	17.5			444.0	447.0			1211.6	1248.0	1079.0	1067.0					38.3	6.0	20.2	0.0			1298.7	1330.5			3834.3	
	17	80.0	17.5			533.0	528.0			1560.4	1594.0	1181.0	1415.0					62.1	6.0	17.2	0.0			1539.5	1539.5			4091.3	
	18	80.0	17.5			632.0	635.0			2008.0	1994.0	1442.0	1792.0					81.9	6.0	18.5	0.0			1552.5	1552.5			4723.3	
	19	67.0	17.5			675.0	687.0			1998.0	1998.0	1290.0	1580.0					51.6	6.0	18.4	0.0			1699.5	1699.5			4817.3	
	20	60.0	17.5			717.0	742.0			1623.8	1649.0	1244.2	1381.0					61.8	6.0	18.3	0.0			1662.6	1693.5			4723.3	
	21	53.0	17.5			675.0	674.0			1581.8	1607.0	1241.0	1355.0					51.8	6.0	18.3	0.0			1657.6	1688.5			4538.1	
	22	46.0	17.5			675.0	674.0			1465.4	1457.0	1232.6	1244.0					57.3	6.0	19.8	0.0			1400.5	1400.5			4267.2	
	23	40.0	17.5			635.0	651.0			1279.0	1265.0	1141.2	1107.0					53.2	6.0	18.6	0.0			1361.4	1361.4			3834.3	
	24	40.0	17.5			611.0	621.0			933.8	1076.0	1153.0	925.0					55.4	6.0	16.9	0.0			1187.0	1187.0			3457.2	

※--:欠測

洪水Na	S36. 6. 27
------	------------

木 曾

療-：欠測

様式 1-10

洪水No.		中部地方整備局 木曽川水系 主要洪水時刻流量表																												
日	時	木 曽 川																												
		三浦ダム		牧尾ダム		読書ダム		阿木川ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋神ダム		岩屋ダム		川辺ダム		今渡	大山	根増川ダム		
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量			流入量	放流量	
29 日	1	57.0	17.5			709.0	709.0			1256.0	1256.0	1200.0	1164.0					51.0	51.0	18.0	18.0			665.0	696.8			2728.2		
	2	57.0	17.5			736.0	736.0			1439.0	1397.0	1220.0	1244.0					58.0	58.0	21.0	21.0			633.7	697.0			2728.2		
	3	89.0	17.5			789.0	789.0			1413.0	1399.0	1249.0	1237.0					66.0	66.0	21.0	21.0			760.0	696.7			2805.0		
	4	116.0	37.5			892.0	881.0			1430.4	1422.0	1316.0	1334.0					66.0	66.0	25.0	25.0			728.4	696.6			2805.0		
	5	144.0	67.5			950.0	960.0			1569.6	1578.0	1472.0	1478.0					66.0	66.0	25.0	25.0			696.6	696.6			2836.0		
	6	93.0	67.5			1068.0	1067.0			1924.0	1910.0	1563.0	1671.0					66.0	66.0	25.0	25.0			804.7	836.5			3041.6		
	7	96.0	87.5			1167.0	1167.0			2006.0	2048.0	1854.0	1764.0					108.2	114.0	32.6	32.0			825.3	825.3			3457.2		
	8	96.0	87.5			1225.0	1224.0			2145.0	2145.0	1843.0	1969.0					107.2	182.0	49.6	48.0			826.4	826.4			3630.9		
	9	113.0	87.5			1282.0	1285.0			2161.0	2133.0	1952.0	1946.0					140.6	182.0	49.2	59.0			818.7	818.7			3834.3		
	10	113.0	130.0			1331.0	1320.0			2037.0	2093.0	1912.0	1852.0					130.0	182.0	42.4	70.0			982.9	982.9			3834.3		
	11	118.0	157.5			1373.0	1387.0			2101.0	2073.0	1991.0	1955.0					146.4	138.0	40.3	70.0			1118.8	1118.8			3919.0		
	12	118.0	157.5			1423.0	1409.0			2287.0	2203.0	2081.0	2105.0					139.8	152.0	47.9	70.0			1145.9	1177.7			4178.8		
	13	267.0	217.5			1488.0	1521.0			2241.0	2255.0	2121.0	2091.0					159.5	182.0	70.6	83.0			1334.2	1334.2			4356.6		
	14	490.0	317.5			1590.0	1571.0			2535.0	2521.0	2246.0	2324.0					180.2	150.0	66.2	65.0			1622.2	1622.2			4538.1		
	15	333.0	317.5			1818.0	1850.0			2635.0	2719.0	2368.0	2440.0					203.7	164.0	72.5	65.0			2061.2	2230.4			5104.9		
	16	301.0	317.5			2086.0	2134.0			2714.0	2770.0	2573.0	2543.0					189.7	178.0	74.8	80.0			2588.6	2588.6			5808.2		
	17	293.0	317.5			2273.0	2279.0			3076.0	3076.0	2894.0	2834.0					176.8	178.0	74.6	80.0			3465.5	3465.5			6556.9		
	18	251.9	267.5			2444.0	2622.0			3627.0	3655.0	3512.0	3410.0					179.5	178.0	78.6	80.0			3787.5	3787.5			7946.0		
	19	186.0	267.5			2539.0	2544.0			4002.0	4030.0	3901.0	3865.0					158.4	178.0	74.7	80.0			3916.5	3916.5			8690.5		
	20	108.0	317.5			2287.0	2288.0			4254.0	4280.0	4283.0	4271.0					138.7	164.0	71.2	80.0			3428.5	3368.5			8946.1		
	21	87.5	117.5			2128.0	2136.0			4400.0	4400.0	4174.0	4186.0					125.5	138.0	59.5	70.0			3004.5	3004.5			9205.4		
	22	62.0	117.5			1948.0	1948.0			4106.0	4080.0	3780.0	3792.0					125.5	138.0	57.5	70.0			2879.5	2879.5			8817.8		
	23	28.0	37.5			1763.0	1730.0			3764.0	3790.0	3376.0	3406.0					119.1	118.5	52.2	60.0			2512.5	2512.5			8190.4		
	24	14.0	37.5			1631.0	1609.0			3341.0	3354.0	3000.0	2988.0					113.5	124.0	50.0	50.0			2373.5	2373.5			7586.2		

様式 1-10

洪水No.		S39.9.25		中部地方整備局 木曽川水系 主要洪水時刻流量表																									
日	時	三浦ダム		牧尾ダム		読書ダム		阿木川ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋神ダム		岩屋ダム		川辺ダム		今渡	大山	根増川ダム	
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量			流入量	放流量
24 日	1	7.0	0.0	10.6	0.0	104.0	126.0			192.6	200.0	169.8	193.0					22.7	32.0	8.0	6.0								
	2	7.0	0.0	10.6	0.0	103.0	126.0			198.4	200.0	173.6	191.0					22.6	32.0	8.1	6.0								
	3	7.0	0.0	5.3	0.0	102.0	126.0			204.2	200.0	173.6	191.0					22.6	32.0	8.1	6.0								
	4	13.9	0.0	10.6	0.0	97.0	126.0			210.0	200.0	167.8	191.0					22.5	32.0	8.2	6.0								
	5	13.9	0.0	10.8	0.0	89.0	126.0			210.0	200.0	179.4	191.0					22.5	32.0	8.3	6.0								
	6	13.9	0.0	5.3	0.0	86.0	126.0			210.0	200.0	162.0	191.0					22.4	32.0	8.3	6.0								
	7	13.9	0.0	10.6	0.0	84.0	126.0			204.2	200.0	162.0	191.0					24.8	32.0	8.4	6.0					413.8			
	8	7.0	0.0	10.6	0.0	80.0	126.0			221.6	200.0	144.8	197.0					24.7	32.0	8.4	6.0								
	9	4.0	17.5	13.0	13.0	79.0	126.0			227.4	200.0	149.4	219.0					24.7	32.0	8.4	6.0								
	10	8.5	17.5	15.4	26.0	80.0	126.0			233.2	200.0	161.0	219.0					22.2	32.0	8.5	6.0								
	11	11.8	17.5	10.2	26.0	81.0	126.0			227.4	200.0	161.0	219.0					22.2	32.0	8.6	6.0								
	12	11.8	17.5	8.5	13.0	79.0	123.0			239.0	200.0	161.0	219.0					22.1	32.0	8.6	6.0								
	13	11.8	17.5	18.5	13.0	99.0	64.0			210.0	200.0	159.4	170.0					22.0	32.0	8.7	6.0								
	14	17.5	17.5	20.5	26.0	106.0	124.0			224.4	226.0	197.1	220.0					22.0	32.0	8.7	6.0								
	15	24.5	17.5	20.7	26.0	137.0	125.0			221.5	226.0	190.5	219.0					21.9	32.0	8.8	6.0								
	16	31.4	17.5	26.1	10.0	137.0	126.0			215.7	226.0	181.1	221.0					21.9	32.0	8.9	6.0								
	17	38.5	17.5	58.3	0.0	139.0	126.0			225.0	215.0	191.5	220.0					21.8	32.0	7.0	6.0								
	18	45.3	17.5	105.8	0.0	156.0	126.0			233.8	218.0	184.8	219.0					29.1	32.0	8.9	6.0					431.0			
	19	45.4	17.5	121.9	0.0	193.0	126.0			221.5	226.0	214.7	209.0					31.5	32.0	8.9	6.0								
	20	72.7	17.5	128.6	0.0	197.0	126.0			238.9	226.0	342.4	217.0					36.4	32.0	10.8	6.0								
	21	86.5	17.5	246.2	0.0	227.0	126.0			244.9	226.0	335.7	220.0					36.3	44.0	10.2	13.0								
	22	80.1	17.5	328.8	0.0	264.0	161.0			209.9	226.0	336.6	209.0					46.1	44.0	12.1	13.0								
	23	128.9	17.5	292.3	0.0	377.0	335.0			311.0	330.0	511.8	332.0					61.7	62.0	15.2	20.0								
	24	170.6	17.5	357.4	0.0	510.0	511.0			436.0	484.0	545.6	418.0					72.4	80.0	18.9	20.0								
25 日	1	173.0	30.0	446.4	0.0	600.0	609.0			530.5	535.0	713.4	550.0					119.7	115.0	32.6	30.0								
	2	174.6	167.4	396.2	0.0	638.0	647.0			727.0	775.0	815.0	707.0					179.1	189.0	48.2	40.0								
	3	210.3	267.5	402.7	0.0	695.0	718.0			1061.5	1120.0	1153.0	1099.0					174.9	224.0	55.4	60.0								
	4	206.7	292.5	436.3	0.0	691.0	707.0			1195.0	1212.0	1190.0	1190.0					161.0	224.0	53.8	60.0								
	5	227.0	317.5	382.3	0.0	660.0	664.0			1225.0	1242.0	1154.0	1166.0					154.3	198.0	52.3	60.0								
	6	213.1	317.5	350.3	22.7	621.0	631.0			1225.0	1242.0	1088.0	1166.0					149.5	172.0	48.6	60.0								
	7	130.2	206.7	315.3	23.2	621.0	626.0			1126.5	1130.0	1014.0	1050.0					132.9	172.0	48.7	60.0								
	8	101.3	150.0	290.6	0.0	606.0	597.0			1006.0	1023.0	947.0	953.0					126.2	165.5	54.5	60.0								
	9	253.1	100.0	328.6	0.0	623.0	628.0			987.1	1023.0	933.0	933.0					156.2	172.0	76.5	80.0								
	10	477.5	100.0	718.2	50.0	697.0	716.0			995.2	1023.0	926.0	950.0					221.4	166.0	81.8	80.0								
	11	257.4	105.8	1390.2	727.6	1104.0	1271.0			1031.2	1065.0	1016.0	996.0					478.7	241.5	145.0	105.0								
	12	507.1	217.5	1511.5	1380.9	2423.0	2369.0			1382.6	1297.0	1464.0	1284.0					446.7	326.0	177.1	135.0								
	13	319.3	217.5	1295.9	1380.9	4780.0	4780.0			2555.8	2508.0	3089.0	3023.0					357.1	356.0	133.9	135.0								
	14	179.0	117.5	920.5	1030.9	4328.0	4320.0			3694.6	3717.0	3736.0	3862.0					273.5	322.0	125.4	135.0								
	15	114.2	34.2	623.1	680.9	3324.0	3324.0			4226.0	4337.0	4718.0	4442.0					230.3	256.0	124.4	123.0								
	16	76.0	17.5	466.6	530.9	2240.0	2240.0			4727.0	4756.0	5391.4	4761.0					259.8	212.0	91.5	100.0					9160.0			
	17	68.0	0.0	316.6	380.9	1800.0	1800.0			4666.0	4656.0	4777.0	4746.0					203.1	197.0	68.8	70.0								
	18	52.4	0.0	230.9	230.9	1650.0	1650.0			4627.0	4656.0	4086.6	4748.0					160.1	149.0	68.7	70.0					6103.0			
	19	43.8	0.0	206.5	180.9	1630.0	1630.0			4112.0	4141.0	3276.0	3636.0					134.7	103.0	68.2	70.0								
	20	36.5	0.0	187.4	180.9	1400.0	1400.0			2211.0	2201.0	2331.0	2347.0					131.3	56.0	57.8	60.0								
	21	36.4	0.0	168.2	180.9	1070.0	1070.0			1871.0	1835.0	1942.0	1888.0					116.7	56.0	47.2	50.0								
	22	36.4	0.0	161.5	180.9	890.0	890.0			1811.5	1883.0	1703.0	1643.0					107.1	56.0	46.8	50.0								
	23	29.1	0.0	130.9	130.9	738.0	738.0			1448.3	1333.0	1438.0	1372.0					97.3	56.0	46.5	50.0								
	24	29.1	0.0	130.9	130.9	705.0	705.0			1326.0	1262.0	1184.0	1154.0					93.2	56.0	46.2	50.0								

※-：欠測

様式 1-10

洪水No.		S39.9.25		中部地方整備局 木曽川水系 主要洪水時刻流量表																									
日	時	三浦ダム		牧尾ダム		読書ダム		阿木川ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋神ダム		岩屋ダム		川辺ダム		今渡	大山	根増川ダム	
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量			流入量	放流量
26 日	1	21.8	0.0	108.4	80.9	609.0	609.0			1115.2	1116.0	1084.0	1015.0					82.7	56.0	36.0	40.0								
	2	21.8	0.0	106.7	68.0	553.0	553.0			1100.6	1042.0	1083.0	1035.0					82.9	56.0	35.8	40.0								
	3	21.8	0.0	97.7	52.6	502.0	502.0			1051.0	968.0	976.0	1048.0					70.4	56.0	35.7	40.0								
	4	21.8	0.0	100.1	80.9	485.0	485.0			966.4	968.0	864.0	900.0					70.5	56.0	27.5	30.0								
	5	21.8	0.0	93.6	80.9	444.0	444.0			880.0	870.0	794.0	806.0					70.6	56.0	27.4	30.0								
	6	20.6	0.0	87.4	80.9	434.0	434.0			894.5	870.0	822.0	834.0					68.1	56.0	25.5	30.0								
	7	14.8	0.0	70.1	70.9	444.0	444.0			820.3	870.0	767.0	773.0					66.3	44.0	23.5	30.0								
	8	14.8	0.0	82.7	37.6	444.0	444.0			712.6	708.0	683.0	683.0					63.8	44.0	22.2	25.0								
	9	14.8	17.5	63.3	30.9	444.0	444.0			691.6	660.0	562.0	580.0					56.3	44.0	22.2	25.0								
	10	14.8	16.5	74.7	10.3	400.0	235.0			602.5	549.0	499.0	601.0					57.1	39.0	20.3	25.0								
	11	14.8	0.0	34.5	11.3	364.0	252.0			559.0	549.0	473.0	521.0					59.4	39.0	23.3	0.0								
	12	14.8	0.0	57.1	30.9	335.0	305.0			471.3	441.0	368.0	398.0					59.3	39.0	24.2	0.0								
	13	14.8	0.0	63.5	30.9	284.0	267.0			341.8	326.0	335.0	311.0					56.9	39.0	22.4	0.0								
	14	7.4	0.0	44.1	30.9	327.0	194.0			316.9	275.0	187.0	247.0					51.1	39.0	22.6	0.0								
	15	7.4	0.0	50.3	30.9	325.0	249.0			249.5	225.0	270.2	252.0					50.9	39.0	20.9	0.0								
	16	14.8	0.0	37.4	30.9	322.0	288.0			332.3	302.0	364.0	316.0					50.7	39.0	21.1	0.0								
	17	14.8	0.0	44.1	30.9	321.0	329.0			343.9	302.0	382.0	316.0					47.9	39.0	19.4	0.0								
	18	7.4	0.0	37.4	30.9	312.0	329.0			300.4	302.0	306.0	282.0					45.7	39.0	19.6	0.0								
	19	14.8	0.0	37.4	30.9	299.0	307.0			284.2	251.0	285.0	267.0					44.9	39.0	18.1	0.0								
	20	7.4	0.0	37.6	30.9	292.0	277.0			278.4	251.0	358.0	268.0					44.7	39.0	18.7	0.0								
	21	14.8	0.0	30.9	30.9	288.0	277.0			381.6	331.0	422.0	410.0					44.5	39.0	18.9	0.0								
	22	7.4	0.0	37.4	30.9	269.0	277.0			423.9	411.0	426.0	408.0					44.3	39.0	17.1	0.0								
	23	14.8	0.0	37.4	30.9	277.0	267.0			418.1	411.0	420.0	408.0					41.5	39.0	17.3	0.0								
	24	7.4	0.0	26.2	0.0	250.0	237.0			397.8	411.0	379.0	379.0					43.9	39.0	15.5	0.0								

様式 1-10

洪水No.		S42.7.9		中部地方整備局 木曾川水系 主要洪水時刻流量表																									
日	時	三浦ダム		牧尾ダム		読書ダム		阿木田ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋神ダム		岩屋ダム		川辺ダム		今渡	大山	坂増川ダム	
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量			流入量	放流量
8日	1	17.5	0.0			226.0	225.0			415.4	390.0	374.0	404.0					26.6	32.0	11.9	0.4			321.5	321.5			887.3	
	2	11.7	0.0			221.0	224.0			413.5	391.0	372.0	402.0					28.4	32.0	10.4	0.4			321.5	321.5			883.2	
	3	17.5	0.0			217.0	223.0			401.9	391.0	372.0	402.0					26.2	32.0	10.5	0.4			321.5	321.5			887.3	
	4	11.7	0.0			215.0	225.0			414.5	392.0	372.0	402.0					28.1	32.0	9.0	0.4			321.5	321.5			887.3	
	5	11.7	0.0			210.0	192.0			371.9	361.0	320.0	332.0					26.0	32.0	10.8	0.4			302.8	309.0			883.2	
	6	11.7	0.0			201.0	193.0			325.5	303.0	342.0	306.0					27.9	32.0	9.2	0.4			299.6	296.5			818.6	
	7	11.7	0.0			201.0	197.0			316.8	303.0	344.0	308.0					25.7	32.0	9.3	0.4			305.8	296.5			741.2	
	8	11.7	0.0			199.0	196.0			314.9	304.0	352.0	298.0					23.6	32.0	9.5	0.4			299.6	296.5			737.4	
	9	11.7	0.0			193.0	196.0			270.4	303.0	335.0	269.0					21.4	32.0	7.9	0.4			281.0	296.5			726.2	
	10	11.7	0.0			186.0	196.0			311.0	303.0	302.0	302.0					19.2	32.0	6.4	0.4			278.7	291.1			726.2	
	11	11.7	0.0			191.0	184.0			308.1	303.0	321.0	303.0					21.1	32.0	6.5	0.4			263.8	257.6			722.5	
	12	11.7	0.0			184.0	184.0			331.2	329.0	342.0	348.0					21.0	32.0	6.6	0.4			271.0	255.5			718.7	
	13	5.8	0.0			179.0	183.0			381.3	382.0	326.0	380.0					22.9	32.0	8.4	0.4			274.1	258.6			704.0	
	14	11.7	0.0			185.0	186.0			387.1	382.0	325.0	379.0					20.7	32.0	8.5	0.4			277.2	289.6			733.7	
	15	5.8	0.0			185.0	184.0			383.2	381.0	318.0	378.0					22.6	32.0	8.7	0.4			251.6	279.5			798.9	
	16	17.5	0.0			180.0	183.0			364.7	348.0	312.0	354.0					20.5	32.0	8.8	0.4			252.4	255.5			806.7	
	17	11.7	0.0			178.0	185.0			328.0	320.0	284.0	326.0					22.4	32.0	8.9	0.4			244.4	247.5			771.7	
	18	5.8	0.0			177.0	172.0			305.2	303.0	280.0	298.0					20.2	32.0	9.1	0.4			256.8	247.5			689.3	
	19	11.7	0.0			176.0	175.0			305.2	303.0	308.0	302.0					20.1	32.0	7.5	0.4			250.6	247.5			689.3	
	20	5.8	2.0			171.0	172.0			308.1	303.0	306.0	306.0					17.9	32.0	7.6	0.4			247.5	247.5			689.3	
	21	11.7	2.0			174.0	175.0			299.4	303.0	301.0	301.0					19.8	32.0	7.8	0.4			238.2	247.5			685.7	
	22	5.8	2.0			172.0	173.0			298.4	302.0	299.0	299.0					17.7	32.0	6.2	0.4			230.5	230.5			685.7	
	23	11.7	0.0			169.0	173.0			289.8	276.0	295.0	301.0					19.6	32.0	6.3	0.4			230.5	230.5			671.3	
	24	5.8	0.0			162.0	162.0			307.2	276.0	280.0	304.0					18.4	0.0	6.3	0.4			230.5	230.5			642.9	
9日	1	11.7	0.0			162.0	163.0			296.6	277.0	270.0	282.0					16.5	0.0	7.8	0.4			230.5	230.5			639.4	
	2	5.8	0.0			159.0	162.0			285.0	277.0	284.0	284.0					16.6	0.0	9.3	0.4			230.5	230.5			628.9	
	3	11.7	0.0			163.0	163.0			285.0	277.0	277.0	283.0					16.8	0.0	9.2	0.4			227.4	230.5			625.4	
	4	23.3	0.0			154.0	162.0			282.1	277.0	286.0	280.0					21.0	0.0	7.3	0.4			217.6	214.5			632.4	
	5	29.2	0.0			151.0	140.0			285.0	277.0	275.0	281.0					23.0	8.0	8.8	0.4			217.6	214.5			639.4	
	6	29.2	0.0			153.0	139.0			282.1	277.0	274.0	280.0					32.8	32.0	10.5	0.4			214.5	214.5			639.4	
	7	11.7	0.0			165.0	164.0			302.4	277.0	281.0	281.0					53.3	32.0	14.0	0.4			233.1	214.5			632.4	
	8	75.8	0.0	97.9	0.0	185.0	180.0			328.4	303.0	257.0	305.0					58.1	32.0	15.7	0.4			249.1	230.5			628.9	
	9	77.4	0.0	103.2	0.0	258.0	257.0			331.2	329.0	259.0	295.0					67.1	32.0	24.2	0.4			253.1	262.4			628.9	
	10	65.5	0.0	137.8	0.0	365.0	365.0			303.6	342.0	253.0	301.0					65.1	32.0	22.3	0.4			298.9	323.7			660.5	
	11	65.5	0.0	261.8	30.9	508.0	505.0			314.6	353.0	289.0	307.0					54.6	32.0	18.8	0.4			386.3	367.7			791.1	
	12	51.8	0.0	206.8	30.9	612.0	609.0			360.5	367.0	350.0	350.0					61.1	32.0	20.4	0.4			460.1	457.0			866.8	
	13	51.8	0.0	142.0	30.9	640.0	708.0			503.8	519.0	602.0	554.0					61.1	32.0	23.8	0.4			579.7	589.0			1015.5	
	14	47.6	0.0	148.0	30.9	629.0	679.0			807.5	785.0	799.0	787.0					65.6	32.0	25.5	0.4			809.9	816.1			1322.7	
	15	59.5	0.0	191.9	30.9	662.0	636.0			1102.5	1109.0	1274.0	1238.0					66.6	32.0	25.4	0.4			866.6	863.5			1756.6	
	16	59.5	0.0	174.4	30.9	660.0	637.0			1132.0	1209.0	1337.0	1241.0					66.7	32.0	27.7	0.4			896.7	893.6			1959.5	
	17	55.7	0.0	144.2	30.9	586.0	596.0			1271.0	1263.0	1192.0	1252.0					66.8	32.0	24.0	0.4			913.0	940.9			2115.9	
	18	43.3	0.0	126.7	30.9	533.0	503.0			1249.0	1227.0	1135.0	1207.0					66.9	32.0	23.9	0.4			879.3	879.3			2135.0	
	19	60.2	0.0	120.4	35.9	571.0	555.0			1195.0	1173.0	1114.0	1203.0					64.8	32.0	23.9	0.4			876.2	873.1			2058.9	
	20	55.7	0.0	134.0	75.1	779.0	772.0			1549.0	1541.0	1540.0	1481.0					65.0	32.0	23.8	0.4			852.8	865.2			2096.8	
	21	148.6	0.0	584.6	159.6	1083.0	1156.0			1789.0	1695.0	1528.0	1616.0					64.0	32.0	23.7	0.4			934.8	913.1			2344.8	
	22	424.4	0.0	881.4	382.9	1366.0	1471.0			1894.6	1833.0	1848.0	1736.0					82.2	32.0	30.7	0.4			1228.6	1228.6			2550.4	
	23	315.1	0.0	998.2	647.6	1550.0	1528.0			2451.8	2503.0	2406.0	2382.0					108.6	32.0	37.6	0.4			1653.1	1665.5			3063.7	
	24	303.8	0.0	861.5	748.4	1855.0	1895.0			3045.0	3135.0	2992.0	3058.0					189.4	32.0	92.5	0.4			2313.0	2344.0			3878.6	

※-：欠測

様式 1-10

洪水No.		S42.7.9		中部地方整備局 木曾川水系 主要洪水時刻流量表																									
日	時	本 河 川																											
		三浦ダム		牧尾ダム		読書ダム		阿木田ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋神ダム		岩屋ダム		川辺ダム		今渡	大山	根喰川ダム	
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量			流入量	放流量
10 日	1	314.4	0.0	1123.4	935.9	2426.0	2417.0			3361.4	3401.0	3161.0	3149.0					246.2	32.0	89.9	0.4			2814.0	2876.4		4808.6		
	2	183.4	0.0	988.6	910.9	2715.0	2702.0			3552.2	3657.0	4033.0	3769.0					306.6	60.0	136.9	0.4			3233.7	3257.6		5779.0		
	3	119.6	0.0	649.7	593.4	3039.0	3067.0			4332.2	4347.0	4722.0	4548.0					288.3	172.5	106.4	25.4			3356.6	3413.2		7182.9		
	4	101.9	0.0	455.9	430.9	2758.0	2746.0			4612.0	4633.0	4629.0	4581.0					264.3	219.0	125.5	59.7			3368.2	3401.1		8328.1		
	5	88.3	0.0	399.5	360.9	2218.0	2181.0			4552.8	4553.0	4464.0	4584.0					241.6	216.0	91.6	67.4			3218.7	3212.7		8932.4		
	6	67.9	0.0	385.6	350.9	1865.0	1888.0			4417.2	4407.0	4142.0	4334.0					201.5	173.0	82.6	62.1			3114.3	3105.3		8516.6		
	7	61.1	0.0	344.4	360.9	1699.0	1603.0			3759.2	3736.0	3590.0	3638.0					170.9	124.0	69.1	56.3			2791.0	2791.0		7417.0		
	8	54.3	0.0	320.3	390.9	1427.0	1400.0			3137.0	2999.0	2827.0	2833.0					150.0	124.0	60.7	44.2			2482.0	2407.8		5146.6		
	9	40.7	0.0	327.8	380.9	1372.0	1318.0			2749.6	2849.0	2554.0	2626.0					144.9	111.0	52.5	32.0			2134.1	2078.6		4562.1		
	10	40.7	0.0	260.3	290.9	1289.0	1275.0			2420.0	2394.0	2236.0	2278.0					123.4	100.0	55.1	29.7			2014.5	2002.1		4231.4		
	11	40.7	0.0	245.5	270.9	1259.0	1262.0			2117.0	2084.0	2026.0	2002.0					107.5	100.0	51.3	29.7			1924.4	1930.6		3818.4		
	12	27.2	0.0	239.2	270.9	1142.0	1146.0			1928.8	1711.0	1846.0	1750.0					97.7	72.0	46.2	26.4			1757.4	1748.1		3500.0		
	13	27.2	0.0	226.7	260.9	1027.0	1020.0			1749.2	1589.0	1813.0	1687.0					92.4	72.0	40.4	26.6			1583.1	1583.1		3094.4		
	14	34.0	0.0	185.7	200.9	973.0	973.0			1687.9	1652.0	1821.0	1617.0					87.2	72.0	34.6	26.7			1480.7	1465.2		2919.7		
	15	34.0	0.0	172.2	180.9	937.0	922.0			1726.1	1697.0	1654.0	1624.0					81.9	72.0	34.6	26.7			1325.9	1319.7		2889.8		
	16	20.9	0.0	151.9	170.9	919.0	931.0			1742.5	1754.0	1498.0	1624.0					74.0	72.0	32.6	26.7			1198.5	1192.3		2779.2		
	17	20.9	0.0	139.5	150.9	857.0	869.0			1645.5	1744.0	1444.0	1534.0					74.0	72.0	33.1	31.1			1084.1	1084.1		2713.9		
	18	27.8	0.0	138.2	150.9	806.0	814.0			1558.3	1593.0	1453.0	1441.0					66.0	72.0	31.6	33.5			1079.4	1079.9		2620.8		
	19	20.9	0.0	125.7	150.9	782.0	805.0			1474.7	1492.0	1318.0	1408.0					66.0	72.0	25.7	33.5			1003.1	1009.3		2467.1		
	20	20.9	0.0	125.5	130.9	716.0	727.0			1233.7	1222.0	1243.0	1189.0					63.4	72.0	23.7	33.5			913.2	894.6		2304.7		
	21	20.9	0.0	111.9	130.9	684.0	651.0			1147.3	1167.0	1241.0	1139.0					59.8	58.0	24.9	26.7			869.2	872.3		2103.1		
	22	20.9	0.0	99.2	110.9	666.0	663.0			1236.8	1156.0	1180.0	1180.0					57.2	58.0	24.9	26.7			830.2	833.3		1996.5		
	23	20.9	0.0	92.2	110.9	640.0	662.0			1225.2	1170.0	1017.0	1127.0					56.4	52.0	24.9	26.7			796.7	781.2		1971.8		
	24	13.9	0.0	91.9	110.9	611.0	631.0			1091.0	1059.0	931.0	973.0					56.5	52.0	24.9	26.7			750.2	762.6		1904.7		
11 日	1	13.9	0.0	91.9	110.9	602.0	602.0			1011.3	1017.0	949.0	949.0					53.5	49.0	20.1	20.0			725.4	728.5		1844.7		
	2	13.9	0.0	91.9	110.9	558.0	548.0			1020.0	1017.0	949.0	949.0					53.1	46.0	20.1	20.0			722.9	710.5		1779.9		
	3	13.9	0.0	79.5	110.9	559.0	548.0			1020.0	1017.0	938.0	950.0					48.8	39.0	20.0	20.0			706.3	712.5		1768.2		
	4	13.9	0.0	85.7	110.9	535.0	549.0			950.7	968.0	889.0	877.0					48.9	39.0	18.0	20.0			664.3	682.9		1768.2		
	5	13.9	0.0	85.7	110.9	499.0	499.0			845.0	871.0	871.0	811.0					46.3	39.0	18.0	20.0			631.4	631.4		1681.9		
	6	13.9	0.0	73.3	90.9	500.0	499.0			752.8	744.0	773.0	743.0					46.3	39.0	17.9	20.0			595.5	592.4		1581.2		
	7	13.9	0.0	72.4	90.9	498.0	499.0			720.7	709.0	783.0	723.0					46.3	39.0	17.2	13.3			544.2	550.4		1394.2		
	8	13.9	0.0	65.9	70.9	472.0	472.0			732.3	709.0	766.0	724.0					46.3	39.0	15.9	10.0			576.5	523.9		1373.6		
	9	11.3	8.8			460.0	446.0			764.4	716.0	763.0	721.0					41.0	39.0	15.9	10.0			560.6	585.4		1358.2		
	10	11.3	17.5			446.0	451.0			779.0	720.0	721.0	721.0					40.0	35.5	16.1	10.0			517.8	527.1		1358.2		
	11	10.5	17.5			447.0	450.0			719.2	724.0	689.0	659.0					39.9	35.5	15.2	7.0			500.3	506.5		1353.1		
	12	10.5	6.0			412.0	397.0			706.5	720.0	676.0	664.0					39.7	35.5	13.3	7.0			489.6	486.5		1337.9		
	13	10.5	17.5			406.0	406.0			712.3	720.0	651.0	663.0					39.6	35.5	13.5	7.0			446.7	471.5		1297.7		
	14	10.5	17.5			382.0	383.0			639.2	673.0	599.0	629.0					36.8	35.5	13.9	7.2			452.8	424.9		1258.0		
	15	10.5	17.5			375.0	360.0			656.7	647.0	600.0	624.0					36.6	35.5	14.1	7.2			430.4	424.2		1199.8		
	16	10.5	17.5			362.0	359.0			616.9	613.0	577.0	583.0					36.2	35.5	12.5	7.2			421.8	424.9		1157.0		
	17	10.5	17.5			362.0	366.0			559.2	564.0	515.0	539.0					35.9	35.5	9.1	7.5			418.0	402.5		1133.5		
	18	10.5	17.5			347.0	340.0			513.1	515.0	514.0	490.0					35.5	35.5	9.5	7.5			402.5	402.5		1064.6		
	19	10.5	17.5			336.0	313.0			516.0	515.0	511.0	493.0					34.8	34.8	7.5	7.5			379.8	401.5		1042.1		
	20	10.5	17.5			325.0	313.0			516.0	515.0	519.0	501.0					34.0	34.0	7.5	7.5			364.1	376.5		1033.2		
	21	10.5	17.5			318.0	313.0			541.2	517.0	505.0	499.0					34.0	34.0	7.5	7.5			376.5	376.5		1006.7		
	22	10.5	17.5			313.0	313.0			518.0	517.0	473.0	497.0					31.4	34.0	8.8	8.8			366.1	359.9		1002.3		
	23	7.0	0.0			310.0	314.0			520.9	517.0	477.0	501.0					31.6	32.0	10.4	10.0			360.8	351.5		989.2		
	24	7.0	0.0			308.0	313.0			498.6	515.0	459.0	471.0					29.0	32.0	10.4	10.0			348.4	351.5		984.8		

※--: 欠測

様式 1-10

洪水№. S43.8.17		中部地方整備局 木曾川水系 主要洪水時刻流量表																											
日	時	三浦ダム		牧尾ダム		読書ダム		阿木川ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋神ダム		岩屋ダム		川辺ダム		今渡	大山	根増川ダム	
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量			流入量	放流量
16日	1	6.4	0.0	4.6	0.0	65.0	0.0			32.0	0.0	5.0	11.0					10.5	4.5	2.9	0.4							156.1	
	2	6.4	0.0	19.4	0.0	117.0	0.0			4.0	0.0	0.0	0.0					10.6	4.5	2.8	0.4							152.9	
	3	12.7	0.0	19.2	0.0	111.0	78.0			4.0	0.0	0.0	0.0					15.0	4.5	4.4	0.4							146.4	
	4	6.4	0.0	14.6	0.0	96.0	110.0			4.0	0.0	0.0	0.0					24.3	4.5	4.3	0.4							146.4	
	5	0.0	0.0	14.6	0.0	89.0	105.0			4.0	0.0	6.0	12.0					29.0	4.5	4.1	0.4							143.3	
	6	6.4	0.0	9.6	0.0	80.0	103.0			5.6	52.0	13.0	31.0					29.5	4.5	3.6	0.4							143.3	
	7	6.4	0.0	19.4	0.0	75.0	106.0			43.0	53.0	112.0	70.0					21.1	4.5	4.9	0.4							143.3	
	8	0.0	0.0	14.4	0.0	96.0	106.0			62.6	53.0	145.0	61.0					15.0	4.5	4.4	0.4							162.8	
	9	6.4	0.0	21.3	30.9	111.0	110.0			86.3	106.0	139.0	91.0					11.1	4.5	3.9	0.4							198.1	
	10	6.4	0.0	11.5	30.9	113.0	117.0			155.0	161.0	169.0	157.0					11.1	4.5	3.9	0.4							187.1	
	11	6.4	0.0	6.7	30.9	107.0	121.0			161.0	161.0	181.0	151.0					11.5	4.5	3.5	0.4							173.0	
	12	0.0	0.0	11.5	30.9	103.0	120.0			163.5	166.0	182.0	146.0					11.7	4.5	3.3	0.4							187.1	
	13	6.4	0.0	0.0	0.0	81.0	66.0			109.0	84.0	172.0	106.0					8.6	3.5	3.2	0.4							205.5	
	14	0.0	0.0	14.1	30.9	95.0	119.0			136.0	166.0	185.0	149.0					8.6	3.5	3.2	0.4							220.9	
	15	6.4	0.0	6.9	30.9	99.0	119.0			181.0	166.0	177.0	171.0					6.3	3.5	3.3	0.4							236.8	
	16	0.0	0.0	7.4	30.9	97.0	119.0			178.5	166.0	187.0	175.0					6.1	3.5	3.5	0.4							220.9	
	17	6.4	0.0	7.4	30.9	95.0	119.0			171.0	166.0	186.0	168.0					5.7	3.5	3.9	0.4							224.8	
	18	0.0	0.0	2.3	30.9	91.0	108.0			173.5	166.0	186.0	168.0					5.7	3.5	3.9	0.4							228.8	
	19	6.4	0.0	7.4	30.9	88.0	118.0			158.5	166.0	156.0	168.0					3.0	3.5	4.4	0.4							228.8	
	20	0.0	0.0	2.6	30.9	94.0	119.0			162.5	110.0	212.0	152.0					5.0	3.5	2.8	0.4							220.9	
	21	0.0	0.0	5.4	19.6	100.0	96.0			153.0	108.0	193.0	181.0					2.8	3.5	2.8	0.4							224.8	
	22	6.4	0.0	0.0	0.0	71.0	73.0			170.7	53.0	177.0	159.0					4.9	3.5	2.9	0.4							232.8	
	23	0.0	0.0	0.0	0.0	61.0	74.0			159.4	52.0	177.0	165.0					2.7	3.5	2.9	0.4							228.8	
	24	6.4	0.0	4.6	0.0	28.0	73.0			145.4	52.0	138.0	144.0					4.8	3.5	3.0	0.4							224.8	
17日	1	0.0	0.0	4.8	0.0	25.0	0.0			122.0	51.0	1.0	97.0					2.6	3.5	3.0	0.4							220.9	
	2	6.4	0.0	4.8	0.0	25.0	0.0			74.4	51.0	4.0	52.0					4.7	3.5	3.1	0.4							209.3	
	3	0.0	0.0	4.6	0.0	26.0	0.0			52.0	51.0	5.0	53.0					2.5	3.5	3.1	0.4							209.3	
	4	0.0	0.0	4.8	0.0	28.0	0.0			52.0	51.0	4.0	52.0					4.7	3.5	3.2	0.4							209.3	
	5	6.4	0.0	0.0	0.0	26.0	0.0			40.8	51.0	4.0	58.0					2.5	3.5	3.2	0.4							209.3	
	6	0.0	0.0	4.8	0.0	57.0	45.0			74.2	104.0	52.0	52.0					4.6	3.5	3.3	0.4							209.3	
	7	0.0	0.0	4.8	0.0	57.0	56.0			82.6	104.0	107.0	95.0					2.4	3.5	3.3	0.4							209.3	
	8	0.0	0.0	4.6	0.0	62.0	68.0			113.4	104.0	104.0	104.0					5.5	4.5	5.0	0.4							205.5	
	9	6.4	0.0	7.4	30.9	58.0	89.0			67.6	131.0	143.0	65.0					4.8	6.0	3.4	0.4		103.6					198.1	
	10	6.4	0.0	2.6	30.9	98.0	108.0			145.2	161.0	173.0	161.0					4.7	6.0	3.4	0.4		103.7					194.4	
	11	12.7	0.0	2.6	30.9	96.0	93.0			190.0	161.0	176.0	182.0					4.7	6.0	3.5	0.4		104.5					198.1	
	12	12.7	0.0	12.2	30.9	100.0	91.0			190.0	161.0	128.0	176.0					6.8	6.0	3.5	0.4		108.9					198.1	
	13	25.5	0.0	0.0	0.0	116.0	92.0			143.8	84.0	74.0	128.0					6.8	6.0	5.3	0.4		131.5					205.5	
	14	25.5	0.0	16.5	30.9	99.0	115.0			173.0	158.0	80.0	176.0					9.0	6.0	3.5	0.4		200.7					224.8	
	15	25.5	0.0	16.7	30.9	108.0	123.0			178.8	161.0	173.0	179.0					11.3	6.0	5.2	0.4		312.6					236.8	
	16	12.7	0.0	78.2	30.9	142.0	118.0			181.6	161.0	137.0	179.0					13.6	6.0	3.4	0.4		428.5					240.9	
	17	25.5	0.0	82.7	30.9	152.0	102.0			184.4	161.0	109.0	175.0					15.9	6.0	6.7	0.4		542.5					270.3	
	18	12.7	0.0	73.4	30.9	154.0	113.0			181.6	161.0	139.5	181.0					16.1	6.0	8.3	0.4		643.9					398.0	
	19	25.5	0.0	59.5	30.9	159.0	121.0			181.6	161.0	177.1	183.0					16.9	4.5	8.3	0.4		716.0					987.2	
	20	31.9	0.0	54.4	21.0	156.0	121.0			192.6	200.0	306.4	181.0					15.2	4.5	6.4	0.4		771.1					1086.0	
	21	38.2	0.0	42.2	0.0	152.0	124.0			187.0	206.0	308.0	182.0					15.5	4.5	6.1	0.4		821.6					1080.7	
	22	38.2	0.0	48.5	0.0	146.0	135.0			195.4	200.0	348.0	186.0					15.9	4.5	9.3	0.4		874.7					1054.8	
	23	193.1	0.0	43.7	0.0	137.0	126.0			239.0	224.0	277.0	277.0					17.8	4.5	16.8	0.4		965.9					1059.6	
	24	353.0	0.0	91.7	0.0	124.0	113.0			292.2	224.0	256.0	256.0					31.5	2.5	24.2	0.4		1261.4					1059.6	

※- : 欠測

様式 1-10

洪水No.		S43.8.17		中部地方整備局 木曽川水系 主要洪水時刻流量表																									
日	時	三浦ダム		牧尾ダム		読書ダム		阿木川ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋神ダム		岩屋ダム		川辺ダム		今渡	大山	根増川ダム	
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量			流入量	放流量
18日	1	272.4	0.0	478.6	0.0	123.0	114.0			272.6	224.0	251.0	221.0					68.1	0.0	48.7	0.4						1764.1		
	2	241.9	0.0	438.7	0.0	282.0	298.0			475.8	298.0	358.0	406.0					89.6	0.0	51.2	0.4						3822.8		
	3	214.2	0.0	355.4	0.0	250.0	243.0			892.6	892.0	784.0	598.0					122.6	13.0	62.4	0.4						5109.1		
	4	184.9	0.0	507.6	0.0	447.0	443.0			1373.3	1425.0	1229.0	1409.0					122.5	8.0	104.6	0.4						6964.0		
	5	135.1	0.0	554.9	0.0	595.0	621.0			1473.5	1617.0	1787.0	1883.0					153.5	32.0	104.8	0.4						7434.0		
	6	71.1	0.0	334.8	0.0	895.0	901.0			2100.0	2155.0	2204.0	2192.0					161.7	32.0	69.8	0.4						8079.1		
	7	71.1	0.0	221.5	0.0	720.0	736.0			2473.4	2506.0	2439.2	2582.0					146.3	32.0	54.7	0.4						7871.6		
	8	49.8	0.0	154.3	0.0	664.0	674.0			2385.6	2463.0	2153.8	2378.0					89.2	32.0	36.4	0.4						7038.8		
	9	35.6	0.0	110.4	0.0	535.0	526.0			2076.0	2061.0	1890.5	1979.0					61.6	32.0	27.0	0.4						5904.2		
	10	35.6	0.0	93.6	0.0	454.0	448.0			1634.6	1886.0	1315.9	1369.0					58.9	32.0	27.2	0.4						4881.8		
	11	28.4	0.0	82.8	0.0	409.0	423.0			1187.8	1100.0	1087.1	1093.0					48.5	32.0	23.7	0.4						3702.2		
	12	28.4	0.0	66.2	0.0	341.0	318.0			956.6	922.0	878.4	843.0					43.0	32.0	24.1	0.4						3290.3		
	13	28.4	0.0	61.0	0.0	302.0	292.0			835.4	826.0	768.8	757.0					36.5	32.0	21.9	0.4						2760.1		
	14	21.3	0.0	56.2	0.0	267.0	267.0			631.2	603.0	733.3	574.0					33.2	32.0	25.4	0.4						2450.1		
	15	14.2	0.0	45.1	0.0	250.0	243.0			555.4	446.0	662.2	497.0					32.7	32.0	22.1	0.4						2290.3		
	16	14.2	0.0	45.1	0.0	244.0	230.0			558.5	455.0	569.8	499.0					30.0	32.0	14.4	0.4						1730.3		
	17	14.2	0.0	39.4	0.0	214.0	214.0			535.0	460.0	519.0	471.0					27.4	32.0	8.5	0.4						1650.6		
	18	14.2	0.0	33.8	0.0	206.0	196.0			508.0	462.0	455.0	455.0					27.3	32.0	8.6	0.4						1572.8		
	19	14.2	0.0	39.4	0.0	202.0	196.0			503.2	463.0	462.0	462.0					23.8	11.0	8.6	0.4						1478.2		
	20	14.2	0.0	28.1	0.0	193.0	197.0			445.3	437.0	424.0	400.0					24.7	32.0	10.6	0.4						1368.5		
	21	14.2	0.0	27.8	0.0	193.0	194.0			397.7	401.0	409.0	367.0					22.1	32.0	8.8	0.4						1286.1		
	22	14.2	0.0	28.3	0.0	188.0	174.0			395.3	387.0	425.0	371.0					19.5	32.0	8.9	0.4						1274.6		
	23	14.2	0.0	28.1	0.0	173.0	172.0			331.6	303.0	362.0	302.0					19.3	32.0	11.0	0.4						1167.3		
	24	14.2	0.0	26.4	0.0	174.0	173.0			294.0	277.0	330.0	276.0					19.2	32.0	9.2	0.4						1049.1		
19日	1	14.2	0.0	22.6	0.0	137.0	141.0			291.1	277.0	337.0	277.0					21.6	32.0	7.3	0.4						922.3		
	2	14.4	0.0	22.3	0.0	141.0	142.0			288.2	277.0	345.0	273.0					21.5	32.0	7.4	0.4						840.8		
	3	7.3	0.0	22.6	0.0	140.0	141.0			328.7	303.0	347.0	341.0					18.8	32.0	7.5	0.4						487.6		
	4	7.3	0.0	22.6	0.0	128.0	127.0			354.7	329.0	327.0	339.0					18.7	32.0	7.6	0.4						869.2		
	5	7.3	0.0	22.6	0.0	121.0	124.0			311.3	303.0	292.0	286.0					18.6	32.0	7.8	0.4						437.1		
	6	7.3	0.0	22.6	0.0	118.0	122.0			291.1	277.0	293.0	275.0					18.5	32.0	7.9	0.4						878.7		
	7	7.3	0.0	16.8	0.0	113.0	123.0			294.0	277.0	263.0	275.0					16.8	32.0	6.0	0.4						873.9		
	8	7.3	0.0	23.0	0.0	104.0	123.0			291.1	277.0	276.0	276.0					15.7	32.0	6.1	0.4						826.8		
	9	0.0	0.0	17.3	0.0	120.0	120.0			291.1	277.0	253.0	271.0					15.6	32.0	8.2	0.4						772.0		
	10	7.3	0.0	17.3	0.0	134.0	121.0			288.2	277.0	221.0	275.0					15.5	32.0	6.4	0.4						781.0		
	11	7.3	0.0	17.3	0.0	134.0	121.0			248.1	234.0	197.0	215.0					15.3	32.0	6.5	0.4						754.2		
	12	7.3	0.0	17.4	0.0	135.0	119.0			209.7	213.0	226.0	196.0					15.2	32.0	6.6	0.4						672.2		
	13	7.3	0.0	17.3	0.0	116.0	116.0			219.1	205.0	230.0	200.0					15.1	32.0	6.8	0.4						591.1		
	14	7.3	0.0	17.3	0.0	137.0	121.0			224.9	205.0	210.0	198.0					15.0	32.0	6.9	0.4						504.2		
	15	0.0	0.0	17.3	0.0	136.0	119.0			216.2	205.0	230.0	200.0					12.4	32.0	7.0	0.4						515.1		
	16	7.3	0.0	11.3	0.0	137.0	138.0			204.6	205.0	219.0	201.0					12.3	32.0	5.1	0.4						723.4		
	17	7.3	0.0	11.5	0.0	113.0	124.0			209.3	201.0	222.0	198.0					12.3	32.0	5.1	0.4						740.9		
	18	7.3	0.0	11.5	0.0	100.0	120.0			209.3	201.0	186.0	198.0					12.6	32.0	5.2	0.4						599.0		
	19	7.3	0.0	17.3	0.0	99.0	120.0			209.3	201.0	209.0	197.0					12.5	32.0	5.3	0.4						556.3		
	20	7.3	0.0	11.5	0.0	101.0	118.0			209.3	201.0	207.0	201.0					12.5	32.0	5.4	0.4						544.9		
	21	7.3	0.0	5.8	0.0	82.0	120.0			209.3	201.0	205.0	205.0					12.4	32.0	5.4	0.4						548.7		
	22	0.0	0.0	11.5	0.0	80.0	119.0			209.3	201.0	205.0	205.0					12.4	32.0	3.5	0.4						541.1		
	23	7.3	0.0	11.5	0.0	84.0	120.0			209.3	201.0	200.0	200.0					12.3	32.0	5.5	0.4						497.0		
	24	0.0	0.0	11.5	0.0	77.0	71.0			209.3	201.0	212.0	200.0					12.3	32.0	3.6	0.4						486.2		

療-：欠測

様式 1-10

洪水%		S45.6.15		中部地方整備局 木曽川水系 主要洪水時刻流量表																									
日	時	三浦ダム		牧尾ダム		読書ダム		阿木川ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋神ダム		岩屋ダム		川辺ダム		今渡	大山	根崎川ダム	
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量			流入量	放流量
16日	1	121.2	35.0	638.8	504.2	1671.0	1659.0			3710.4	3691.0	3516.0	3606.0	96.9	53.0	76.0	129.7	176.3	163.0	57.5	37.8							2690.8	2690.8
	2	124.2	35.0	675.9	580.9	1770.0	1745.0			3685.4	3691.0	3655.0	3637.0	103.4	0.0	28.8	42.9	94.6	123.5	57.3	50.5							2849.9	2849.9
	3	138.4	35.0	606.6	574.2	2125.0	2097.0			3946.5	3943.0	4095.0	4191.0	119.6	0.0	40.5	37.4	62.6	76.1	65.8	53.0							2945.8	2945.8
	4	138.4	35.0	593.9	480.9	2194.0	2237.0			4102.5	4129.0	4221.2	4327.0	131.0	0.0	42.1	37.4	76.4	71.0	76.9	65.7							3031.1	3031.1
	5	138.4	35.0	603.1	480.9	2171.0	2117.0			4143.0	4129.0	4290.2	4325.0	115.3	0.0	43.7	37.4	69.1	64.6	85.2	73.3							3041.8	3041.8
	6	138.4	35.0	603.8	514.2	2027.0	1983.0			4143.0	4129.0	4387.0	4329.0	107.4	0.0	45.2	37.4	71.5	64.6	84.8	76.6							3020.5	3020.5
	7	117.0	35.0	565.3	507.6	1951.0	1951.0			4319.5	4288.0	4375.6	4323.0	115.0	0.0	39.5	44.2	69.3	65.2	85.2	76.9							3137.2	3137.2
	8	105.2	35.0	506.3	480.9	2013.0	2002.0			4302.0	4288.0	4309.0	4321.0	102.9	0.0	35.8	131.6	125.1	129.1	81.8	77.1							3347.8	3347.8
	9	75.0	35.0	461.7	474.2	1868.0	1912.0			4299.0	4288.0	4173.6	4278.0	103.4	150.0	167.7	172.4	206.1	186.5	75.9	77.1							3282.5	3282.5
	10	75.0	35.0	421.5	440.9	1675.0	1597.0			4075.0	4064.0	4051.8	3988.0	95.9	176.0	201.0	213.6	248.0	243.9	72.6	74.0							3224.5	3224.5
	11	85.8	35.0	415.2	440.9	1667.0	1617.0			3928.0	3925.0	3928.8	3894.0	100.8	177.0	195.9	185.0	235.1	236.3	65.2	64.7							3032.5	3032.5
	12	96.8	35.0	421.7	440.9	1564.0	1590.0			3660.0	3576.0	3424.2	3459.0	95.8	224.0	248.7	189.0	221.2	225.1	65.4	64.7							2915.1	2915.1
	13	82.1	35.0	415.2	440.9	1512.0	1512.0			3154.8	3166.0	2997.6	2933.0	101.4	72.0	85.9	188.8	220.6	251.5	65.2	58.4							2745.5	2745.5
	14	104.5	35.0	410.9	380.9	1498.0	1511.0			3100.6	3101.0	2859.0	2941.0	102.2	233.0	241.9	183.5	219.9	224.6	63.7	58.4							2563.7	2563.7
	15	90.2	35.0	419.5	380.9	1467.0	1454.0			2967.4	2957.0	2663.6	2710.0	94.1	189.0	213.1	199.6	224.2	224.6	64.7	58.4							2468.1	2468.1
	16	70.2	35.0	445.0	380.9	1432.0	1456.0			2579.0	2547.0	2440.4	2336.0	98.9	219.0	238.3	191.2	223.9	224.6	59.1	58.4							2489.6	2455.5
	17	67.5	35.0	435.5	430.9	1310.0	1260.0			2484.1	2444.0	2376.0	2334.0	84.4	147.0	169.7	194.8	226.7	224.6	59.0	58.4							2408.3	2414.0
	18	52.5	35.0	385.8	430.9	1290.0	1290.0			2432.8	2444.0	2269.0	2287.0	74.1	154.0	179.4	191.9	224.1	224.6	52.9	52.3							2424.5	2407.5
	19	57.1	35.0	353.5	410.9	1148.0	1174.0			2412.7	2432.0	2237.0	2231.0	67.4	52.0	71.5	191.9	218.7	224.6	49.8	49.1							2195.3	2121.5
	20	44.8	35.0	345.8	390.9	1207.0	1181.0			2341.6	2342.0	2215.0	2119.0	63.8	51.0	68.4	163.3	182.0	193.4	46.8	45.8							2073.6	2061.5
	21	42.1	35.0	323.2	385.9	1127.0	1166.0			2068.5	2104.0	2089.0	1957.0	63.8	46.0	59.3	127.6	160.0	155.8	46.9	45.8							2003.2	1970.0
	22	42.1	35.0	310.3	380.9	1056.0	1017.0			2044.4	2007.0	2091.0	2079.0	56.3	46.0	62.7	112.7	132.4	133.4	44.3	39.3							1906.4	1891.3
	23	42.1	35.0	245.6	350.9	1008.0	995.0			1845.1	1832.0	1903.0	1921.0	52.2	0.0	14.5	96.5	124.1	117.3	41.1	36.1							1798.1	1789.0
	24	39.5	35.0	189.5	240.9	993.0	1006.0			1737.5	1719.0	1831.0	1699.0	52.2	0.0	15.2	84.7	109.9	111.0	39.9	32.9							1706.6	1691.5
17日	1	24.8	35.0	162.3	200.9	884.0	923.0			1701.5	1710.0	1666.0	1648.0	49.6	0.0	11.6	80.7	97.7	104.3	38.2	32.9							1657.7	1633.1
	2	24.8	35.0	156.7	200.9	878.0	786.0			1476.3	1474.0	1581.0	1473.0	44.4	0.0	11.9	75.4	96.1	97.6	35.1	29.7							1613.7	1583.5
	3	24.8	35.0	156.7	180.9	789.0	815.0			1517.7	1483.0	1524.0	1524.0	41.8	0.0	16.8	38.8	70.2	74.5	33.9	26.4							1514.6	1514.6
	4	17.5	35.0	135.7	160.9	760.0	786.0			1613.7	1552.0	1477.0	1561.0	41.8	0.0	18.4	38.8	51.8	48.3	32.1	26.4							1394.7	1370.5
	5	17.5	35.0	141.9	160.9	741.0	741.0			1368.6	1369.0	1519.0	1561.0	40.1	0.0	16.8	38.8	56.4	45.0	32.0	26.4							1313.6	1301.5
	6	17.5	35.0	129.2	160.9	663.0	689.0			1293.5	1222.0	1077.0	1281.0	40.1	0.0	15.7	38.8	56.6	45.0	29.9	26.4							1235.4	1226.3
	7	17.5	35.0	116.5	140.9	669.0	636.0			1231.1	1218.0	798.2	1187.0	37.4	0.0	12.2	39.4	54.2	45.0	27.7	26.4							1167.5	1170.5
	8	17.5	35.0	88.4	70.9	653.0	646.0			1122.0	1063.0	812.8	1039.0	37.4	0.0	9.5	39.4	49.1	45.0	27.5	26.4							1106.6	1097.5
	9	17.5	35.0	86.1	50.9	637.0	626.0			918.5	927.0	777.0	835.0	49.6	111.0	123.3	39.0	50.8	38.6	29.2	26.4							1063.5	1069.5
	10	17.5	35.0	80.3	30.9	625.0	612.0			814.8	799.0	741.2	747.0	37.9	134.0	150.1	38.5	51.7	38.6	26.7	26.7							1048.6	1036.5
	11	17.5	35.0			565.0	562.0			751.8	736.0	858.8	708.0	41.8	118.0	126.7	38.2	52.6	38.7	25.9	26.7							1024.4	1038.5
	12	17.5	35.0			516.0	512.0			746.8	736.0	908.2	711.0	51.9	138.0	148.7	37.5	53.0	38.7	25.5	26.7							916.4	919.4
	13	17.5	35.0			498.0	514.0			804.2	747.0	924.8	756.0	23.6	10.0	20.3	38.0	50.7	38.8	22.5	20.0							822.5	819.5
	14	17.5	35.0			471.0	483.0			805.2	748.0	777.0	741.0	39.3	115.0	127.9	37.5	53.4	38.8	22.4	20.0							760.7	736.5
	15	17.5	35.0			456.0	455.0			775.6	759.0	727.0	715.0	32.7	111.0	124.8	37.2	50.9	38.8	22.2	20.0							800.9	743.5
	16	10.2	35.0			421.0	466.0			778.5	776.0	734.0	716.0	38.0	128.0	131.9	38.7	53.7	38.8	20.2	20.0							755.6	743.5
	17	17.5	35.0			408.0	464.0			776.7	763.0	727.0	715.0	42.4	132.0	141.9	38.0	54.8	42.4	18.0	20.0							716.3	743.5
	18	10.2	35.0			375.0	441.0			754.7	770.0	653.0	609.0	21.5	37.0	63.1	38.0	55.7	45.8	19.9	20.0							686.7	659.5
	19	17.5	35.0			394.0	402.0			675.6	659.0	628.0	628.0	25.6	0.0	11.4	38.0	53.1	45.8	21.9	20.0							662.5	659.5
	20	17.5	35.0			397.0	388.0			672.8	662.0	719.0	623.0	28.1	0.0	5.9	19.0	43.5	38.9	28.8	13.0							653.5	659.5
	21	10.2	35.0			390.0	393.0			665.8	655.0	698.0	626.0	25.6	0.0	10.2	0.0	18.0	32.0	20.1	10.0							623.4	635.5
	22	17.5	35.0			357.0	401.0			671.6	655.0	657.0	627.0	25.6	0.0	9.1	0.0	12.0	32.0	18.8	10.0							593.6	575.5
	23	10.2	35.0			388.0	422.0			678.5	659.0	628.0	628.0	16.0	0.0	14.1	0.0												

様式 1-10

洪水No. S46.9.6		中部地方整備局 木曽川水系 主要洪水時刻流量表																											
日	時	三浦ダム		牧尾ダム		読書ダム		阿木川ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋神ダム		岩屋ダム		川辺ダム		今渡	犬山	味噌川ダム	
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量			流入量	放流量
4日	1																												
	2																												
	3																												
	4																												
	5																												
	6																												
	7																												
	8																												
	9																												
	10																												
	11																												
	12																												
	13																												
	14																												
	15																												
	16																												
	17																												
	18																												
	19																												
	20																												
	21																												
	22																												
	23																												
	24																												
5日	1					47.0	53.0			78.1	62.0	110.4	35.0	4.2	0.0	0.7	0.0	2.1	0.0	2.7	0.4			102.2	73.8		247.4		
	2					47.0	53.0			50.5	62.0	105.0	51.0	4.2	0.0	0.7	0.0	2.2	0.0	2.6	0.4			95.2	73.1		245.0		
	3					50.0	53.0			58.9	62.0	95.0	65.0	4.2	0.0	0.7	0.0	2.3	0.0	2.5	0.4			82.6	73.1		245.0		
	4					53.0	53.0			61.6	62.0	102.0	66.0	4.2	0.0	0.7	0.0	2.4	0.0	2.5	0.4			88.6	72.8		252.2		
	5					53.0	53.0			64.3	62.0	111.0	63.0	4.2	0.0	0.7	0.0	2.4	0.0	2.4	0.4			76.0	72.8		257.2		
	6					54.0	53.0			98.3	123.0	114.0	96.0	4.2	0.0	0.7	0.0	2.8	16.0	2.4	0.4			80.7	87.0		257.2		
	7					51.0	54.0			74.3	126.0	97.0	49.0	4.2	0.0	0.7	0.0	2.7	16.0	3.3	0.4			78.4	87.9		254.7		
	8					59.0	60.0			79.0	128.0	164.0	98.0	4.8	0.0	0.7	0.0	2.7	16.0	3.4	0.4			84.7	87.9		254.7		
	9					86.0	73.0			107.8	200.0	152.0	104.0	5.9	0.0	0.7	0.0	2.5	4.0	4.3	0.4			87.9	87.9		254.7		
	10					105.0	106.0			194.4	200.0	157.0	229.0	8.5	0.0	1.5	0.0	2.5	0.0	4.3	0.4			87.9	87.9		254.7		
	11					121.0	122.0			285.8	200.0	171.0	279.0	9.0	0.0	1.5	0.0	2.5	0.0	4.2	0.4			103.7	87.9		254.7		
	12					142.0	141.0			291.4	200.0	163.0	277.0	11.0	0.0	1.8	0.0	2.6	0.0	4.1	0.4			106.4	87.4		257.2		
	13					170.0	168.0			273.1	118.0	85.8	279.0	11.2	0.0	2.5	0.0	3.5	0.0	4.1	0.4			99.6	87.0		257.2		
	14					198.0	199.0			280.6	200.0	163.0	279.0	12.9	0.0	2.5	0.0	3.6	0.0	4.0	0.4			106.0	87.0		242.5		
	15					206.0	195.0			278.0	217.0	163.0	279.0	13.9	0.0	3.0	0.0	3.6	0.0	4.0	0.4			94.1	122.5		277.3		
	16					218.0	202.0			273.8	266.0	186.2	279.0	13.6	0.0	3.0	0.0	3.7	0.0	3.9	0.4			152.3	155.5		319.9		
	17					226.0	182.0			276.4	277.0	203.6	279.0	13.9	0.0	3.0	0.0	6.0	0.0	6.6	0.4			183.9	155.5		420.6		
	18					245.0	204.0			270.8	277.0	337.0	279.0	28.5	0.0	3.0	0.0	8.5	0.0	7.3	0.4			221.3	202.3		486.2		
	19					240.0	206.0			273.6	277.0	351.6	282.0	44.6	0.0	8.0	0.0	8.5	0.0	21.2	0.4			249.0	239.5		513.7		
	20					237.0	208.0			287.6	277.0	388.2	307.0	60.6	0.0	15.0	0.0	10.7	0.0	21.3	0.4			262.8	256.5		529.7		
	21			241.9	35.9	242.0	221.0			294.0	303.0	405.6	307.0	63.0	0.0	16.0	0.0	13.0	0.0	26.7	0.4			268.1	268.1		579.1		
	22			258.8	76.7	264.0	233.0			302.0	311.0	394.0	307.0	55.6	0.0	16.0	0.0	15.3	0.0	27.0	0.4			265.7	281.5		626.4		
	23			266.6	176.2	286.0	268.0			296.4	311.0	394.0	307.0	49.4	0.0	16.0	0.0	14.5	16.0	27.4	0.4			319.4	294.1		666.4		
	24			269.6	282.9	296.0	299.0			310.4	311.0	449.0	307.0	43.6	0.0	15.0	0.0	13.6	32.0	25.9	0.4			444.7	441.5		689.2		

※--:欠測

様式 1-10

洪水No.		S46.9.6		中部地方整備局 木曽川水系 主要洪水時刻流量表																									
日	時	三浦ダム		牧尾ダム		読書ダム		阿木川ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋神ダム		岩屋ダム		川辺ダム		今渡	大山	根喰川ダム	
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量			流入量	放流量
6 日	1			252.3	302.9	300.0	299.0			344.0	311.0	449.0	377.0	42.4	0.0	15.0	0.0	9.3	16.0	26.1	0.4					498.3	482.5	839.0	
	2			214.3	299.6	405.0	406.0			398.8	363.0	397.0	373.0	41.9	0.0	14.0	0.0	9.1	16.0	24.5	0.4					536.2	542.5	948.9	
	3			179.8	257.9	598.0	498.0			391.2	389.0	445.0	403.0	38.8	0.0	12.0	0.0	7.5	24.0	17.5	0.4					559.7	575.6	959.7	
	4			145.0	202.9	492.0	514.0			429.6	447.0	513.0	447.0	37.4	0.0	12.0	0.0	8.3	32.0	17.7	0.4					616.4	603.8	1111.6	
	5			143.2	192.9	482.0	473.0			475.0	484.0	504.0	492.0	37.4	0.0	12.0	0.0	10.5	32.0	17.8	0.4					617.4	639.5	1213.1	
	6			130.7	192.9	491.0	453.0			489.0	484.0	563.0	527.0	40.4	0.0	11.0	38.0	34.1	32.0	19.7	0.4					632.3	663.9	1293.6	
	7			137.9	206.2	510.0	509.0			629.4	630.0	643.0	655.0	45.0	0.0	12.0	38.7	57.8	32.0	23.3	0.4					556.3	562.6	1312.6	
	8			257.4	302.9	597.0	596.0			666.0	675.0	617.0	677.0	59.7	0.0	18.0	38.7	64.9	32.0	23.4	0.4					521.5	521.5	1344.5	
	9			520.0	446.7	641.0	640.0			671.6	675.0	629.0	677.0	91.1	10.0	46.0	38.7	74.5	32.0	32.7	0.4					515.2	521.5	1344.5	
	10			1566.9	1326.6	902.0	903.0			720.6	721.0	754.0	724.0	96.8	79.5	119.5	38.7	70.8	32.0	44.4	0.4					508.9	521.5	1344.5	
	11			1516.1	1490.9	1630.0	1682.0			997.0	1001.0	987.0	1023.0	140.6	125.0	166.3	42.9	70.4	32.0	57.0	7.9					804.4	747.5	1543.9	
	12			1259.7	1457.6	2660.0	2660.0			1153.8	1197.0	1321.0	1291.0	201.5	95.0	160.2	78.7	91.4	32.8	84.7	31.9					1862.6	1815.2	2738.5	
	13			1685.4	1440.9	2926.0	3004.0			2603.2	2582.0	2331.0	2199.0	254.8	30.0	92.6	147.1	187.3	53.8	137.4	68.7					3055.4	3055.4	4999.6	
	14			1617.4	1483.2	3051.0	3110.0			2948.0	3058.0	2722.0	2734.0	240.9	151.0	198.6	195.5	237.0	112.1	174.4	137.5					3437.7	3437.7	6453.6	
	15			1262.0	1349.9	3292.0	3285.0			3449.5	3453.0	3557.0	3581.0	203.0	242.0	288.1	248.1	289.6	181.2	139.3	138.8					3950.6	3950.6	7324.8	
	16			1016.1	1125.9	3447.0	3467.0			3938.5	3915.0	4082.0	3998.0	173.2	284.0	314.6	342.0	365.2	247.0	108.9	81.1					4153.6	4175.7	8140.2	
	17			802.6	792.6	3066.0	3146.0			4165.9	4191.0	4500.0	4482.0	157.2	300.0	338.1	367.9	420.1	331.8	89.2	75.2					3823.9	3849.2	8346.7	
	18			659.2	625.9	2316.0	2349.0			4510.2	4511.0	4697.0	4781.0	213.7	300.0	350.1	361.7	414.1	378.5	88.1	74.5					3460.6	3504.8	8330.8	
	19			884.9	692.6	1695.0	1698.0			4317.9	4343.0	3974.0	4082.0	286.4	300.0	380.6	359.4	429.1	396.0	126.1	95.7					3077.5	3102.8	7967.4	
	20			1255.1	1084.2	1695.0	1607.0			3487.2	3380.0	3089.0	3149.0	341.7	268.0	340.5	362.5	437.1	419.3	183.7	139.8					2963.4	2957.6	7175.7	
	21			1203.9	1100.9	2290.0	2230.0			2893.4	3013.0	2407.0	2497.0	289.0	294.0	371.5	360.4	444.1	434.0	204.9	192.6					3113.9	3113.9	6694.8	
	22			1100.9	1100.9	2630.0	2630.0			2400.8	2407.0	2146.2	2393.0	247.3	300.0	368.8	361.8	446.6	444.0	184.9	194.2					3561.2	3561.2	6453.6	
	23			1017.6	984.2	2595.0	2616.0			2263.3	2229.0	2144.8	2168.0	234.8	254.0	334.9	359.3	446.7	444.0	166.7	164.4					4126.0	4126.0	6623.4	
	24			570.3	950.9	2301.0	2408.0			2486.6	2457.0	2717.0	2471.0	290.0	202.0	253.0	249.5	431.6	436.5	171.2	163.0					4382.3	4382.3	5911.3	
7 日	1	200.7	35.0	963.6	950.9	2135.0	2139.0			2830.3	2850.0	2774.0	2768.0	182.0	143.0	187.1	286.2	372.3	389.9	157.6	163.0					4288.3	4288.3	6911.3	
	2	219.8	35.0	1002.3	950.9	2101.0	2033.0			2689.0	2652.0	2527.0	2569.0	150.0	152.0	211.3	214.1	273.5	275.9	124.0	125.3					4225.8	4225.8	6896.8	
	3	194.6	35.0	899.5	934.2	1997.0	2022.0			2389.6	2412.0	2371.0	2335.0	149.5	153.0	204.3	201.3	238.7	213.2	114.4	114.0					4188.5	4188.5	6896.8	
	4	188.9	35.0	739.4	750.9	1841.0	1837.0			2259.4	2082.0	2053.6	2143.0	125.5	140.0	195.6	217.5	259.8	226.4	103.8	107.4					4101.0	4101.0	6781.0	
	5	144.3	35.0	625.2	650.9	1756.0	1793.0			2109.3	2075.0	2076.4	1975.0	123.6	115.0	171.5	207.1	265.4	262.0	107.1	107.4					3853.5	3853.5	6439.5	
	6	120.9	35.0	611.8	650.9	1624.0	1601.0			2098.5	2075.0	2071.0	1975.0	126.2	89.0	129.0	205.4	257.8	262.0	110.3	99.2					3475.5	3475.5	6106.9	
	7	112.8	35.0	541.2	567.6	1390.0	1326.0			2132.0	2108.0	1915.0	1975.0	117.5	89.0	144.7	193.3	247.4	262.0	107.1	99.2					3137.5	3137.5	5769.7	
	8	95.5	35.0	474.4	475.9	1359.0	1375.0			2109.6	2108.0	1729.0	1965.0	109.9	87.0	129.1	184.6	219.2	226.3	101.3	99.2					2872.5	2872.5	5390.6	
	9	80.9	35.0	432.9	437.6	1283.0	1356.0			2018.2	2057.0	1651.6	1814.0	113.9	111.0	160.3	174.2	202.1	186.4	94.2	97.9					2748.5	2748.5	5288.3	
	10	88.2	35.0	433.9	420.9	1136.0	1095.0			1691.8	1698.0	1487.2	1522.0	127.0	147.0	181.0	160.1	200.4	181.8	91.1	91.4					2729.3	2732.5	5099.1	
	11	80.9	35.0	452.8	420.9	1157.0	1153.0			1720.1	1675.0	1679.8	1587.0	118.8	156.0	190.1	163.7	204.0	182.4	92.5	91.4					2660.7	2657.6	4671.1	
	12	80.9	35.0	446.6	420.9	1102.0	1116.0			1845.7	1761.0	1669.2	1675.0	128.5	160.0	190.8	168.6	206.4	183.5	93.3	91.4					2505.0	2514.6	4659.1	
	13	63.6	35.0	433.9	420.9	1136.0	1128.0			1708.0	1797.0	1432.6	1508.0	128.0	21.0	72.1	165.2	206.6	184.6	86.5	91.4					2427.5	2427.5	4659.1	
	14	74.5	35.0	427.1	420.9	1125.0	1122.0			1640.2	1695.0	1451.8	1446.0	111.2	157.0	192.2	159.7	189.3	185.2	81.1	86.4					2284.5	2284.5	4446.6	
	15	63.2	35.0	420.9	420.9	1108.0	1122.0			1737.4	1695.0	1584.6	1573.0	106.2	152.0	174.3	163.2	196.4	179.0	75.2	77.0					2214.5	2214.5	4261.8	
	16	67.9	35.0	433.9	420.9	1094.0	1081.0			1706.1	1634.0	1498.4	1510.0	108.6	183.0	216.9	166.8	200.2	180.0	75.0	75.1					2090.5	2090.5	4081.0	
	17	67.5	35.0	478.7	420.9	1096.0	1086.0			1621.2	1595.0	1495.4	1449.0	103.2	166.0	198.4	174.7	206.0	180.5	73.0	75.1					2060.5	2060.5	4047.5	
	18	67.5	35.0	446.6	420.9	1114.0	1112.0			1533.9	1496.0	1488.8	1454.0	93.3	99.0	127.3	175.9	203.1	187.8	69.1	75.1					2012.5	2012.5	3969.9	
	19	60.2	35.0	420.9	420.9	1129.0	1112.0			1531.2	1496.0	1414.2	1449.0	90.3	82.0	118.3	166.9	196.0	188.4	63.3	69.4					1953.4	1975.5	3925.9	
	20	52.5	35.0	403.9	480.9	1090.0	1112.0			1517.2	1496.0	1414.2	1449.0	85.7	80.0	101.7	158.6	185.6	188.4	57.9	60.3					1888.1	1856.5	3817.0	
	21	47.1	35.0	384.4	480.9	1091.0	1077.0			1480.8	1496.0	1497.0	1410.0	87.3	93.0	126.5	128.9	155.7	171.6	54.9	53.4					1831.7	1838.0	376	

様式 1-10

洪水No.		S46.9.6		中部地方整備局 木曽川水系 主要洪水時刻流量表																										
日	時	木 曽 川																												
		三浦ダム		牧尾ダム		読書ダム		阿木川ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋神ダム		岩屋ダム		川辺ダム		今渡	大山	根喰川ダム		
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量			流入量	放流量	
8 日	1	39.5	35.0	289.8	380.9	934.0	939.0			1321.4	1275.0	1284.4	1238.0	57.2	0.0	26.0	46.7	61.5	51.5	41.3	51.0			1541.3	1535.0		3245.5			
	2	32.1	35.0	240.5	347.6	908.0	891.0			1259.8	1219.0	1296.0	1238.0	57.2	0.0	22.1	46.9	64.2	51.5	41.1	43.4			1491.3	1491.3		3049.1			
	3	32.1	35.0	220.6	330.9	865.0	840.0			1231.8	1219.0	1150.4	1133.0	54.3	0.0	21.7	46.5	64.3	51.6	36.7	31.5			1410.3	1410.3		3001.0			
	4	32.1	35.0	225.1	325.9	817.0	810.0			927.6	996.0	1264.4	1012.0	60.1	0.0	21.3	46.1	61.7	51.6	42.2	42.7			1341.3	1341.3		2775.3			
	5	32.1	35.0	208.2	300.9	816.0	751.0			1044.4	970.0	1000.0	952.0	38.7	7.0	24.1	45.9	59.2	51.6	37.2	43.4			1245.0	1235.5		2505.6			
	6	32.1	35.0	208.0	295.9	794.0	793.0			991.2	970.0	934.0	952.0	60.0	60.0	79.9	45.8	59.3	51.6	37.1	43.4			1181.1	1168.5		2418.7			
	7	32.1	35.0	184.3	265.9	736.0	746.0			985.6	970.0	970.0	952.0	54.9	52.0	68.3	46.2	59.3	51.6	32.6	35.2			1137.4	1131.0		2350.4			
	8	32.1	35.0	172.7	235.9	727.0	719.0			1012.0	974.0	970.0	952.0	48.2	54.0	69.2	38.8	58.1	37.3	30.6	29.5			1022.8	1022.8		2241.4			
	9	32.1	35.0	161.2	204.2	690.0	719.0			995.2	974.0	882.0	906.0	50.2	96.0	111.2	36.7	53.0	37.3	31.7	26.9			973.8	948.5		2143.0			
	10	29.2	35.0	146.2	155.9	655.0	688.0			883.2	974.0	871.0	859.0	50.2	117.0	132.0	37.5	53.1	37.3	29.8	26.9			950.3	953.5		2039.0			
	11	19.2	35.0	134.7	140.9	603.0	615.0			931.3	974.0	808.0	856.0	48.0	106.0	115.3	37.5	53.1	37.4	28.2	27.0			913.0	903.5		2007.5			
	12	17.5	35.0	112.4	120.9	550.0	542.0			920.3	994.0	832.0	856.0	33.0	33.0	47.2	37.5	53.2	37.4	27.5	26.4			815.3	818.5		2031.1			
	13	17.5	35.0	108.4	120.9	522.0	508.0			875.3	976.0	831.0	819.0	40.6	12.0	27.1	37.5	53.3	37.4	28.8	25.8			814.5	795.5		1914.5			
	14	17.5	35.0	114.7	120.9	511.0	497.0			762.7	894.0	713.0	719.0	33.0	33.0	47.2	37.5	50.7	37.4	24.8	25.8			776.7	792.5		1793.9			
	15	17.5	35.0	108.7	130.9	472.0	481.0			775.2	749.0	703.0	679.0	35.0	35.0	44.5	37.5	48.2	37.4	24.8	25.8			770.9	783.5		1742.4			
	16	10.2	35.0	91.9	140.9	446.0	447.0			676.9	648.0	623.0	629.0	35.9	33.0	44.5	37.5	50.8	37.4	25.8	21.0			702.0	711.5		1613.4			
	17	17.5	35.0	85.9	140.9	439.0	447.0			647.7	554.0	621.0	585.0	36.0	36.0	47.2	37.5	48.2	37.4	24.0	21.1			691.1	678.5		1344.5			
	18	17.5	35.0	79.9	140.9	444.0	447.0			620.7	554.0	603.0	585.0	34.0	34.0	47.2	37.5	45.2	42.2	21.7	22.7			651.7	667.5		1213.1			
	19	10.2	35.0	80.4	115.9	459.0	447.0			597.8	550.0	557.0	557.0	34.0	34.0	45.2	36.9	47.8	42.2	21.7	22.7			603.3	606.5		1207.0			
	20	17.5	35.0	66.4	70.9	452.0	447.0			582.4	540.0	563.0	557.0	31.1	34.0	43.6	36.9	47.8	42.2	21.7	22.7			620.8	595.5		1213.1			
	21	17.5	35.0	50.9	50.9	455.0	447.0			569.1	540.0	557.0	557.0	33.0	33.0	43.6	36.9	46.5	42.2	21.7	22.7			589.2	595.5		1213.1			
	22	10.2	35.0	66.6	43.4	416.0	442.0			547.0	537.0	581.0	539.0	28.3	34.0	43.6	36.9	46.5	42.2	19.7	22.7			589.5	570.5		1207.0			
	23	17.5	35.0	59.1	40.9	395.0	364.0			599.0	575.0	719.0	653.0	20.9	18.0	36.0	38.7	45.2	42.2	19.7	22.7			560.2	566.5		1200.9			
	24	10.2	35.0	53.1	40.9	359.0	339.0			679.6	664.0	675.0	675.0	28.9	0.0	7.7	36.9	45.2	42.2	19.7	22.7			524.5	534.0		1281.0			

様式 1-10

洪水No.		S47.7.13		中部地方整備局 木曾川水系 主要洪水時刻流量表																									
日	時	三浦ダム		牧尾ダム		読書ダム		阿木川ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋神ダム		岩屋ダム		川辺ダム		今渡	大山	根増川ダム	
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量			流入量	放流量
9 日	1	12.2	0.0			104.0	119.0			172.0	201.0	200.0	194.0	9.6	0.0	2.0	0.0	3.4	0.0	7.9	0.4			254.0	266.6			491.1	
	2	6.1	0.0			96.0	101.0			216.0	179.0	214.0	178.0	9.3	0.0	2.0	0.0	3.4	0.0	7.7	0.4			270.4	257.8			487.9	
	3	12.2	0.0			102.0	119.0			192.0	201.0	212.0	176.0	9.3	0.0	2.0	0.0	3.8	0.0	8.9	0.4			271.8	249.7			465.3	
	4	6.1	0.0			101.0	119.0			157.0	201.0	191.0	137.0	9.3	0.0	1.8	0.0	3.8	0.0	8.3	0.4			249.9	249.9			465.3	
	5	12.2	0.0			101.0	119.0			163.0	201.0	198.0	144.0	9.3	0.0	1.8	0.0	3.7	0.0	7.5	0.4			243.6	249.9			471.7	
	6	12.2	0.0			105.0	119.0			119.0	201.0	184.0	142.0	9.3	0.0	1.8	0.0	3.7	0.0	9.4	0.4			246.6	249.8			471.7	
	7	6.1	0.0			123.0	119.0			190.0	201.0	205.0	187.0	9.3	0.0	1.8	0.0	3.2	0.0	8.0	0.4			232.3	244.9			468.5	
	8	12.2	0.0			139.0	119.0			166.0	201.0	182.0	134.0	9.1	0.0	1.8	0.0	3.2	0.0	7.3	0.4			215.8	222.1			468.5	
	9	6.1	0.0			150.0	130.0			187.0	201.0	171.0	183.0	9.1	0.0	2.0	0.0	4.9	0.0	11.1	0.4			220.6	217.4			443.2	
	10	12.2	0.0			144.0	146.0			247.0	201.0	172.0	256.0	9.1	0.0	2.0	0.0	3.1	0.0	11.2	0.4			227.1	217.6			434.0	
	11	18.3	0.0			146.0	146.0			197.0	201.0	171.0	189.0	9.8	0.0	2.0	0.0	2.6	0.0	11.7	0.4			223.8	217.5			440.1	
	12	18.3	0.0			144.0	146.0			231.0	201.0	185.0	209.0	10.8	0.0	2.0	0.0	2.9	0.0	11.4	0.4			220.7	217.5			443.2	
	13	12.2	0.0			144.0	146.0			201.0	200.0	162.0	198.0	11.0	0.0	2.5	0.0	3.2	0.0	9.9	0.4			224.1	217.8			446.4	
	14	12.2	0.0			146.0	146.0			253.5	200.0	171.0	255.0	11.2	0.0	2.5	0.0	3.3	0.0	7.0	0.4			214.6	217.8			446.4	
	15	12.2	0.0			146.0	146.0			248.5	200.0	223.0	247.0	11.2	0.0	3.0	0.0	3.4	0.0	6.2	0.4			217.8	217.8			446.4	
	16	18.3	0.0			146.0	146.0			253.5	200.0	223.0	241.0	10.9	0.0	3.0	0.0	3.4	0.0	6.2	0.4			211.5	217.8			446.4	
	17	12.2	0.0			148.0	146.0			233.5	200.0	222.0	240.0	11.7	0.0	3.0	0.0	4.0	0.0	6.9	0.4			206.9	210.1			446.4	
	18	18.3	0.0			148.0	157.0			246.4	200.0	245.0	245.0	13.0	0.0	3.0	0.0	4.0	0.0	6.9	0.4			200.3	203.5			446.4	
	19	24.4	0.0			157.0	157.0			258.8	200.0	284.0	254.0	15.3	0.0	3.0	0.0	4.0	0.0	8.3	0.4			200.5	200.5			440.1	
	20	30.6	0.0			157.0	157.0			264.2	200.0	258.0	264.0	17.3	0.0	3.0	0.0	4.0	0.0	8.3	0.4			197.3	200.5			446.4	
	21	42.8	0.0	68.3	35.9	238.0	238.0			266.9	200.0	244.0	268.0	19.6	0.0	3.0	0.0	3.9	0.0	9.9	0.4			197.3	200.5			446.4	
	22	44.6	0.0	118.6	71.6	238.0	249.0			280.4	200.0	250.6	274.0	20.4	0.0	3.5	0.0	3.9	0.0	9.9	0.4			204.3	204.3			443.2	
	23	57.3	0.0	162.1	148.9	379.0	379.0			300.0	217.0	278.0	278.0	22.2	0.0	3.5	0.0	4.7	0.0	11.6	0.4			244.8	232.2			443.2	
	24	44.6	0.0	194.6	184.9	344.0	404.0			294.0	217.0	337.4	278.0	29.0	0.0	4.0	0.0	4.7	0.0	11.6	0.4			295.5	292.3			468.5	
10 日	1	70.1	0.0	197.4	184.9	342.0	396.0			304.0	282.0	479.0	372.0	35.6	0.0	5.5	0.0	6.9	0.0	13.0	0.4			297.8	310.4			538.0	
	2	63.7	0.0	178.7	184.9	488.0	429.0			506.0	418.0	595.0	601.0	34.3	0.0	10.5	0.0	6.8	0.0	14.5	0.4			396.9	393.7			580.0	
	3	25.5	0.0	155.4	162.2	476.0	458.0			643.0	641.0	614.0	638.0	35.3	0.0	10.5	0.0	6.8	0.0	14.5	0.4			390.1	415.4			767.4	
	4	81.9	0.0	144.4	147.6	458.0	475.0			656.0	641.0	638.0	638.0	33.9	0.0	8.5	0.0	6.1	0.0	17.6	0.4			373.1	382.6			990.3	
	5	81.9	0.0	118.4	127.6	463.0	458.0			651.0	641.0	662.0	638.0	30.5	0.0	7.0	0.0	5.9	0.0	19.2	0.4			375.6	375.6			1037.4	
	6	25.5	0.0	98.2	110.9	415.0	408.0			673.0	641.0	650.0	638.0	29.1	0.0	7.0	0.0	5.8	0.0	17.9	0.4			371.3	361.8			1051.7	
	7	31.9	0.0	88.0	90.9	418.0	408.0			696.0	658.0	626.0	638.0	27.9	0.0	7.0	0.0	4.8	0.0	15.3	0.4			397.9	394.7			1051.7	
	8	31.9	0.0	78.2	87.6	330.0	341.0			669.0	676.0	650.0	638.0	27.5	0.0	6.5	0.0	4.8	0.0	15.3	0.4			376.3	373.1			1046.9	
	9	23.9	17.5	70.9	70.9	351.0	341.0			663.0	659.0	650.0	638.0	27.1	0.0	6.5	0.0	7.7	32.0	8.2	0.4			367.3	373.6			1051.7	
	10	30.2	17.5	70.9	70.9	335.0	341.0			666.0	623.0	573.0	612.0	27.1	0.0	6.5	0.0	7.4	32.0	8.5	0.4			365.8	369.0			1061.3	
	11	23.9	17.5	80.9	84.2	321.0	319.0			588.0	586.0	540.0	587.0	28.6	0.0	7.0	0.0	7.1	32.0	7.3	0.4			367.4	364.2			1061.3	
	12	30.2	17.5	94.7	104.2	362.0	373.0			587.0	586.0	575.0	587.0	28.6	0.0	7.0	0.0	4.8	0.0	7.3	0.4			367.4	364.2			967.2	
	13	36.2	17.5	127.0	120.9	409.0	426.0			552.0	550.0	537.0	518.0	29.9	0.0	8.6	0.0	5.8	0.0	11.6	0.4			383.6	374.1			935.3	
	14	49.4	17.5	226.1	220.9	473.0	525.0			558.0	532.0	489.0	535.0	36.1	0.0	8.0	0.0	5.8	0.0	13.1	0.4			392.3	386.0			939.8	
	15	55.7	17.5	314.7	340.9	593.0	622.0			585.0	566.0	515.0	625.0	53.9	0.0	7.5	0.0	5.7	0.0	16.2	0.4			397.2	397.2			944.4	
	16	68.5	17.5	353.0	390.9	793.0	800.0			702.0	750.0	683.0	767.0	51.1	0.0	12.5	0.0	5.7	0.0	17.7	0.4			441.3	438.1			1013.7	
	17	56.0	17.5	321.1	390.9	933.0	977.0			882.0	930.0	931.0	905.0	52.1	4.0	17.0	0.0	8.3	0.0	17.7	0.4			511.0	520.5			1215.7	
	18	76.8	17.5	308.0	440.9	888.0	891.0			1006.0	1033.0	1071.0	1092.0	55.1	34.0	47.0	0.0	9.9	0.0	19.3	0.4			610.5	620.0			1419.4	
	19	130.7	17.5	375.8	450.9	952.0	963.0			1220.0	1285.0	1281.0	1347.0	78.8	55.0	68.0	0.0	11.6	0.0	31.6	0.4			657.0	688.6			1694.3	
	20	184.0	17.5	575.6	490.9	1179.0	1166.0			1344.0	1500.0	1455.0	1467.0	116.6	59.0	74.0	0.0	18.3	0.0	50.2	0.4			678.7	685.0			1995.5	
	21	217.3	17.5	616.1	535.9	1421.0	1540.0			1369.0	1476.0	1349.0	1453.0	136.5	5.0	36.5	0.0	23.9	0.0	81.2	0.4			740.0	740.0			2294.0	
	22	217.3	17.5	694.7	595.9	2015.0	2091.0			1429.0	1476.0	1437.0	1570.0	114.1	0.0	43.5	0.0	28.8	0.0	99.0	0.4			856.8	882.1			2479.3	
	23	148.8	17.5	668.8	630.9	2389.0	2438.0			1872.0	1950.0	2218.0	2262.0	106.7	0.0	45.7	24.5	37.7	11.0	84.2	0.4			1042.1	1061.1			2721.0	
	24	135.0	17.5	601.8	607.6	2543.0	2543.0			2605.0	2610.0	2948.0	2908.0	98.8	0.0	40.3	38.0	60.2	32.0	78.4	0.4			1393.0	1418.3			3249.0	

様式 1-10

洪水№		S47.7.13		中部地方整備局 木曽川水系 主要洪水時刻流量表																									
日	時	三浦ダム		牧尾ダム		読書ダム		阿木田ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋神ダム		岩屋ダム		川辺ダム		今渡	大山	根喰川ダム	
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量			流入量	放流量
11 日	1	82.9	17.5	499.2	509.2	2474.0	2381.0			2998.0	3274.0	3513.0	3726.0	81.9	0.0	32.4	37.8	61.8	32.0	66.1	0.4			1819.0	1869.6		4832.9		
	2	55.3	17.5	410.5	430.9	2111.0	2041.0			3991.0	4049.0	4023.0	4023.0	76.7	0.0	28.9	37.8	60.7	32.0	57.6	0.4			2134.6	2178.8		5916.2		
	3	55.3	17.5	374.0	430.9	1743.0	1724.0			3724.0	3740.0	3737.0	3736.0	74.4	0.0	26.1	37.8	61.0	32.0	53.4	0.4			2301.1	2351.7		6739.3		
	4	55.3	17.5	355.3	430.9	1575.0	1641.0			3346.0	3207.0	3305.0	3197.0	68.3	0.0	28.4	37.8	55.4	32.0	47.1	0.4			2184.0	2184.0		6529.5		
	5	48.4	17.5	368.0	430.9	1529.0	1544.0			2887.0	2998.0	2872.0	2767.0	67.2	0.0	26.1	37.8	57.1	32.0	39.3	0.4			2033.9	2033.9		5571.2		
	6	41.5	17.5	341.9	430.9	1358.0	1433.0			2650.0	2505.0	2664.0	2462.0	62.9	0.0	26.1	37.8	55.3	32.0	36.9	0.4			1940.8	1940.8		5444.5		
	7	34.6	17.5	330.7	397.6	1249.0	1276.0			2483.0	2291.0	2542.0	2482.0	61.0	0.0	23.1	38.3	53.5	32.0	33.6	0.4			1870.3	1864.0		4846.1		
	8	34.6	17.5	253.3	264.2	1087.0	1018.0			2218.0	2193.0	2207.0	2171.0	59.9	0.0	17.8	36.5	53.5	32.0	30.2	0.4			1720.4	1688.8		4572.8		
	9	20.7	17.5	230.9	230.9	1010.0	995.0			2204.0	2140.0	1818.0	2140.0	55.8	0.0	16.7	36.5	50.6	32.0	28.6	0.4			1652.7	1617.9		4282.5		
	10	28.5	17.5	224.9	227.6	994.0	728.0			2248.0	2213.0	2206.0	2218.0	53.7	0.0	16.0	36.5	50.6	32.0	26.9	0.4			1481.6	1497.4		3989.8		
	11	14.3	17.5	191.3	190.9	918.0	724.0			2002.0	1952.0	1813.0	1806.0	52.1	14.0	28.5	36.5	52.5	32.0	31.9	0.4			1399.3	1389.8		3894.5		
	12	20.7	17.5	161.9	117.6	884.0	844.0			1887.0	1580.0	1704.0	1639.0	48.5	45.0	57.5	36.5	50.6	32.0	33.7	0.4			1321.6	1305.8		3684.4		
	13	14.3	17.5	148.6	70.9	823.0	763.0			1479.0	1376.0	1509.0	1322.0	47.1	17.0	26.5	38.3	53.1	32.0	34.3	0.4			1289.4	1273.6		3227.4		
	14	14.3	17.5	139.3	70.9	753.0	677.0			1377.0	1345.0	1306.0	1272.0	45.8	53.0	53.0	38.3	56.4	32.0	32.6	0.4			1201.9	1179.8		2891.8		
	15	20.7	8.8	127.1	75.9	681.0	629.0			1285.0	1276.0	1325.0	1302.0	44.4	51.0	61.0	36.5	47.1	32.0	30.9	0.4			1093.4	1087.1		2711.1		
	16	14.3	17.5	118.8	80.9	624.0	585.0			1348.0	1326.0	1275.0	1302.0	44.9	60.0	72.0	37.8	49.1	32.0	30.9	0.4			1066.0	1056.5		2555.4		
	17	20.7	17.5	112.3	90.9	611.0	611.0			1301.0	1279.0	1199.0	1172.0	45.3	83.0	95.0	37.8	47.1	32.0	30.9	0.4			1017.6	1014.4		2498.2		
	18	28.4	17.5	133.2	164.2	621.0	611.0			1161.0	1139.0	1082.0	1082.0	46.3	55.0	67.0	37.8	49.0	32.0	31.0	0.4			941.0	934.7		2395.0		
	19	14.3	17.5	159.9	270.9	613.0	611.0			1118.0	1057.0	1094.0	1037.0	48.4	55.0	67.0	37.8	51.0	32.0	32.8	0.4			901.3	882.3		2221.8		
	20	35.6	17.5	186.8	310.9	671.0	712.0			1073.0	1057.0	1073.0	1127.0	51.5	57.0	70.0	37.8	51.0	32.0	36.7	0.4			916.2	894.1		2150.9		
	21	56.9	17.5	230.3	310.9	864.0	887.0			1141.0	1147.0	1031.0	1127.0	62.4	62.0	77.0	37.3	53.0	32.0	31.5	0.4			913.2	897.4		2098.4		
	22	71.1	17.5	242.7	310.9	925.0	958.0			1109.0	1072.0	1063.0	1063.0	66.0	66.0	91.0	38.2	33.2	32.0	35.0	0.4			910.4	919.9		2089.8		
	23	64.0	17.5	230.5	307.6	948.0	958.0			1096.0	1072.0	1075.0	1127.0	117.3	58.0	83.0	38.2	85.0	32.0	66.4	0.4			913.7	901.1		2107.1		
	24	71.1	17.5	227.8	240.9	946.0	958.0			1211.0	1240.0	1293.0	1299.0	217.8	0.0	133.0	39.4	136.2	32.0	143.0	0.4			925.7	922.5		2115.9		
12 日	1	214.9	17.5	230.9	230.9	956.0	939.0			1367.0	1368.0	1410.0	1340.0	197.2	13.0	147.2	38.7	176.9	32.0	206.0	15.4			946.2	949.4		2348.8		
	2	303.0	17.5	328.4	264.2	917.0	887.0			1339.0	1292.0	1235.0	1258.0	263.3	88.0	204.2	38.0	140.3	32.0	241.1	31.5			967.4	1001.6		2632.7		
	3	166.4	20.0	459.6	370.9	850.0	906.0			1255.0	1250.0	1205.0	1217.0	202.0	85.0	163.7	55.1	139.1	32.0	213.3	92.9			1028.3	1113.6		2642.4		
	4	193.4	24.5	353.7	390.9	1228.0	1237.0			1255.0	1250.0	1205.0	1217.0	203.9	84.0	159.0	106.8	179.8	32.0	197.4	147.2			1383.2	1408.5		2622.9		
	5	290.9	61.0	316.7	390.9	1355.0	1426.0			1272.0	1250.0	1205.0	1217.0	195.1	81.0	155.5	142.4	208.3	35.6	174.7	158.5			2699.8	2712.4		3358.0		
	6	197.3	123.5	347.2	390.9	1356.0	1430.0			1321.0	1350.0	1258.0	1333.0	189.1	81.0	142.4	142.4	204.5	80.9	170.2	158.5			3259.4	3256.2		4624.2		
	7	137.5	137.5	459.1	390.9	1475.0	1495.0			1458.0	1503.0	1707.0	1611.0	186.5	121.0	152.9	150.0	211.7	175.0	164.1	158.5			3461.8	3474.4		4939.0		
	8	127.5	127.5	475.3	401.7	1489.0	1519.0			1652.0	1673.0	1651.0	1651.0	172.1	184.0	224.6	221.7	262.2	222.6	140.5	135.1			3417.2	3426.7		5127.4		
	9	97.5	97.5	520.2	415.9	1429.0	1447.0			1847.0	1932.0	1792.0	1900.0	163.2	184.0	236.5	229.2	289.1	275.0	111.3	104.0			3160.6	3157.4		5141.0		
	10	105.0	97.5	471.9	440.9	1547.0	1579.0			1916.0	1949.0	1830.0	1929.0	160.0	160.0	201.5	223.2	285.3	276.0	135.7	116.7			3095.0	3088.7		5250.3		
	11	134.9	97.5	490.3	440.9	1569.0	1579.0			2020.0	2015.0	1988.0	2011.0	147.2	165.0	206.1	213.4	272.3	280.0	133.3	130.0			3014.3	3020.6		5259.3		
	12	125.7	110.7	465.9	440.9	1524.0	1533.0			2127.0	2279.0	2140.0	2204.0	143.2	164.0	207.6	213.4	272.3	280.0	133.3	130.0			2849.5	2849.5		5195.5		
	13	117.5	117.5	440.9	440.9	1465.0	1447.0			2286.0	2281.0	2125.0	2188.0	137.2	155.0	196.3	212.2	266.7	267.0	116.4	124.9			2811.6	2814.8		5347.0		
	14	117.5	117.5	440.9	440.9	1487.0	1487.0			2242.0	2278.0	2117.0	2098.0	129.3	156.0	190.5	209.2	261.0	232.0	110.2	119.0			2813.6	2813.6		5500.7		
	15	117.5	117.5	485.5	440.9	1483.0	1487.0			2190.0	2181.0	2076.0	2098.0	124.2	145.0	183.4	208.8	259.8	233.0	114.9	118.0			2845.3	2845.3		5528.8		
	16	142.5	142.5	653.8	489.2	1533.0	1563.0			2186.0	2181.0	2110.0	2136.0	118.1	133.0	175.0	206.0	249.4	234.5	110.8	118.0			2970.4	2970.4		5557.1		
	17	172.5	172.5	711.7	585.1	1598.0	1598.0			2219.0	2246.0	2182.0	2187.0	122.0	119.0	154.9	202.8	250.7	238.0	101.3	114.6			3128.8	3135.1		5713.7		
	18	197.5	197.5	750.9	602.6	1625.0	1619.0			2114.0	2330.0	2285.0	2262.0	122.0	116.0	155.7	197.7	243.1	240.0	108.3	110.0			3261.5	3261.5		5916.2		
	19	197.5	197.5	784.2	638.4	1762.0	1712.0			2448.0	2460.0	2290.0	2472.0	125.0	125.0	147.3	172.7	233.0	220.1	106.1	102.0			3374.0	3380.3		6137.1		
	20	182.5	187.5	737.9	640.9	1762.0	1712.0			2496.0	2501.0	2375.0	2461.0	117.0	123.0	150.0	170.7	219.8	211.6	96.1	102.0			3460.7	3463.9		6316.7		
	21	147.5	147.5	647.4	640.9	1686.0																							

様式 1-10

洪水%		S47.7.13																																						中部地方整備局 木曽川水系 主要洪水時刻流量表											
日	時	本 橋 川																																																	
		三浦ダム		牧尾ダム		読書ダム		阿木田ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋神ダム		岩屋ダム		川辺ダム		今渡	大山	坂増川ダム																							
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量			流入量	放流量																						
13日	1	107.5	107.5	582.2	597.6	1703.0	1703.0			2573.0	2667.0	2743.0	2759.0	103.0	103.0	127.3	131.3	177.5	171.6	87.7	80.0			3374.9	3371.7																						6286.6				
	2	147.5	147.5	647.5	590.9	1769.0	1793.0			3856.0	3051.0	3507.0	3536.0	105.0	108.0	135.8	123.5	154.3	143.5	87.7	80.0			3380.2	3361.2																						6468.3				
	3	157.5	157.5	813.4	645.1	1850.0	1883.0			4030.0	4305.0	4250.0	4215.0	121.0	107.0	131.0	122.7	149.2	137.8	95.8	82.3			3481.0	3484.2																						7077.0				
	4	167.5	167.5	903.7	712.6	2086.0	2086.0			4267.0	4462.0	5119.0	4580.0	135.7	109.0	138.9	125.1	168.4	140.4	97.9	88.5			3475.4	3462.8																						7830.1				
	5	177.5	177.5	1302.1	1025.9	2436.0	2498.0			4614.0	4603.0	5574.0	4767.0	147.6	112.0	138.0	124.2	174.7	141.6	104.0	89.0			3503.1	3471.5																						8428.5				
	6	192.5	192.5	1409.3	1250.9	2612.0	2678.0			4529.0	4509.0	5191.0	4753.0	162.7	130.0	161.9	137.1	189.0	146.0	112.2	89.5			4072.7	4082.2																						9013.0				
	7	227.5	227.5	996.3	1202.1	3157.0	3221.0			4590.0	4667.0	4987.0	4766.0	169.9	161.0	200.0	182.1	214.9	169.3	125.8	105.3			4240.8	4278.7																						9561.3				
	8	207.5	207.5	953.2	1044.2	2960.0	2960.0			4613.0	4608.0	4691.0	4754.0	149.1	155.0	198.5	226.1	290.8	264.3	130.3	125.7			4067.1	4089.2																						9579.9				
	9	135.5	135.5	783.4	974.2	2767.0	2731.0			4613.0	4628.0	4649.0	4733.0	136.3	163.0	211.3	214.1	276.0	306.5	137.6	134.7			3769.3	3772.5																						9285.2				
	10	97.5	97.5	640.9	897.6	2527.0	2451.0			4573.0	4535.0	4372.0	4774.0	125.6	182.0	221.0	214.1	265.9	294.0	128.6	131.5			3649.1	3645.9																							8959.1			
	11	77.5	77.5	573.1	784.2	2306.0	2306.0			4544.0	4583.0	4142.0	4724.0	120.0	192.0	220.2	214.8	267.4	283.0	111.3	116.0			3448.8	3429.8																						8816.0				
	12	77.5	77.5	529.6	604.2	2119.0	2119.0			4101.0	4070.0	3877.0	3825.0	108.0	202.0	235.1	217.2	257.0	265.0	98.2	105.0			3469.3	3466.1																						8603.6				
	13	77.5	77.5	485.1	490.9	1661.0	1691.0			3403.0	3254.0	3416.0	3202.0	105.0	197.0	224.0	218.5	262.1	260.0	99.0	100.0			3482.6	3482.6																						8032.8				
	14	95.9	95.9	478.4	490.9	1584.0	1490.0			3103.0	3141.0	3021.0	3012.0	99.6	196.0	225.9	220.0	262.2	260.0	91.0	96.0			3504.0	3504.0																						7350.9				
	15	117.5	117.5	491.1	490.9	1444.0	1444.0			3001.0	2893.0	2854.0	2968.0	86.9	192.0	220.7	220.7	259.8	260.0	87.8	89.0			3471.5	3477.8																						7093.0				
	16	112.5	112.5	578.3	526.3	1395.0	1409.0			2558.0	2426.0	2276.0	2306.0	93.9	202.0	223.1	220.3	257.3	260.0	84.7	82.0			3351.6	3348.4																						6730.3				
	17	87.5	87.5	529.9	530.9	1261.0	1259.0			2011.0	1657.0	2176.0	2050.0	86.7	201.0	221.1	221.1	257.4	260.0	74.2	77.5			3263.3	3266.5																						6166.8				
	18	67.5	67.5	474.3	524.2	1364.0	1393.0			2002.0	1943.0	2038.0	2015.0	92.5	200.0	218.3	221.1	252.4	260.0	76.2	77.5			3117.2	3114.0																						5319.3				
	19	57.5	57.5	414.8	484.2	1271.0	1358.0			1966.0	2004.0	2051.0	1942.0	79.0	195.0	212.4	219.3	247.9	248.0	70.6	70.0			3001.2	3001.2																						5277.9				
	20	47.5	47.5	361.3	420.9	1210.0	1212.0			1994.0	2004.0	1875.0	1943.0	73.5	198.0	211.4	219.7	248.0	248.0	70.5	70.0			2833.4	2849.2																						5250.3				
	21	47.5	47.5	328.0	390.9	1071.0	1128.0			1984.0	1994.0	1995.0	1947.0	71.3	193.0	209.6	216.5	245.5	248.0	60.0	59.5			2593.1	2593.1																						4939.0				
	22	42.5	42.5	327.8	390.9	1088.0	1026.0			1989.0	1961.0	1908.0	1908.0	81.2	192.0	211.2	217.2	245.5	248.0	60.0	59.5			2391.4	2375.6																						4715.0				
	23	27.5	27.5	302.3	390.9	1012.0	986.0			1838.0	1779.0	1631.0	1662.0	68.6	197.0	221.6	216.1	243.0	248.0	51.0	46.5			2315.4	2315.4																						4547.2				
	24	27.5	27.5	296.3	390.9	969.0	943.0			1706.0	1641.0	1630.0	1579.0	65.0	182.0	205.1	216.1	240.4	248.0	51.1	46.5			2451.2	2441.7																							4196.1			
14日	1	35.0	27.5	250.3	314.2	1078.0	1078.0			1605.0	1561.0	1464.0	1487.0	55.3	58.0	77.9	105.4	202.4	243.0	51.6	46.6			2021.9	2021.9																							3953.9			
	2	27.5	27.5	212.4	190.9	1078.0	1078.0			1461.0	1390.0	1313.0	1261.0	59.0	59.0	79.9	106.7	134.9	206.1	52.1	46.6			1911.6	1905.3																									3730.6	
	3	35.0	27.5	183.4	170.9	1072.0	831.0			1339.0	1396.0	1260.0	1269.0	55.6	61.0	81.9	100.7	123.0	174.5	50.4	46.5			1780.6	1768.0																									3468.8	
	4	27.5	27.5	176.5	170.9	828.0	713.0			1253.0	1230.0	1280.0	1272.0	53.6	59.0	71.5	98.3	115.0	131.0	44.8	46.4			1706.3	1696.8																							3141.8			
	5	35.0	27.5	176.9	170.9	713.0	713.0			1265.0	1255.0	1207.0	1188.0	54.6	60.0	81.2	98.6	111.8	115.6	42.8	46.3			1615.5	1609.2																							3005.1			
	6	27.5	27.5	170.9	170.9	713.0	679.0			1291.0	1307.0	1207.0	1246.0	35.2	8.0	30.1	96.5	109.5	115.6	39.0	42.2			1540.2	1518.1																							2994.7			
	7	35.0	27.5	146.2	150.9	677.0	626.0			1171.0	1194.0	1028.0	1087.0	46.2	0.0	24.5	73.9	91.5	114.8	39.0	37.3			1497.5	1453.3																							2963.6			
	8	27.5	27.5	105.9	130.9	626.0	432.0			1032.0																																									

様式 1-10

洪水No.		S51.9.9		中部地方整備局 木曽川水系 主要洪水時刻流量表																									
日	時	三浦ダム		牧尾ダム		読書ダム		阿木田ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋神ダム		岩屋ダム		川辺ダム		今渡	大山	根増川ダム	
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量			流入量	放流量
8日	1	8.8	8.8	5.3	0.0	93.0	73.0			149.4	60.0	171.0	171.0	8.9	0.0	1.6	38.0	41.4	32.1	4.1	0.4			129.2	120.4	286.2	279.2		
	2	8.8	8.8	5.5	0.0	91.0	73.0			132.6	60.0	140.3	146.0	8.6	0.0	1.6	38.0	41.0	32.1	3.9	0.4			140.6	117.4	286.2	282.7		
	3	2.7	8.8	5.3	0.0	77.0	73.0			83.6	67.0	0.0	0.0	8.6	0.0	1.6	19.0	41.3	32.1	3.6	0.4			138.7	116.4	286.2	279.2		
	4	8.8	8.8	5.5	0.0	74.0	73.0			19.2	67.0	79.8	0.0	8.6	0.0	1.6	0.0	18.3	32.1	4.1	0.4			138.5	115.9	286.2	279.2		
	5	2.7	8.8	10.8	0.0	77.0	73.0			15.2	63.0	68.4	0.0	8.6	0.0	1.6	0.0	4.2	32.1	4.0	0.4			138.7	116.0	286.2	275.6		
	6	2.7	8.8	5.3	0.0	80.0	73.0			13.9	58.0	68.4	0.0	8.6	0.0	1.6	0.0	4.4	32.1	3.8	0.4			136.1	114.9	282.1	272.1		
	7	2.7	8.8	5.5	0.0	85.0	89.0			14.4	79.0	103.8	0.0	8.6	0.0	1.5	19.0	5.6	32.1	4.1	0.4			140.4	114.8	286.2	268.6		
	8	2.7	8.8	5.3	0.0	91.0	112.0			59.8	200.0	157.6	75.0	8.6	3.0	4.5	39.0	38.6	32.1	3.6	0.4			142.0	114.2	286.2	275.6		
	9	5.3	17.5	14.8	30.9	87.0	118.0			127.1	200.0	183.9	237.0	8.3	54.0	55.5	38.0	41.5	32.1	3.8	0.4			134.2	155.0	286.2	272.1		
	10	5.3	17.5	9.3	30.9	105.0	118.0			196.0	200.0	177.7	219.0	8.3	59.0	60.4	39.0	40.6	32.1	3.4	0.4			135.7	155.5	290.5	261.7		
	11	5.3	17.5	3.8	30.9	105.0	118.0			198.5	200.0	142.1	148.0	8.3	98.0	99.4	38.0	40.1	32.1	4.2	0.4			137.6	155.5	290.5	268.6		
	12	5.3	17.5	4.0	30.9	104.0	118.0			173.5	200.0	177.9	264.0	7.9	96.0	97.3	38.0	40.1	32.1	3.4	0.4			138.4	155.5	294.7	275.6		
	13	5.3	17.5	0.0	30.9	104.0	118.0			213.5	110.0	164.0	164.0	7.9	7.0	8.3	0.0	21.4	32.1	3.6	0.4			142.6	57.9	294.7	282.7		
	14	5.3	17.5	14.6	30.9	103.0	118.0			259.3	200.0	141.6	210.0	8.1	121.0	122.2	39.0	27.1	32.1	3.4	0.4			167.2	159.5	290.5	279.2		
	15	5.3	17.5	9.3	30.9	103.0	118.0			238.0	200.0	130.2	210.0	8.1	99.0	100.2	39.0	38.5	32.1	3.2	0.4			146.3	155.5	290.5	275.6		
	16	4.4	16.6	4.0	30.9	101.0	118.0			246.1	200.0	175.7	227.0	8.8	97.0	98.2	38.0	42.5	32.1	4.8	0.4			145.6	155.5	294.7	258.2		
	17	5.3	17.5	5.8	11.3	91.0	118.0			235.3	200.0	131.3	194.0	10.1	86.0	87.3	38.0	40.2	32.1	4.7	0.4			151.3	155.5	294.7	282.7		
	18	5.3	17.5	0.0	0.0	84.0	118.0			232.6	200.0	196.2	276.0	11.7	6.0	7.3	38.0	38.2	32.1	4.6	0.4			153.6	156.0	320.9	297.2		
	19	5.3	17.5	5.5	0.0	79.0	116.0			292.0	200.0	155.3	275.0	11.8	0.0	1.3	38.0	41.9	32.1	3.4	0.4			166.7	174.9	386.3	268.6		
	20	11.4	17.5	10.8	0.0	97.0	91.0			275.8	200.0	155.1	275.0	11.5	0.0	1.3	38.0	40.9	32.1	3.9	0.4			166.8	181.0	406.2	375.2		
	21	5.3	17.5	10.8	0.0	97.0	93.0			250.0	200.0	150.0	205.0	11.3	0.0	1.5	37.0	42.0	32.1	3.8	0.4			173.3	181.0	431.6	400.3		
	22	17.5	17.5	25.4	30.9	104.0	118.0			213.8	200.0	173.0	206.0	13.9	0.0	1.7	38.0	42.3	32.1	3.6	0.4			176.1	181.3	436.8	426.3		
	23	23.6	17.5	14.8	30.9	116.0	118.0			172.2	192.0	185.5	139.0	21.9	0.0	2.5	38.0	43.4	32.1	5.0	0.4			200.1	205.3	484.9	543.2		
	24	48.0	17.5	30.9	30.9	119.0	118.0			250.2	200.0	193.0	204.0	37.4	0.0	3.5	38.0	43.3	32.1	5.2	0.4			288.6	298.3	651.4	679.4		
9日	1	121.2	17.5	79.4	30.9	146.0	123.0			321.0	260.0	360.0	261.0	62.2	0.0	8.5	38.0	45.4	32.1	5.9	0.4			435.2	465.7	990.0	1052.0		
	2	255.4	17.5	298.9	43.4	233.0	197.0			362.0	431.0	548.0	375.0	101.9	0.0	20.0	38.0	55.2	32.1	19.3	0.4			759.2	772.4	1261.3	1434.0		
	3	284.2	17.5	636.8	55.9	364.0	379.0			635.0	641.0	664.0	527.0	122.2	0.0	37.0	38.0	63.0	32.1	41.2	0.4			998.6	1123.5	1855.6	1787.9		
	4	237.7	17.5	639.5	177.6	460.0	478.0			896.0	905.0	843.0	764.0	126.1	0.0	38.0	38.0	68.9	32.1	78.5	0.4			1497.1	1444.4	2591.7	2507.6		
	5	281.6	17.5	552.8	269.6	842.0	862.0			1094.0	1171.0	1199.0	1091.0	142.9	0.0	45.0	38.0	74.0	32.1	84.3	0.4			2261.9	2213.9	3725.5	3690.7		
	6	231.3	17.5	731.1	385.9	1407.0	1431.0			1529.0	1537.0	2138.0	1622.0	190.6	131.0	192.0	37.0	85.2	32.1	101.4	0.4			2825.5	2823.6	4510.5	4936.7		
	7	160.1	17.5	591.4	463.9	1631.0	1680.0			2354.0	2521.0	2626.0	2748.0	207.6	138.0	196.0	38.0	85.7	32.1	138.0	0.4			3215.8	3193.9	5512.7	5598.4		
	8	114.7	17.5	440.6	473.2	1836.0	1809.0			3333.0	3571.0	2842.0	3485.0	160.3	140.0	176.0	39.0	77.3	32.1	99.3	8.1			3899.7	3960.6	6813.7	7359.8		
	9	88.8	17.5	337.8	402.2	1624.0	1631.0			3926.0	4022.0	3171.0	3093.0	154.0	270.0	294.7	39.0	72.8	32.1	73.9	38.9			3638.7	3836.6	7576.0	8464.0		
	10	88.8	17.5	306.5	386.9	1577.0	1565.0			3372.0	3462.0	2978.0	2976.0	133.0	249.0	272.0	46.1	70.1	32.1	76.5	48.2			3444.6	3560.4	6771.0	8607.5		
	11	82.7	17.5	313.7	391.6	1572.0	1541.0			3155.0	3182.0	2901.0	2870.0	130.1	162.0	183.5	85.1	77.1	32.1	67.8	48.3			3148.8	3152.4	5931.1	7730.6		
	12	90.9	17.5	351.1	383.2	1588.0	1598.0			3678.0	2963.0	2813.0	2817.0	131.2	204.0	224.7	154.5	136.8	32.1	66.3	48.9			2848.1	2800.5	5538.4	7046.8		
	13	90.9	17.5	354.9	377.2	1651.0	1661.0			3002.0	2976.0	2590.0	2626.0	134.0	148.0	168.0	163.0	177.5	32.1	66.0	49.4			2612.2	2586.2	5271.5	6566.5		
	14	77.5	17.5	373.9	373.9	1615.0	1679.0			2958.0	2929.0	2626.0	2626.0	133.4	153.0	173.0	150.2	163.4	32.1	62.8	49.7			2465.3	2422.0	5060.3	6148.7		
	15	77.5	17.5	379.7	373.9	1656.0	1667.0			2962.0	2929.0	2717.0	2637.0	115.8	127.0	176.4	176.4	171.5	32.1	59.8	49.8			2366.9	2310.6	5023.5	5848.1		
	16	77.5	17.5	345.1	372.6	1651.0	1675.0			2974.0	2929.0	2704.0	2647.0	106.4	126.0	169.3	183.3	184.2	32.1	53.1	43.5			2296.8	2219.7	4999.0	5788.8		
	17	77.5	17.5	327.3	360.6	1642.0	1631.0			2979.0	2929.0	2653.0	2647.0	99.0	113.0	156.9	148.5	166.7	38.1	53.6	43.7			2229.4	2243.6	4974.6	5803.6		
	18	90.9	17.5	332.9	351.9	1575.0	1537.0			2947.0	2976.0	2647.0	2647.0	97.8	109.0	154.0	147.0	148.6	66.8	52.4	42.4			2167.2	2149.4	4962.4	5803.6		
	19	90.9	17.5	328.9	345.9	1479.0	1455.0			2969.0	2976.0	2611.0	2597.0	91.0	91.0	138.6	147.0	146.7	118.1	54.3	42.6			2128.1	2065.4	4913.8	5759.3		
	20	110.9	17.5	322.9	345.9	1431.0	1413.0			2923.0	2935.0	2525.0	2597.0	101.0	87.0	136.5	139.3	154.7	128.3	55.7	43.1			2096.3	2021.9	4841.4	5656.7		
	21	106.2	17.5	411.0	355.9	1406.0	1413.0			2853.0	2888.0	2510.0	2510.0	105.8	103.0	148.8	146.0	158.1	135.9	58.0	43.6			2089.1	2041.6	4829.4	5540.5		
	22	86.4	17.5																										

様式 1-10

洪水No.		S51.9.9		中部地方整備局 木曾川水系 主要洪水時刻流量表																											
日	時	木 曾 川																													
		三浦ダム		牧尾ダム		読書ダム		阿木川ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋津ダム		岩屋ダム		川辺ダム		今渡	犬山	味噌川ダム			
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量
10 日	1	52.0	17.5	219.3	307.9	1208.0	1194.0			2346.0	2260.0	2121.0	2192.0	72.6	81.0	121.9	131.7	150.3	165.2	55.8	53.5			2192.0	2192.9	4568.7	5199.2				
	2	38.2	17.5	192.2	285.2	1117.0	1089.0			2134.0	2010.0	1979.0	1979.0	69.6	78.0	115.2	119.4	126.2	137.3	49.3	52.6			2136.3	2191.1	4418.1	5032.6				
	3	38.2	17.5	178.0	261.9	1043.0	1036.0			1950.0	1930.0	1901.0	1782.0	68.1	72.0	106.1	113.1	120.2	125.8	44.3	50.0			2108.2	2101.2	4149.0	4694.3				
	4	38.2	17.5	203.8	245.9	945.0	935.0			1782.0	1770.0	1711.0	1687.0	61.3	69.0	101.2	101.2	116.7	118.6	43.2	48.5			2018.2	2002.2	3909.0	4445.0				
	5	31.3	17.5	180.5	229.9	906.0	870.0			1630.0	1602.0	1647.0	1513.0	54.2	60.0	91.5	98.5	105.0	108.4	39.0	45.9			1959.8	1931.7	3742.0	4177.4				
	6	31.3	17.5	154.4	213.9	771.0	756.0			1564.0	1518.0	1513.0	1432.0	51.2	54.0	85.5	99.5	102.7	105.5	37.6	43.3			1876.2	1878.2	3530.3	3954.7				
	7	24.4	17.5	115.7	147.2	781.0	781.0			1480.0	1432.0	1456.0	1432.0	51.2	54.0	85.0	97.0	103.6	104.6	36.8	43.1			1787.8	1800.0	3371.7	3690.7				
	8	24.4	17.5	98.5	115.9	749.0	747.0			1463.0	1425.0	1389.0	1344.0	45.4	51.0	83.6	90.6	100.4	100.9	30.3	31.8			1711.3	1687.4	3125.4	3504.4				
	9	24.4	17.5	107.6	105.9	691.0	630.0			1368.0	1334.0	1254.0	1204.0	47.0	47.0	73.6	87.6	92.3	95.8	24.1	20.9			1597.3	1564.4	3005.8	3267.3				
	10	24.4	17.5	89.6	95.9	621.0	621.0			1148.0	1080.0	1099.0	1051.0	41.2	44.0	70.6	79.0	84.3	90.7	29.7	15.2			1507.8	1495.1	2759.3	3081.4				
	11	24.4	17.5	90.1	90.9	562.0	597.0			1118.0	1080.0	1063.0	1051.0	41.0	41.0	66.3	69.1	78.2	83.5	31.5	15.3			1395.7	1411.4	2564.3	2766.7				
	12	17.5	17.5	70.9	64.2	554.0	551.0			1137.0	1110.0	1027.0	1051.0	40.0	40.0	65.0	67.8	72.6	69.6	28.2	15.4			1332.8	1325.4	2469.5	2665.5				
	13	17.5	17.5	91.0	45.9	553.0	551.0			1046.0	1040.0	974.0	945.0	37.2	40.0	65.0	67.8	64.6	62.0	26.5	15.5			1277.1	1252.5	2402.8	2497.9				
	14	24.4	17.5	85.3	45.9	515.0	508.0			897.0	893.0	892.0	839.0	37.2	40.0	65.0	67.8	67.6	62.1	25.8	15.6			1244.4	1247.9	2285.1	2440.0				
	15	17.5	17.5	79.7	45.9	465.0	444.0			881.0	854.0	863.0	839.0	36.2	39.0	63.6	67.8	67.0	62.2	24.6	15.7			1214.5	1174.5	2058.7	2244.6				
	16	17.5	17.5	79.7	45.9	459.0	454.0			875.0	854.0	839.0	839.0	34.2	37.0	60.8	66.4	65.1	60.2	24.1	15.7			1139.0	1158.8	2083.2	2109.9				
	17	17.5	17.5	68.7	45.9	397.0	390.0			841.0	854.0	796.0	751.0	34.2	37.0	61.2	64.0	62.2	58.2	23.3	15.8			1068.9	1054.4	1961.8	2078.9				
	18	17.5	17.5	74.7	45.9	395.0	381.0			786.0	810.0	751.0	751.0	35.0	35.0	59.8	64.0	62.5	58.3	22.6	15.8			1048.8	1038.8	1902.4	1994.6				
	19	17.5	17.5	74.7	45.9	401.0	399.0			784.0	774.0	739.0	751.0	33.0	34.0	57.9	63.9	62.6	58.3	22.0	15.9			996.8	1018.2	1844.0	1934.4				
	20	17.5	17.5	62.9	45.9	392.0	399.0			784.0	774.0	727.0	751.0	32.2	35.0	58.3	63.9	62.4	58.5	21.8	15.9			973.4	987.1	1832.4	1867.7				
	21	17.5	17.5	68.9	45.9	388.0	390.0			767.0	726.0	674.0	674.0	32.2	35.0	57.9	64.9	61.9	58.5	20.8	16.0			960.7	949.0	1775.1	1853.1				
	22	24.4	17.5	68.9	55.9	379.0	381.0			692.0	699.0	662.0	674.0	34.0	34.0	57.3	64.3	61.6	58.5	20.7	16.0			931.7	926.2	1707.5	1773.5				
	23	24.4	17.5	70.0	65.9	376.0	361.0			709.0	699.0	674.0	674.0	33.2	36.0	57.1	64.1	62.0	58.7	21.1	16.0			912.3	921.6	1685.2	1695.7				
	24	31.3	17.5	83.1	79.2	370.0	361.0			709.0	699.0	686.0	674.0	36.0	36.0	57.0	64.0	60.9	58.7	21.2	16.0			925.0	914.6	1685.2	1681.8				

※-：欠測

様式 1-10

洪水%		SSR 9.28		中部地方整備局 木曾川水系 主要洪水時刻流量表																									
日	時	三浦ダム		牧尾ダム		読書ダム		阿木川ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋神ダム		岩屋ダム		川辺ダム		今渡	大山	根増川ダム	
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量			流入量	放流量
26 日	1	0.0	0.0			138.0	129.0			192.0	200.0	145.8	123.0	12.1	0.0	0.8	0.0	3.6	15.5	5.6	0.2	26.8	0.0	158.6	155.4	-	330.9		
	2	10.4	0.0			135.0	129.0			159.0	200.0	200.4	132.0	12.0	0.0	0.8	0.0	4.3	15.5	5.5	0.2	26.8	0.0	139.6	155.5	-	371.7		
	3	5.2	0.0			134.0	134.0			189.4	200.0	258.0	258.0	12.0	0.0	0.8	0.0	4.0	15.5	5.5	0.2	17.8	0.0	139.6	155.5	-	371.7		
	4	10.4	0.0			131.0	134.0			209.8	200.0	279.4	268.0	11.9	0.0	0.8	0.0	3.9	15.5	5.5	0.2	26.7	0.0	136.3	155.5	-	365.7		
	5	5.2	0.0			131.0	134.0			236.8	200.0	217.0	217.0	11.9	0.0	0.8	0.0	3.7	15.5	5.6	0.2	26.8	0.0	136.3	155.5	-	348.1		
	6	10.4	0.0			128.0	134.0			213.0	200.0	221.4	267.0	11.9	0.0	0.8	0.0	3.6	15.5	5.5	0.2	17.8	0.0	136.3	155.5	-	353.9		
	7	8.8	8.8			125.0	129.0			237.0	200.0	208.0	265.0	11.7	0.0	0.8	0.0	3.7	15.5	5.5	0.2	26.8	0.0	136.2	155.4	-	359.8		
	8	8.8	8.8			126.0	123.0			228.0	200.0	118.9	136.0	11.7	0.0	0.8	0.0	3.8	15.7	5.8	0.2	17.8	0.0	139.4	155.3	-	348.1		
	9	3.5	8.8			126.0	123.0			138.0	200.0	252.6	264.0	11.7	0.0	0.8	0.0	5.4	31.9	6.5	0.2	37.9	29.0	136.3	155.5	-	348.1		
	10	8.8	8.8			126.0	123.0			270.0	200.0	202.5	264.0	11.5	0.0	0.8	0.0	4.8	31.9	7.0	0.2	25.3	78.8	136.3	155.5	-	342.3		
	11	3.5	8.8			129.0	123.0			255.0	200.0	176.5	204.0	11.5	0.0	0.8	0.0	4.3	31.9	7.1	0.2	9.0	0.1	136.3	155.5	-	342.3		
	12	8.8	8.8			123.0	123.0			210.0	200.0	241.5	258.0	11.5	0.0	0.8	0.0	5.3	31.8	7.0	0.2	17.8	0.0	133.1	155.5	-	342.3		
	13	8.8	8.8			123.0	123.0			186.0	200.0	191.0	125.0	11.1	0.0	0.7	0.0	4.3	31.8	7.0	0.2	17.8	0.0	133.1	155.5	-	348.1		
	14	8.8	8.8			120.0	123.0			195.0	200.0	220.5	257.0	11.1	0.0	0.7	0.0	4.7	31.8	6.9	0.2	33.9	69.6	130.1	149.3	-	348.1		
	15	3.5	8.8			117.0	123.0			234.0	200.0	201.0	223.0	11.1	0.0	0.7	0.0	4.8	31.8	7.0	0.2	21.0	83.4	136.8	143.1	-	348.1		
	16	8.8	8.8			126.0	123.0			222.0	200.0	199.0	232.0	10.8	0.0	0.7	0.0	4.8	31.7	6.9	0.2	20.5	73.9	143.0	143.0	-	342.3		
	17	8.8	8.8			126.0	123.0			192.0	200.0	231.5	204.0	10.8	0.0	0.7	0.0	5.0	31.7	7.0	0.2	14.1	49.8	156.0	143.2	-	365.7		
	18	8.8	8.8			123.0	123.0			192.0	200.0	142.5	159.0	10.8	0.0	0.7	0.0	4.9	31.7	7.1	0.2	26.8	0.0	159.7	146.9	-	371.7		
	19	3.5	8.8			126.0	119.0			150.0	200.0	163.0	141.0	10.5	0.0	0.7	0.0	5.0	32.0	7.0	0.2	26.8	0.0	158.7	155.5	-	371.7		
	20	8.8	8.8			122.0	119.0			156.0	200.0	167.0	156.0	10.5	0.0	0.7	0.0	4.4	32.1	7.0	0.2	17.8	0.0	158.7	155.5	-	377.7		
	21	7.9	13.1			122.0	119.0			179.0	200.0	195.5	223.0	10.0	0.0	0.7	0.0	4.4	32.1	7.1	0.2	26.7	0.0	155.5	155.5	-	359.8		
	22	7.1	17.5			114.0	118.0			232.2	200.0	184.5	234.0	10.0	0.0	0.7	0.0	4.7	32.0	6.3	0.2	39.8	46.7	152.4	155.5	-	353.9		
	23	7.1	17.5			119.0	118.0			221.8	200.0	140.5	190.0	9.7	0.0	0.7	0.0	4.5	32.0	6.1	0.2	13.7	93.9	149.2	155.5	-	353.9		
	24	7.1	17.5			106.0	118.0			210.0	200.0	203.5	242.0	9.7	0.0	0.7	0.0	4.3	32.0	6.2	0.2	26.8	0.0	155.5	155.5	-	353.9		
27 日	1	12.3	17.5			106.0	118.0			216.0	200.0	194.0	238.0	9.5	0.0	0.7	0.0	4.9	32.0	5.8	0.2	26.8	0.0	149.2	155.0	-	353.9		
	2	7.1	17.5			99.0	118.0			201.0	200.0	201.0	223.0	9.5	0.0	0.7	0.0	4.8	31.9	5.9	0.2	26.8	0.0	155.5	155.0	-	365.7		
	3	5.2	0.0			96.0	118.0			228.0	200.0	147.5	197.0	9.5	0.0	0.7	0.0	5.8	31.9	5.7	0.2	17.8	0.0	152.4	155.0	-	383.8		
	4	10.4	0.0			95.0	118.0			186.0	200.0	177.5	205.0	9.8	0.0	0.8	0.0	4.8	31.8	5.8	0.2	26.8	0.0	155.5	155.0	-	389.9		
	5	5.2	0.0			94.0	118.0			210.0	200.0	173.5	212.0	10.0	0.0	0.8	0.0	5.0	31.8	5.7	0.2	26.8	0.0	158.7	155.0	-	394.2		
	6	10.4	0.0			94.0	118.0			249.0	200.0	123.5	195.0	10.2	0.0	0.8	0.0	5.2	31.8	5.8	0.2	26.8	0.0	155.5	155.0	-	383.8		
	7	5.2	0.0			92.0	118.0			255.0	200.0	158.5	241.0	10.2	0.0	0.8	0.0	4.3	31.8	5.8	0.2	17.8	0.0	161.9	155.0	-	383.8		
	8	10.4	0.0			92.0	118.0			195.0	200.0	155.0	155.0	10.6	0.0	0.8	0.0	4.9	31.8	5.9	0.2	26.7	0.0	161.9	155.0	-	389.9		
	9	12.4	17.5			98.0	118.0			162.0	200.0	182.5	166.0	10.9	15.0	15.9	38.0	25.2	31.7	6.0	0.2	40.4	31.5	165.1	155.0	-	394.2		
	10	12.4	17.5			108.0	118.0			183.0	227.0	216.0	194.0	15.0	68.0	69.0	36.0	41.3	32.0	6.0	0.2	32.0	94.4	174.8	155.0	-	410.2		
	11	9.9	13.1			112.0	118.0			306.0	281.0	296.5	272.0	15.2	0.0	1.0	36.0	41.1	32.1	5.9	0.2	19.8	28.7	197.6	155.0	-	414.2		
	12	19.0	8.8			127.0	118.0			321.0	314.0	303.5	276.0	15.3	19.0	20.0	36.0	40.8	32.1	6.1	0.2	46.6	82.3	231.9	164.5	-	505.9		
	13	19.0	8.8			148.0	143.0			298.0	314.0	396.0	275.0	16.3	13.0	14.5	0.0	32.1	32.1	7.6	0.2	19.8	10.9	264.2	209.7	-	535.7		
	14	30.4	4.4			168.0	177.0			304.0	301.0	420.0	277.0	17.2	0.0	2.7	35.0	27.4	32.1	9.3	0.2	50.6	68.4	306.3	328.7	-	582.9		
	15	26.1	0.0			192.0	192.0			302.0	301.0	420.0	277.0	19.6	0.0	5.4	38.0	41.9	32.1	11.2	0.2	43.2	78.9	345.8	342.6	-	693.7		
	16	41.7	0.0			251.0	261.0			297.0	301.0	439.0	300.0	22.9	0.0	5.7	37.0	44.3	32.1	12.8	0.2	54.2	80.4	397.8	388.2	-	704.2		
	17	37.0	0.0			278.0	286.0			379.0	391.0	454.0	384.0	43.5	61.0	74.4	37.0	44.6	32.1	14.1	0.2	55.7	135.9	433.6	443.1	-	736.4		
	18	43.3	0.0			287.0	300.0			443.0	453.0	452.0	416.0	42.8	0.0	12.3	38.0	45.5	32.1	20.4	0.2	57.0	119.4	450.7	444.3	-	831.3		
	19	32.5	0.0			292.0	295.0			486.0	480.0	482.0	451.0	36.4	0.0	13.9	37.0	45.8	32.1	26.6	0.2	59.6	94.5	472.7	479.0	-	943.1		
	20	32.5	0.0			300.0	305.0			506.0	499.0	528.0	482.0	37.0	0.0	13.3	37.0	46.8	32.1	26.1	0.2	59.1	84.7	494.2	491.0	-	999.9		
	21	32.5	0.0			297.0	300.0			543.0	536.0	528.0	482.0	37.0	0.0	12.1	37.0	46.1	32.1	22.9	0.2	77.5	115.1	527.1	530.2	-	1070.2		
	22	32.5	0.0	89.5	30.9	315.0	315.0			532.0	536.0	581.0	513.0	34.4	0.0	11.1	36.0	45.6	32.1	22.3	0.2	67.9	87.9	560.1	572.8	-	1167.8		
	23	27.1	0.0	101.2	30.9	320.0	325.0			599.0	621.0	606.0	549.0	34.4	0.0	8.9	36.0	44.8	32.1	21.4	0.2	61.7	0.0	570.8	577.1	-	1205.4		
	24	37.9	0.0	101.2	30.9	345.0	345.0			617.0	621.0	614.0	580.0	33.6	0.0	12.													

様式 1-10

洪水No.		S58.9.28		中部地方整備局 木曽川水系 主要洪水時刻流量表																									
日	時	三浦ダム		牧尾ダム		読書ダム		阿木田ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋神ダム		岩屋ダム		川辺ダム		今渡	大山	根喰川ダム	
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量			流入量	放流量
28日	1	48.7	0.0	118.7	30.9	366.0	372.0			684.0	704.0	716.0	677.0	34.4	0.0	11.6	36.0	45.8	32.1	21.9	0.2	78.4	0.0	675.1	681.4	-	1402.7		
	2	48.7	0.0	148.0	30.9	410.0	418.0			817.0	844.0	806.0	771.0	38.4	0.0	14.8	36.0	46.5	32.1	23.1	0.2	89.1	0.0	740.4	743.5	-	1556.9		
	3	59.5	0.0	171.3	30.9	476.0	482.0			935.0	956.0	888.0	864.0	46.4	0.0	23.1	37.0	47.9	32.1	24.7	0.2	80.2	0.0	801.4	795.0	-	1787.8		
	4	75.7	0.0	197.5	30.9	514.0	528.0			991.0	1011.0	990.0	991.0	68.6	0.0	20.1	36.0	49.7	32.1	28.8	0.2	98.4	0.0	872.8	888.7	-	1937.2		
	5	88.3	0.0	227.9	30.9	580.0	591.0			1078.0	1065.0	991.0	991.0	62.2	0.0	25.4	36.0	53.4	32.1	30.9	0.2	107.0	0.0	953.8	960.1	-	2109.4		
	6	78.4	0.0	245.7	30.9	670.0	687.0			1066.0	1092.0	1028.0	1024.0	71.1	0.0	29.8	36.0	57.9	32.1	35.6	0.2	124.8	0.0	1008.8	1028.0	-	2236.8		
	7	72.8	0.0	228.6	48.1	756.0	757.0			1119.0	1146.0	1082.0	1083.0	74.0	0.0	32.9	36.0	63.4	32.1	41.6	0.2	133.7	0.0	1034.2	1043.7	-	2315.0		
	8	67.2	0.0	221.5	128.6	761.0	765.0			1207.0	1250.0	1177.0	1130.0	74.8	63.0	92.9	36.0	66.3	32.1	47.5	0.2	160.4	18.2	1072.5	1072.5	-	2376.8		
	9	62.3	17.5	230.4	190.9	769.0	767.0			1221.0	1382.0	1235.0	1272.0	81.5	198.0	228.6	37.0	70.1	31.7	50.6	0.2	178.7	195.2	1092.5	1105.2	-	2475.6		
	10	90.3	17.5	233.6	194.2	816.0	833.0			1315.0	1406.0	1290.0	1290.0	85.4	217.0	247.0	37.0	71.9	31.3	56.1	0.2	260.8	296.3	1143.4	1130.6	-	2755.1		
	11	95.9	17.5	277.8	257.6	878.0	914.0			1379.0	1378.0	1290.0	1290.0	89.9	209.0	239.5	37.0	77.1	31.4	65.0	5.2	300.1	273.3	1196.8	1212.7	-	2803.1		
	12	118.4	17.5	371.2	320.9	983.0	1046.0			1375.0	1378.0	1278.0	1290.0	92.6	210.0	241.0	37.0	81.7	30.9	82.9	46.1	333.5	306.7	1239.0	1242.1	-	2871.1		
	13	139.3	17.5	502.0	400.1	1324.0	1332.0			1385.0	1378.0	1362.0	1398.0	113.3	122.0	154.5	37.0	83.1	30.0	92.7	112.8	356.1	168.9	1297.1	1312.9	-	2920.1		
	14	156.6	17.5	617.9	469.2	1721.0	1758.0			1606.0	1665.0	1758.0	1714.0	123.7	86.0	120.7	38.0	83.2	29.8	91.1	123.7	423.1	289.3	1401.7	1411.2	-	3020.4		
	15	349.9	17.5	827.7	628.4	2014.0	2074.0			2015.0	2096.0	2065.0	2079.0	154.0	67.0	109.4	37.0	95.4	29.7	107.0	130.0	479.6	203.3	1562.8	1636.5	-	3672.2		
	16	395.5	17.5	1088.1	827.6	2352.0	2366.0			2641.0	2440.0	2741.0	2462.0	220.0	72.0	144.3	53.0	107.2	30.1	148.3	164.6	601.4	41.6	1832.2	1981.6	-	4646.1		
	17	618.8	17.5	1253.5	955.1	3107.0	3121.0			3684.0	3516.0	3701.0	3553.0	300.3	25.0	139.0	85.6	157.6	70.7	203.2	195.5	761.5	0.0	2402.6	2421.0	-	5845.4		
	18	426.9	17.5	1371.0	1061.7	3392.0	3425.0			4416.0	4528.0	4649.0	4584.0	563.0	5.0	109.0	151.2	329.3	189.9	360.6	248.8	725.2	0.0	3406.0	3440.4	-	7431.4		
	19	209.2	17.5	798.8	937.6	3797.0	3807.0			4980.0	5006.0	6212.0	4805.0	309.0	183.2	205.4	287.0	495.8	330.2	333.6	283.8	681.0	136.6	4314.7	4277.1	-	9436.3		
	20	215.6	17.5	718.6	717.6	3843.0	3807.0			4945.0	4914.0	7359.0	4765.0	269.2	287.7	334.3	369.6	565.1	499.8	244.8	279.7	651.6	298.2	4586.3	4589.3	-	10678.6		
	21	279.9	17.5	838.5	685.9	3319.0	3110.0			5118.0	5194.0	6980.0	5694.0	271.9	265.8	296.3	335.3	484.3	512.2	198.1	258.3	576.1	296.9	4683.0	4651.7	-	11154.6		
	22	221.5	17.5	818.6	715.9	2998.0	2959.0			6516.0	6446.0	7271.0	7457.0	262.8	265.9	318.6	320.0	433.7	485.8	187.9	238.3	529.1	297.8	4962.8	4884.5	-	11347.9		
	23	135.9	17.5	702.1	682.6	2901.0	2814.0			7917.0	8004.0	7872.0	7964.0	213.3	238.0	273.0	277.2	401.7	458.6	162.3	219.6	456.7	273.6	6022.0	6056.1	-	12522.3		
	24	103.0	17.5	543.6	542.6	2634.0	2492.0			8237.0	8162.0	6786.0	6853.0	172.6	204.0	239.0	239.0	322.0	416.1	132.4	197.5	387.6	0.0	4710.4	4757.3	-	13669.1		
29日	1	71.3	17.5	449.8	449.2	2200.0	2145.0			6040.0	6070.0	5721.0	5444.0	153.2	209.0	231.7	228.9	303.8	375.2	110.9	172.2	355.8	0.0	4674.3	4696.1	-	14098.6		
	2	58.2	17.5	376.1	375.9	1947.0	1794.0			5019.0	4898.0	4722.0	4720.0	137.7	205.0	221.0	223.1	314.0	336.5	107.0	131.9	316.2	0.0	4415.8	4431.4	-	13267.3		
	3	51.4	17.5	322.8	322.6	1664.0	1656.0			4479.0	4396.0	3890.0	4405.0	119.4	199.0	213.6	213.7	305.8	321.1	92.1	116.4	286.6	0.0	3874.0	3870.9	-	11039.4		
	4	44.6	17.5	289.7	289.2	1543.0	1519.0			4417.0	4438.0	3316.0	3979.0	108.8	170.0	187.4	187.5	282.7	291.3	68.0	75.4	247.1	0.0	3360.4	3357.3	-	9365.6		
	5	31.1	17.5	236.1	235.9	1361.0	1375.0			3706.0	3701.0	2739.0	3559.0	96.5	121.0	139.0	136.6	220.2	231.5	79.4	68.4	237.2	0.0	2953.5	2956.5	-	8470.9		
	6	37.8	17.5	235.9	235.9	1257.0	1263.0			3180.0	3180.0	2820.0	2947.0	89.0	88.0	114.1	108.4	143.3	162.5	72.9	68.5	207.5	0.0	2665.3	2665.3	-	7415.7		
	7	37.8	17.5	202.5	202.6	1238.0	1182.0			2970.0	2793.0	1846.0	2402.0	81.9	85.0	108.8	108.8	147.3	136.6	66.7	68.3	195.6	27.6	2366.5	2369.5	-	6343.2		
	8	31.1	17.5	195.9	195.9	1156.0	1118.0			2751.0	2561.0	1853.0	2352.0	73.9	77.0	101.3	104.2	150.4	131.5	58.5	63.8	177.8	98.4	2089.6	2092.6	-	5502.2		
	9	31.1	17.5	172.2	172.6	1018.0	1018.0			2600.0	2556.0	1628.0	2276.0	67.9	71.0	92.8	95.2	136.3	131.9	51.8	58.5	146.1	85.0	1934.9	1822.1	-	4974.7		
	10	24.3	17.5	160.9	160.9	971.0	968.0			2555.0	2509.0	1602.0	2226.0	70.0	70.0	89.8	89.8	129.5	130.0	48.5	53.8	157.1	85.7	1821.9	1764.2	-	4809.0		
	11	24.3	17.5	160.9	160.9	910.0	835.0			2249.0	2180.0	1501.0	1745.0	69.9	73.0	88.4	89.8	119.6	125.3	46.7	50.6	136.4	85.5	1677.6	1594.2	-	4671.0		
	12	24.3	17.5	127.8	127.6	884.0	835.0			1786.0	1718.0	1414.0	1487.0	58.8	68.0	86.6	89.4	113.7	113.7	43.4	44.7	138.1	87.2	1690.5	1549.2	-	4197.9		
	13	17.5	17.5	127.4	120.9	810.0	828.0			1693.0	1696.0	1372.0	1479.0	48.9	0.0	25.4	83.5	108.5	107.5	40.1	40.5	117.7	87.1	1442.1	1451.6	-	3750.0		
	14	24.3	17.5	120.9	120.9	799.0	713.0			1602.0	1580.0	1400.0	1510.0	53.2	41.0	58.8	74.4	107.6	102.2	38.7	40.5	122.1	91.5	1326.2	1323.0	-	3444.0		
	15	17.5	17.5	120.9	117.6	748.0	740.0			1398.0	1369.0	1266.0	1284.0	49.0	0.0	21.5	45.5	86.6	92.0	40.0	40.5	114.6	94.3	1261.7	1268.0	-	3192.1		
	16	24.3	17.5	100.9	97.6	718.0	726.0			1359.0	1344.0	1272.0	1284.0	42.8	0.0	20.0	37.0	58.9	56.9	40.0	35.6	104.4	94.2	1217.7	1192.0	-	2949.7		
	17	17.5	17.5	93.9	80.9	685.0	688.0			1349.0	1310.0	1272.0	1224.0	42.8	0.0	18.5	37.0	51.9	48.7	33.6	33.3	104.4	94.2	1154.1	1163.6	-	2650.8		
	18	17.5	17.5	93.6	80.9	661.0	637.0			1248.0	1212.0	1102.0	1095.0	42.8	0.0	15.7	37.0	56.5	48.8	33.9	33.4	108.7	108.7	1097.2	1094.0	-	2613.4		
	19	17.5	17.5	93.9	80.9	612.0	573.0			1110.0	121																		

様式 1-10

洪水%		S63.9.25		中部地方整備局 木曾川水系 主要洪水時刻流量表																										
日	時	三浦ダム		牧尾ダム		読書ダム		阿木川ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋神ダム		岩屋ダム		川辺ダム		今渡	大山	根増川ダム		
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量			流入量	放流量	
23 日	1	6.0	12.0			70.0	47.0			72.0	59.0	109.2	75.0	1.9	0.0	0.4	0.0	1.8	15.5	3.2	6.2	8.9	0.0	123.1	100.7		257.2			
	2	6.0	12.0			20.0	0.0			75.0	59.0	103.5	75.0	4.8	0.0	0.4	0.0	0.2	0.3	3.2	6.2	8.9	0.0	120.1	100.9		224.1			
	3	6.0	12.0			15.0	0.0			54.2	59.0	0.8	35.0	4.8	0.0	0.4	0.0	1.9	0.0	3.1	6.1	8.9	0.0	107.5	101.1		236.2			
	4	6.0	12.0			19.0	0.0			2.6	1.0	0.0	0.0	4.8	0.0	0.4	0.0	1.9	0.0	4.7	6.1	8.9	0.0	107.7	101.3		236.2			
	5	0.0	0.0			17.0	0.0			4.4	0.0	0.0	0.0	4.8	0.0	0.4	0.0	0.1	0.0	3.0	6.0	8.9	0.0	107.8	101.4		236.2			
	6	0.0	0.0			17.0	0.0			1.6	0.0	0.0	0.0	4.8	0.0	0.4	0.0	2.1	0.0	4.5	5.9	8.9	0.0	106.9	100.5		244.5			
	7	6.0	0.0			17.0	0.0			1.6	0.0	0.0	0.0	4.8	0.0	0.4	0.0	0.2	0.0	2.9	5.9	17.8	0.0	110.9	101.3		248.7			
	8	0.0	17.5			42.0	78.0			53.8	111.0	143.2	166.0	1.9	0.0	0.4	3.0	7.7	29.0	4.5	5.9	8.9	0.0	118.2	137.4		248.7			
	9	0.0	17.5			100.0	117.0			156.8	116.0	157.7	152.0	4.8	0.0	0.4	36.0	14.1	31.5	3.0	6.0	8.9	0.0	112.1	147.3		248.7			
	10	5.5	17.5			100.0	118.0			137.2	116.0	157.5	129.0	4.8	34.0	34.4	36.0	37.5	31.5	2.9	5.9	14.3	121.3	126.9	146.1	247.2	261.5			
	11	5.5	17.5			103.0	118.0			126.0	116.0	154.5	126.0	4.8	55.0	55.4	36.0	39.6	31.5	4.4	5.8	0.8	188.0	139.6	146.0	247.2	257.2			
	12	7.1	13.1			102.0	118.0			126.0	116.0	168.2	134.0	4.8	63.0	63.4	37.0	39.6	31.5	2.8	5.8	0.0	148.6	135.9	145.5	251.4	236.2			
	13	1.2	13.1			100.0	118.0			133.0	123.0	155.2	121.0	4.8	2.0	2.4	36.0	37.8	31.6	4.3	5.7	2.9	2.9	138.4	135.2	251.4	240.4			
	14	5.5	17.5			91.0	118.0			157.8	173.0	171.7	166.0	1.9	49.0	49.4	36.0	40.0	31.6	2.5	5.5	21.8	137.7	136.9	136.9	251.4	261.5			
	15	5.5	17.5			104.0	118.0			175.0	179.0	164.3	170.0	4.8	62.0	62.4	36.0	40.0	31.6	4.1	5.5	2.4	141.2	138.0	138.0	251.4	244.5			
	16	0.0	17.5			105.0	118.0			176.0	180.0	165.3	171.0	4.8	46.0	46.4	37.0	38.2	31.6	3.9	5.3	7.3	92.7	139.3	139.3	251.4	236.2			
	17	5.5	17.5			105.0	118.0			177.0	181.0	159.6	171.0	4.8	42.0	42.4	37.0	38.2	31.6	2.3	5.3	0.0	57.4	140.3	140.3	251.4	240.4			
	18	5.5	17.5			107.0	118.0			176.0	180.0	165.3	171.0	4.8	14.0	14.4	37.0	40.9	31.6	3.5	5.1	8.6	0.0	138.6	138.6	251.4	240.4			
	19	5.5	17.5			109.0	118.0			174.6	173.0	164.3	170.0	4.8	0.0	0.4	37.0	39.0	31.7	3.4	5.0	8.5	0.0	137.3	137.3	251.4	240.4			
	20	5.5	17.5			109.0	96.0			176.6	189.0	159.6	171.0	1.9	0.0	0.4	0.0	21.0	31.6	3.6	5.0	8.5	0.0	140.3	137.1	251.4	244.5			
	21	0.0	12.0			118.0	73.0			178.0	140.0	164.3	170.0	4.8	0.0	0.4	0.0	1.8	16.4	3.7	5.1	8.6	0.0	136.9	136.9	238.8	244.5			
	22	0.0	12.0			112.0	73.0			139.2	62.0	155.1	138.0	4.4	0.0	0.4	0.0	1.8	16.4	3.7	5.1	8.5	0.0	140.8	137.6	238.8	240.4			
	23	0.0	12.0			93.0	73.0			122.4	62.0	170.9	131.0	4.4	0.0	0.4	0.0	3.7	16.4	3.8	5.2	17.1	0.0	141.0	137.8	247.2	232.2			
	24	6.0	12.0			84.0	73.0			139.2	40.0	162.3	131.0	4.4	0.0	0.4	0.0	1.7	16.4	2.2	5.2	8.5	0.0	135.8	135.8	247.2	228.1			
24 日	1	6.0	12.0			82.0	73.0			114.0	113.0	167.6	122.0	1.8	0.0	0.3	0.0	3.7	16.4	3.8	5.2	8.6	0.0	127.6	98.8		259.9	261.5		
	2	6.0	12.0			83.0	73.0			117.0	119.0	162.0	105.0	4.4	0.0	0.3	0.0	3.6	16.4	3.9	5.3	8.5	0.0	110.2	100.6		259.9	265.9		
	3	6.0	12.0			83.0	73.0			94.8	120.0	159.7	97.0	4.4	0.0	0.3	0.0	0.1	0.3	3.9	5.3	17.1	0.0	100.7	100.7		259.9	261.5		
	4	0.0	12.0			61.0	73.0			101.2	122.0	163.4	95.0	4.4	0.0	0.3	0.0	2.8	0.0	2.2	5.2	8.5	0.0	100.7	100.7		259.9	240.4		
	5	6.0	0.0			38.0	73.0			95.6	122.0	157.0	100.0	4.4	0.0	0.3	0.0	0.9	0.0	3.8	5.2	8.5	0.0	97.6	100.8		255.6	244.5		
	6	0.0	0.0			39.0	73.0			104.0	122.0	157.4	106.0	4.4	0.0	0.3	0.0	1.0	0.0	3.7	5.1	8.6	0.0	94.4	100.8		255.6	261.5		
	7	2.8	8.8			36.0	73.0			112.4	122.0	167.0	109.0	1.8	0.0	0.3	0.0	1.1	0.1	3.7	5.1	8.5	0.0	84.8	100.8		255.6	261.5		
	8	5.5	17.5			60.0	100.0			109.4	161.0	155.8	121.0	4.4	0.0	0.3	0.0	8.7	29.2	3.7	5.1	23.1	40.2	84.7	100.7		255.6	265.9		
	9	5.5	17.5			83.0	103.0			157.2	192.0	169.6	158.0	4.4	24.0	24.3	11.0	5.1	31.5	3.8	5.2	8.8	102.7	110.2	100.6	264.2	261.5			
	10	1.2	13.1			90.0	104.0			213.2	192.0	170.2	234.0	7.1	42.0	42.3	37.0	39.3	31.5	3.9	5.3	14.2	193.4	135.0	122.2	264.2	253.0			
	11	2.8	8.8			112.0	105.0			257.6	209.0	153.3	251.0	9.8	58.0	58.4	37.0	40.2	31.5	3.8	5.2	24.1	297.3	127.4	127.4	318.7	253.0			
	12	8.8	8.8			118.0	105.0			243.6	200.0	173.4	219.0	4.4	38.0	38.4	37.0	40.3	31.5	3.7	5.1	6.9	280.1	127.3	127.3	347.9	301.9			
	13	2.8	8.8			114.0	112.0			221.2	200.0	181.7	233.0	4.2	3.0	3.4	37.0	38.5	31.5	3.5	4.9	2.9	11.4	128.7	125.5	347.9	330.4			
	14	8.8	8.8			113.0	118.0			251.0	199.0	173.2	253.0	9.6	43.0	44.1	37.0	42.5	31.5	4.9	4.9	11.5	139.5	130.4	124.0	347.9	325.6			
	15	2.8	8.8			118.0	118.0			283.0	256.0	170.4	273.0	9.6	60.0	61.1	37.0	38.6	31.5	6.3	4.8	15.6	101.0	127.2	124.0	347.9	325.6			
	16	4.4	4.4			123.0	118.0			285.0	281.0	171.4	274.0	6.5	0.0	1.1	0.0	15.3	0.1	6.1	4.6	0.0	5.7	127.2	124.0	432.0	432.0	335.3		
	17	6.0	0.0			126.0	118.0			285.0	281.0	187.5	273.0	3.8	0.0	1.1	0.0	3.4	0.0	6.1	4.6	17.1	0.0	127.2	124.0	437.5	407.3			
	18	12.0	0.0			131.0	118.0			285.0	281.0	194.2	273.0	9.1	0.0	1.1	0.0	1.6	0.0	6.0	4.5	17.1	0.0	120.8	124.0	432.0	434.7			
	19	12.0	0.0			142.0	138.0			291.0	281.0	197.0	274.0	6.4	0.0	0.8	0.0	3.5	0.0	4.5	4.5	34.2	0.0	124.0	124.0	432.0	429.2			
	20	12.0	0.0			151.0	148.0			291.0	281.0	214.5	275.0	6.4	0.0	0.8	0.0	1.7	0.0	7.5	4.4	51.2	0.0	124.0	124.0	432.0	429.2			
	21	12.0	0.0			150.0	158.0			298.0	305.0	246.0	279.0	8.9	0.0	0.8	0.0	3.6	0.0	5.9	4.4	68.3	0.0	124.0	124.0	437.5	429.2			
	22	12.0	0.0			179.0	187.0			309.0	305.0	246.0	279.0	6.2	0.0	1.0	0.0	3.6	0.0	5.9	4.4	85.4	0.0	128.4	125.2	537.4	440.3			
	23	12.0	0.0			182.0	197.0			305.0	295.0	251.5	279.0	8.7	0.0	0.8	0.0	1.8	0.0	5.8	4.3	68.3	0.0	135.6	128.0	531.2	551.8			
	24	12.0	0.0			187.0	187.0			305.0	295.0	251.5	279.0																	

様式 1-10

洪水No.		S63.9.25		中部地方整備局 木曾川水系 主要洪水時刻流量表																									
日	時	三浦ダム		牧尾ダム		読書ダム		阿木川ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋神ダム		岩屋ダム		川辺ダム		今渡	大山	根喰川ダム	
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量			流入量	放流量
25 日	1	24.0	0.0			193.0	187.0			311.0	295.0	257.0	279.0	8.6	0.0	1.0	0.0	4.1	0.0	7.3	4.2	68.3	0.0	153.1	149.9	501.0		555.8	
	2	24.0	0.0			197.0	197.0			311.0	295.0	290.0	279.0	8.6	0.0	1.0	0.0	4.1	0.0	7.3	4.2	76.8	0.0	166.0	166.0	531.2		540.8	
	3	35.9	0.0			214.0	226.0			330.0	320.0	361.5	279.0	13.7	0.0	1.0	0.0	4.2	0.0	7.2	4.1	85.4	0.0	228.5	215.7	607.5		592.4	
	4	53.9	0.0			242.0	236.0			347.0	345.0	540.0	363.0	13.1	0.0	2.1	0.0	6.2	0.0	10.4	4.1	93.9	0.0	247.0	259.8	668.0		700.1	
	5	77.9	0.0			266.0	266.0			486.0	493.0	547.0	479.0	17.8	0.0	2.1	0.0	8.2	0.0	13.5	4.1	111.0	0.0	285.0	278.6	760.6		778.5	
	6	95.8	0.0	254.1	30.9	341.0	335.0			612.0	770.0	612.0	574.0	21.1	0.0	2.1	0.0	8.1	0.0	15.4	4.2	119.5	0.0	351.1	360.7	1118.3		821.6	
	7	89.9	0.0	264.8	48.1	426.0	432.0			752.0	910.0	713.0	679.0	21.1	0.0	1.0	0.0	7.7	0.0	16.5	4.2	136.6	0.0	429.7	442.5	1361.9		1105.2	
	8	115.9	0.0	358.3	128.6	524.0	524.0			893.0	900.0	1040.0	919.0	27.8	0.0	2.1	0.0	9.7	0.0	18.0	4.2	167.1	0.0	594.4	623.2	1523.8		1386.1	
	9	129.8	0.0	517.9	240.9	673.0	673.0			1240.0	1230.0	1396.0	1298.0	25.3	0.0	3.1	0.0	10.7	0.0	19.6	4.3	187.2	0.0	863.7	860.9	2162.0		1615.9	
	10	129.8	0.0	615.7	360.9	901.0	901.0			1730.0	1720.0	1965.0	1791.0	34.2	0.0	4.1	0.0	15.0	0.0	22.7	4.3	249.7	0.0	1105.5	1172.8	2825.8		2058.5	
	11	179.2	0.0	618.3	523.4	1079.0	1070.0			2310.0	2300.0	2168.0	2109.0	46.0	0.0	12.4	0.0	21.2	0.0	30.4	4.4	320.9	0.0	1353.1	1340.3	3658.6		2945.8	
	12	221.9	8.8	662.7	565.1	1339.0	1330.0			2590.0	2580.0	2486.0	2409.0	67.9	0.0	28.8	0.0	36.5	15.1	45.9	4.5	374.4	0.0	1570.6	1573.8	4314.1		3851.0	
	13	246.8	17.5	719.3	600.9	1521.0	1521.0			2830.0	2820.0	2634.0	2497.0	76.4	0.0	31.5	0.0	44.3	32.0	60.3	4.8	419.0	0.0	1998.9	1992.5	5182.0		4970.1	
	14	272.3	17.5	784.9	664.6	1671.0	1671.0			2820.0	2810.0	2767.0	2809.0	90.6	0.0	36.4	0.0	45.9	32.0	73.8	5.2	450.2	0.0	2318.6	2436.1	5522.9		5974.7	
	15	199.9	17.5	727.5	681.9	1686.0	1686.0			3210.0	3200.0	3562.0	3268.0	101.9	0.0	38.5	0.0	45.7	32.0	80.9	5.6	427.3	0.0	2714.8	2655.0	6160.0		6301.1	
	16	135.8	17.5	561.7	561.1	1850.0	1850.0			4130.0	4120.0	4094.0	4046.0	96.2	0.0	29.2	3.0	37.5	28.5	82.5	3.9	376.9	14.7	3176.5	3131.6	7839.6		7426.5	
	17	96.3	17.5	428.1	425.9	1828.0	1828.0			4345.0	4335.0	3820.0	3768.0	71.0	0.0	28.0	24.0	45.2	28.3	70.5	0.2	329.9	134.9	3391.7	3292.4	9196.7		8583.0	
	18	63.5	17.5	345.5	390.9	1526.0	1526.0			3920.0	3910.0	3482.0	3433.0	59.4	0.0	23.0	37.0	66.4	28.3	59.2	9.0	282.4	152.3	3280.8	3328.9	8595.3		8583.0	
	19	56.9	17.5	300.9	390.9	1231.0	1231.0			3524.0	3514.0	3099.0	2975.0	48.1	0.0	20.0	37.0	63.9	30.0	50.6	20.9	245.1	96.5	2930.0	2955.6	7264.2		7944.1	
	20	43.8	17.5	268.2	357.6	1136.0	1136.0			2960.0	2950.0	2668.0	2525.0	38.3	0.0	18.0	37.0	61.8	32.1	45.7	23.9	221.7	101.0	2613.0	2616.2	6102.4		7145.8	
	21	37.2	17.5	220.1	277.6	1069.0	1069.0			2570.0	2560.0	2384.0	2384.0	38.5	0.0	14.0	37.0	59.6	32.1	42.8	24.4	196.9	122.6	2300.4	2310.0	5094.1		6179.9	
	22	37.2	17.5	185.8	224.2	950.0	950.0			2197.0	2187.0	2038.0	2038.0	33.1	0.0	11.2	37.0	57.5	32.1	38.1	24.7	163.5	88.9	2001.3	1985.3	4366.8		5316.0	
	23	30.6	17.5	165.5	190.9	805.0	805.0			2000.0	1990.0	1894.0	1894.0	28.3	0.0	10.3	37.0	55.4	32.1	35.0	25.0	172.4	105.5	1853.6	1853.6	3805.1		4650.7	
	24	24.1	17.5	152.3	190.9	744.0	744.0			1820.0	1810.0	1749.0	1749.0	25.9	0.0	7.0	37.0	53.3	32.1	31.9	25.2	147.5	109.3	1705.5	1702.3	3467.7		4128.0	
26 日	1	30.6	17.5	146.0	190.9	673.0	673.0			1680.0	1670.0	1509.0	1509.0	27.2	0.0	5.4	0.0	34.2	32.1	29.9	19.9	137.2	108.5	1521.9	1509.1	3086.5		3676.7	
	2	24.1	17.5	126.6	190.9	673.0	673.0			1510.0	1500.0	1450.0	1414.0	24.3	0.0	5.2	0.0	15.3	32.1	27.8	17.6	125.3	106.2	1399.8	1415.8	2854.2		3315.8	
	3	24.1	17.5	126.6	190.9	628.0	628.0			1402.0	1392.0	1250.0	1214.0	23.3	0.0	3.1	0.0	17.4	32.1	28.4	17.8	121.2	83.0	1310.7	1307.5	2658.4		3010.6	
	4	17.5	17.5	120.6	190.9	563.0	563.0			1227.0	1217.0	1210.0	1174.0	23.5	0.0	3.1	0.0	13.1	32.1	26.7	17.9	96.1	57.9	1212.3	1212.3	2351.8		2764.6	
	5	24.1	17.5	115.1	190.9	587.0	591.0			1204.0	1194.0	1015.0	1015.0	20.6	0.0	2.1	0.0	15.3	32.1	23.6	16.5	97.2	58.9	1144.1	1153.7	2300.4		2452.9	
	6	17.5	17.5	108.8	190.9	544.0	544.0			1091.0	1081.0	1039.0	1015.0	20.8	0.0	2.1	0.0	13.1	32.1	23.8	15.0	87.1	58.5	1054.3	1028.7	2064.0		2336.7	
	7	17.5	17.5	108.8	190.9	544.0	544.0			1013.0	1003.0	944.0	932.0	18.3	0.0	2.1	0.0	15.3	32.1	22.4	13.6	77.3	58.2	1017.4	1014.2	2149.6		2112.8	
	8	17.5	17.5	108.8	187.6	540.0	544.0			975.0	965.0	899.0	899.0	18.4	0.0	2.1	0.0	13.1	32.1	21.3	10.7	86.5	57.9	946.8	940.4	1933.0		2043.2	
	9	17.5	17.5	91.5	157.6	497.0	511.0			910.0	900.0	821.0	833.0	18.7	0.0	2.1	0.0	11.0	32.1	20.2	7.8	77.0	57.8	911.7	908.5	1783.7		1907.5	
	10	17.5	17.5	84.0	134.2	464.0	446.0			895.0	865.0	845.0	833.0	16.0	0.0	2.1	11.0	15.7	32.1	16.3	5.7	74.4	64.8	914.2	907.8	1806.3		1819.6	
	11	17.5	17.5	79.5	107.6	437.0	501.0			917.0	845.0	825.0	789.0	16.3	24.9	26.1	37.0	41.3	32.1	18.4	7.8	77.9	106.5	914.1	910.9	1761.2		1790.8	
	12	10.9	17.5	71.9	90.9	423.0	435.0			807.0	760.0	745.0	745.0	15.3	40.0	42.1	37.0	45.7	32.1	18.4	7.8	82.7	130.5	840.9	860.1	1662.0		1755.1	
	13	17.5	17.5	68.0	70.9	405.0	405.0			785.0	738.0	701.0	701.0	15.6	8.0	10.1	37.0	47.8	32.1	16.6	7.8	82.2	24.9	759.0	778.2	1534.2		1650.1	
	14	17.5	17.5	64.4	69.2	372.0	366.0			720.0	690.0	646.0	646.0	15.6	46.0	48.1	37.0	47.9	32.1	18.3	7.7	79.4	98.5	729.0	732.2	1482.5		1528.5	
	15	10.9	17.5	49.9	52.6	352.0	366.0			714.0	690.0	658.0	646.0	14.6	39.0	41.1	37.0	45.8	32.1	16.5	7.7	75.8	75.8	726.3	732.7	1462.1		1469.4	
	16	10.9	17.5	46.9	40.9	330.0	390.0			703.0	690.0	646.0	646.0	14.6	45.0	47.1	37.0	45.9	32.1	14.7	7.6	101.5	177.9	671.6	658.8	1361.9		1430.6	
	17	10.9	17.5	47.4	40.9	331.0	374.0			652.0	650.0	569.0	569.0	15.1	42.0	44.2	37.0	45.9	32.1	16.4	7.6	67.2	306.0	644.2	618.6	1342.3		1379.7	
	18	10.9	17.5	47.1	39.2	324.0	331.0			565.0	580.0	511.0	523.0	14.2	0.0	2.1	37.0	43.9	32.1	14.6	7.5	77.8	236.5	622.6	603.4	1274.9		1329.8	
	19	17.5	17.5			314.0	314.0			542.0	540.0	488.0	500.0	14.3	0.0	1.0	0.0	24.8	32.1	16.3	7.5	59.9	162.0	578.0	574.8	1154.2		1232.7	
	20	4.4	17.5			318.0	314.0			5																			

様式 1-10

洪水No.		出 9.3		中部地方整備局 木曾川水系 主要洪水時刻流量表																									
日	時	三浦ダム		牧尾ダム		読書ダム		阿木川ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋神ダム		岩屋ダム		川辺ダム		今渡	大山	根喰川ダム	
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量			流入量	放流量
2	1	10.4	0.0			86.0	82.0			188.0	197.0	169.4	198.0	8.3	0.0	0.4	0.0	0.4	16.0	3.0	0.4	34.2	0.0	108.7	102.3	334.4	368.2		
	2	0.0	0.0			71.0	64.0			185.0	200.0	165.0	165.0	6.3	0.0	0.4	0.0	1.3	16.0	6.1	0.4	34.1	0.0	109.2	99.6	334.4	334.0		
	3	10.4	0.0			65.0	68.0			164.6	200.0	170.2	159.0	6.3	0.0	0.4	0.0	1.2	0.0	4.8	0.4	34.2	0.0	112.4	99.5	334.4	317.5		
	4	10.4	0.0			66.0	72.0			166.4	199.0	171.8	166.0	6.3	0.0	0.4	0.0	1.0	0.0	6.7	0.4	32.1	0.0	113.5	100.6	334.4	317.5		
	5	5.2	0.0			68.0	71.0			169.2	199.0	168.4	151.0	6.3	0.0	0.4	0.0	1.0	0.0	5.0	0.4	21.0	0.0	113.4	100.5	334.4	325.7		
	6	0.0	0.0			72.0	74.0			183.2	199.0	183.0	183.0	6.3	0.0	0.4	0.0	0.9	0.0	5.1	0.4	37.1	0.0	110.1	100.5	334.4	325.7		
	7	10.4	0.0			81.0	80.0			164.6	200.0	164.6	182.0	6.3	0.0	0.4	0.0	0.9	0.0	5.1	0.4	43.1	0.0	113.4	100.5	329.6	325.7		
	8	1.6	12.0			88.0	101.0			201.0	200.0	160.8	189.0	6.3	0.0	0.4	0.0	3.4	0.1	5.1	0.4	34.1	0.0	113.5	100.6	329.6	334.0		
	9	12.0	12.0			95.0	105.0			164.6	200.0	173.2	162.0	9.3	0.0	0.4	10.0	5.5	14.0	5.3	0.4	51.3	0.0	113.6	100.7	329.6	334.0		
	10	6.8	12.0			105.0	106.0			259.8	200.0	176.4	266.0	8.9	0.0	0.4	36.0	34.5	15.0	7.0	0.4	69.6	26.5	111.1	101.5	329.6	342.4		
	11	12.0	12.0			106.0	116.0			281.0	200.0	170.2	271.0	7.7	23.0	23.4	36.0	42.0	15.1	13.3	0.4	89.4	80.5	120.1	126.5	329.6	350.9		
	12	15.6	10.4			118.0	120.0			278.2	200.0	165.6	272.0	8.0	45.0	45.4	36.0	50.4	30.5	21.7	0.4	84.8	102.6	113.5	126.4	353.9	350.9		
	13	5.2	0.0			118.0	121.0			287.4	200.0	165.0	277.0	7.9	5.0	5.5	32.0	43.7	31.1	25.3	0.4	110.6	3.6	116.2	125.8	358.8	359.5		
	14	15.6	0.0			118.0	130.0			301.0	284.0	170.6	277.0	7.6	0.0	0.4	0.0	17.6	31.1	20.7	0.4	101.5	48.0	120.1	126.5	421.1	395.0		
	15	10.4	0.0			148.0	178.0			301.0	284.0	189.4	277.0	10.4	0.0	0.5	0.0	7.7	31.1	16.2	0.4	97.7	71.0	127.4	137.0	454.2	408.8		
	16	10.4	0.0			208.0	210.0			305.0	294.0	185.2	277.0	10.6	0.0	0.5	0.0	7.2	31.1	16.7	0.4	103.6	130.4	138.2	138.2	454.2	443.3		
	17	15.6	0.0			218.0	216.0			305.0	294.0	201.4	277.0	10.8	0.0	0.5	0.0	4.5	31.1	15.3	0.4	127.8	110.0	151.3	164.2	465.4	453.9		
	18	15.6	0.0			238.0	228.0			305.0	294.0	207.8	278.0	8.1	0.0	0.5	0.0	6.7	31.2	13.9	0.4	181.3	65.5	172.3	165.9	482.6	468.3		
	19	5.2	0.0			238.0	233.0			300.0	289.0	212.2	277.0	10.9	0.0	0.5	0.0	4.7	31.2	12.6	0.4	204.8	80.0	176.5	186.1	506.0	464.7		
	20	10.4	0.0			238.0	226.0			300.0	289.0	232.8	276.0	8.3	0.0	0.5	0.0	6.2	31.3	12.8	0.4	257.9	150.9	216.1	187.2	494.3	494.0		
	21	15.6	0.0			238.0	218.0			300.0	289.0	233.8	277.0	11.0	0.0	0.5	0.0	8.0	31.3	11.4	0.4	221.9	150.6	452.6	352.9	734.4	490.2		
	22	5.2	0.0			218.0	206.0			300.0	289.0	233.8	277.0	8.3	0.0	0.5	0.0	5.7	31.3	11.6	0.4	200.1	298.1	468.7	471.9	755.9	640.9		
	23	10.4	0.0			198.0	196.0			300.0	289.0	265.2	276.0	11.1	0.0	0.5	0.0	5.6	31.4	11.8	0.4	175.6	318.2	390.1	428.7	720.2	714.9		
	24	20.8	0.0			178.0	188.0			300.0	289.0	325.6	277.0	8.4	0.0	0.5	0.0	7.5	31.4	12.1	0.4	151.5	160.4	450.4	420.4	720.2	675.9		
3	1	15.6	0.0			185.0	178.0			300.0	289.0	320.2	277.0	8.4	0.0	0.7	0.0	5.3	31.4	12.1	0.4	158.8	69.6	453.6	444.0	755.9	675.2		
	2	15.6	0.0			183.0	188.0			300.0	289.0	304.0	277.0	11.1	0.0	0.7	0.0	5.2	31.5	14.0	0.4	194.0	96.0	532.7	532.7	837.6	679.6		
	3	20.1	0.0			176.0	188.0			321.0	310.0	419.0	289.0	10.9	0.0	1.0	0.0	7.1	31.5	14.2	0.4	213.2	97.3	542.8	539.6	955.7	755.6		
	4	46.9	0.0			198.0	178.0			331.0	320.0	451.0	289.0	15.2	0.0	1.0	0.0	7.8	30.3	14.4	0.4	272.4	94.2	602.3	618.4	1090.2	889.7		
	5	124.2	0.0	203.2	30.9	208.0	208.0			406.0	395.0	542.0	374.0	20.5	0.0	2.0	0.0	12.0	30.3	19.5	0.4	332.4	109.6	697.5	726.4	1224.4	1243.2		
	6	156.6	0.0	286.5	30.9	218.0	228.0			497.0	540.0	574.0	428.0	32.9	0.0	2.0	0.0	14.8	31.2	34.8	0.4	307.0	75.2	849.7	897.9	1506.0	1327.1		
	7	156.6	0.0	329.5	35.9	300.0	315.0			677.0	700.0	719.0	626.0	46.4	0.0	6.0	0.0	14.5	31.2	51.4	13.4	311.2	79.4	998.0	1026.9	1827.8	1529.0		
	8	321.0	0.0	502.0	82.1	428.0	451.0			945.0	1052.0	1239.0	929.0	61.4	0.0	12.0	0.0	18.6	31.2	60.5	52.5	320.0	97.2	1359.8	1350.1	2485.7	1902.2		
	9	313.6	0.0	748.6	182.9	546.0	552.0			1379.0	1502.0	1623.0	1445.0	69.4	0.0	28.0	0.0	24.2	31.2	93.0	88.4	322.3	82.7	1687.4	1911.5	3624.9	2735.7		
	10	253.8	0.0	756.8	300.9	826.0	837.0			1819.0	1812.0	1907.0	1893.0	73.9	60.5	92.8	4.5	33.3	31.2	140.1	148.5	338.1	59.4	2021.6	1980.8	3743.1	3756.7		
	11	188.8	3.5	768.2	450.9	1437.0	1437.0			2365.0	2362.0	2568.0	2449.0	96.4	83.0	97.1	29.5	56.6	31.2	140.1	153.4	337.5	59.0	2427.4	2386.6	5183.7	4405.2		
	12	168.0	17.5	648.7	530.9	1675.0	1675.0			2583.0	2580.0	2494.0	2538.0	98.0	82.0	98.0	37.0	72.8	31.2	130.8	132.5	338.0	59.4	2593.3	2602.7	5691.4	5556.8		
	13	160.5	17.5	581.1	530.9	1781.0	1781.0			2807.0	2804.0	2923.0	2887.0	95.4	82.0	99.1	37.5	64.1	31.2	118.6	120.3	334.3	0.0	2480.5	2496.2	5562.2	5789.7		
	14	167.0	17.5	543.4	530.9	1744.0	1744.0			3003.0	3000.0	2990.0	2816.0	100.7	82.0	99.0	38.0	65.1	31.2	108.1	109.8	367.1	88.6	2434.3	2424.9	5921.0	5941.9		
	15	179.0	17.5	619.2	530.9	1763.0	1763.0			2983.0	2980.0	3061.0	2777.0	102.4	81.0	101.7	38.0	67.2	31.2	111.7	105.1	387.5	102.6	2422.6	2435.2	5871.4	6148.0		
	16	143.1	17.5	625.7	530.9	1921.0	1921.0			3027.0	3024.0	2919.0	3091.0	102.4	81.0	99.9	38.0	65.1	31.2	109.8	103.1	373.7	144.5	2418.7	2428.1	5904.5	6044.5		
	17	120.5	10.5	556.1	530.9	1936.0	1936.0			3247.0	3244.0	3040.0	3171.0	97.0	81.0	95.3	38.0	61.1	31.2	99.0	105.7	344.9	230.2	2448.3	2436.9	6121.4	6130.7		
	18	89.1	8.8	465.7	470.9	1758.0	1758.0			3203.0	3200.0	3127.0	3125.0	74.8	0.0	28.0	39.0	63.9	31.1	88.8	93.7	303.0	245.7	2451.8	2458.1	6172.1	6340.0		
	19	82.9	8.8	417.4	410.9	1641.0	1641.0			3247.0	3244.0	3055.0	3090.0	69.4	0.0	22.6	38.5	61.5	31.0	74.0	70.6	368.0	253.5	2372.1	2372.1	6121.4	6392.9		
	20	76.7	8.8	384.4	384.2	1435.0	1435.0			3027.0	3024.0	2953.0	2957.0	64.6	0.0	22.1	38.0	59.1	31.0	67.5	69.2	263.2	263.2	2339.6	2324.1	5954.2	6340.0		
	21	70.6	8.8	357.8	357.6	1335.0	1335.0			2851.0	2848.0	2767.0	2727.0	59.5	0.0	15.9	0.0	31.0	31.0	58.8	60.5	263.5	263.5						

様式 1-10

洪水No.		出 9.3		中部地方整備局 木曽川水系 主要洪水時刻流量表																									
日	時	本 筋 川																											
		三浦ダム		牧尾ダム		読書ダム		阿木田ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋神ダム		岩屋ダム		川辺ダム		今渡	犬山	味噌川ダム	
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量			流入量	放流量
4 日	1	90.0	8.8	416.1	390.9	1103.0	1103.0			2238.0	2235.0	2084.0	2084.0	56.6	0.0	13.4	0.0	14.9	31.2	44.7	46.4	233.1	261.7	1914.5	1914.5	4256.0	4612.8		
	2	85.2	8.8	397.4	390.9	1136.0	1136.0			2103.0	2100.0	1967.0	1967.0	62.3	0.0	14.6	0.0	14.9	31.2	44.6	44.6	251.9	261.4	1862.4	1858.1	4129.9	4375.9		
	3	72.5	8.8	345.3	350.9	1136.0	1136.0			2063.0	2060.0	1955.0	1967.0	56.6	0.0	14.6	0.0	17.2	31.2	42.8	44.5	242.7	261.8	1797.3	1797.3	3843.1	4145.3		
	4	59.7	8.8	310.9	310.9	1103.0	1103.0			1973.0	1970.0	1968.0	1933.0	53.8	0.0	14.9	0.0	16.0	31.2	41.5	43.2	234.0	262.7	1735.8	1742.1	3723.3	3996.3		
	5	53.3	8.8	244.8	244.2	1004.0	1004.0			1973.0	1970.0	1888.0	1888.0	50.9	0.0	12.4	0.0	16.6	31.3	39.0	40.7	214.9	262.6	1678.3	1678.3	3606.4	3824.7		
	6	47.0	8.8	230.9	230.9	955.0	955.0			1973.0	1970.0	1798.0	1798.0	45.3	0.0	13.6	0.0	14.4	31.3	38.4	38.4	197.5	264.4	1622.0	1618.9	3566.5	3675.9		
	7	34.2	8.8	185.1	184.2	833.0	833.0			1805.0	1802.0	1709.0	1682.0	39.6	0.0	11.2	0.0	16.6	31.3	33.0	34.7	190.9	267.3	1570.4	1570.4	3244.6	3622.5		
	8	40.6	8.8	169.6	150.9	768.0	768.0			1649.0	1646.0	1571.0	1548.0	38.2	0.0	11.2	0.0	12.2	31.2	31.8	30.1	171.4	266.9	1504.4	1504.4	3081.7	3310.5		
	9	27.9	8.8	150.9	150.9	699.0	699.0			1595.0	1592.0	1515.0	1499.0	35.3	0.0	10.3	14.0	18.6	31.2	29.6	27.9	170.5	266.0	1455.2	1455.2	2951.7	3133.8		
	10	27.9	8.8	157.2	150.9	598.0	598.0			1433.0	1430.0	1315.0	1270.0	32.5	0.0	9.5	38.0	43.9	31.2	29.1	25.7	146.9	261.5	1392.2	1411.0	2755.0	2985.9		
	11	27.9	8.8	124.4	124.2	552.0	552.0			1263.0	1260.0	1190.0	1190.0	29.7	0.0	10.7	38.0	48.2	31.2	27.5	25.8	145.9	260.5	1277.7	1202.3	2267.7	2841.6		
	12	23.9	17.5	110.9	110.9	607.0	607.0			1183.0	1180.0	1144.0	1121.0	32.5	0.0	7.2	38.0	50.9	31.2	25.8	25.8	138.8	260.6	1297.2	1163.7	2356.3	2446.6		
	13	23.9	17.5	110.9	110.9	561.0	561.0			1063.0	1060.0	977.0	942.0	29.7	0.0	6.3	38.0	46.5	31.2	25.8	25.8	136.5	238.7	1282.6	1266.5	2318.1	2324.2		
	14	22.1	9.3	110.9	110.9	515.0	515.0			973.0	970.0	873.0	873.0	28.6	0.0	6.3	38.0	48.7	31.2	25.8	25.8	125.6	227.7	1226.8	1262.2	2144.2	2332.2		
	15	27.9	8.8	110.9	110.9	506.0	506.0			933.0	930.0	896.0	873.0	29.8	0.0	6.3	38.0	46.8	31.2	24.1	25.8	116.1	227.6	1187.2	1190.4	2012.2	2173.6		
	16	15.1	8.8	98.0	100.9	497.0	497.0			933.0	930.0	873.0	873.0	23.5	0.0	3.7	0.0	24.4	31.2	24.4	24.4	116.6	228.0	1079.2	1072.8	1942.1	2028.1		
	17	15.1	8.8	69.4	60.9	469.0	469.0			913.0	910.0	788.0	823.0	26.6	0.0	1.2	0.0	7.1	31.2	20.4	22.1	107.3	228.0	1008.6	973.2	1816.6	1931.5		
	18	27.9	8.8			455.0	451.0			872.0	835.0	733.0	714.0	26.9	0.0	2.4	0.0	9.3	31.2	21.9	20.2	106.3	227.0	999.5	980.2	1827.8	1773.3		
	19	15.1	8.8			412.0	395.0			723.0	720.0	720.0	674.0	24.1	0.0	2.4	0.0	7.1	31.2	20.2	20.2	96.5	226.6	1000.6	984.5	1739.0	1773.3		
	20	8.8	8.8			385.0	375.0			734.0	720.0	677.0	642.0	21.4	0.0	2.4	0.0	9.3	31.2	20.2	20.2	95.6	225.6	975.3	962.4	1663.0	1669.3		
	21	15.1	8.8			380.0	355.0			670.0	650.0	644.0	610.0	24.5	0.0	1.2	0.0	11.5	31.2	20.2	20.2	92.2	213.0	890.4	880.8	1516.2	1595.1		
	22	21.5	8.8			350.0	335.0			670.0	650.0	610.0	610.0	21.8	0.0	1.2	0.0	8.0	31.2	18.5	20.2	77.7	179.9	872.7	875.9	1516.2	1470.8		
	23	15.1	8.8			350.0	335.0			653.0	650.0	565.0	555.0	21.9	0.0	2.4	0.0	10.1	31.2	17.5	17.5	90.9	165.2	819.1	799.8	1435.3	1464.4		
	24	16.0	9.6			350.0	335.0			622.0	630.0	555.0	555.0	22.0	0.0	1.2	0.0	8.1	31.3	17.5	17.5	86.5	142.2	815.2	786.3	1435.3	1401.1		

様式 1-10

洪水%		H11.9.20		中部地方整備局 木曽川水系 主要洪水時刻流量表																									
日	時	三浦ダム		牧尾ダム		読書ダム		阿木田ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋神ダム		岩屋ダム		川辺ダム		今渡	大山	味噌川ダム	
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量			流入量	放流量
19日	1	11.3	17.5	24.5	30.9	128.2	128.2	5.7	3.8	274.1	274.1	249.1	273.0	9.8	0.0	2.4	0.0	3.4	31.9	8.0	0.2	53.5	0.0	246.4	254.0		551.4	4.7	4.7
	2	5.1	17.5	24.5	30.9	128.6	122.6	5.7	3.8	274.1	274.1	214.8	273.0	6.9	0.0	2.4	0.0	3.3	31.9	9.8	0.2	53.5	0.0	241.9	244.3		551.4	4.7	4.7
	3	5.1	17.5	24.5	0.0	123.0	124.5	5.7	3.8	274.1	274.1	218.4	275.0	9.8	0.0	2.4	0.0	3.2	31.8	8.1	0.2	53.5	0.0	239.8	244.3		545.2	4.7	4.7
	4	11.3	17.5	15.2	0.0	117.7	123.7	5.6	3.8	274.1	274.1	217.1	274.0	9.9	0.0	2.4	0.0	3.1	31.8	8.2	0.2	53.5	0.0	241.0	244.3		532.8	4.7	4.7
	5	5.1	17.5	25.8	0.0	113.3	120.7	5.6	3.8	246.2	243.4	303.3	275.0	9.9	0.0	1.2	0.0	3.1	31.8	8.2	0.2	53.5	0.0	241.0	244.1		526.7	4.7	4.7
	6	5.1	17.5	23.2	0.0	110.3	120.7	5.4	3.8	212.8	221.3	222.6	238.0	7.0	0.0	2.4	0.0	1.4	31.8	8.2	0.2	53.5	0.0	229.0	233.5		479.1	1.4	4.7
	7	11.3	17.5	22.6	0.0	102.8	120.7	5.4	3.8	212.8	221.3	187.1	221.0	9.9	0.0	2.4	0.0	3.0	31.8	8.3	0.2	53.5	0.0	230.2	233.5		428.3	4.7	4.7
	8	5.1	17.5	25.1	30.9	101.1	120.7	5.3	3.8	218.5	221.3	193.8	218.0	7.0	0.0	2.4	0.0	3.2	31.8	8.3	0.2	44.6	0.0	229.8	233.4		422.8	4.7	4.7
	9	11.3	17.5	28.6	30.9	101.1	120.7	5.3	3.8	218.4	221.2	189.1	223.0	9.9	0.0	1.2	0.0	1.9	31.8	8.4	0.2	53.5	0.0	208.9	215.1		417.4	4.7	4.7
	10	5.1	17.5	30.9	30.9	115.6	116.9	5.4	3.8	195.0	212.0	219.0	219.0	7.0	0.0	2.4	0.0	3.5	31.8	8.4	0.2	53.5	0.0	215.8	203.5		390.7	1.4	4.7
	11	5.1	17.5	24.5	30.9	112.3	107.1	5.4	3.8	178.0	212.0	154.1	188.0	9.9	0.0	6.8	11.6	3.3	31.7	8.5	0.2	63.7	90.5	217.1	203.7		370.0	4.3	4.0
	12	5.1	17.5	27.7	30.9	120.2	107.1	5.4	3.8	189.3	212.0	220.9	187.0	7.1	0.0	5.1	34.9	8.3	31.7	6.7	0.2	51.4	158.3	216.1	203.8		364.9	3.7	3.4
	13	11.3	17.5	24.5	30.9	123.5	107.3	5.1	3.8	186.9	212.0	94.2	196.0	10.0	0.0	3.6	36.9	25.0	31.7	8.5	0.2	53.2	160.2	215.2	203.9		364.9	3.4	3.4
	14	5.1	17.5	27.0	30.9	123.6	107.2	5.1	3.8	190.6	211.7	189.0	189.0	7.1	0.0	3.6	36.9	35.0	31.7	8.5	0.2	47.6	154.6	222.3	229.4		375.1	3.4	3.4
	15	5.1	17.5	23.2	30.9	115.0	107.6	5.1	3.8	203.5	206.1	193.0	193.0	7.1	0.0	4.4	36.8	35.2	31.8	6.6	0.2	47.2	154.2	234.1	229.4		390.7	3.4	3.4
	16	5.1	17.5	23.8	30.9	116.6	119.6	4.8	3.8	190.9	212.0	200.0	200.0	10.0	0.0	4.6	36.7	38.6	31.8	8.3	0.2	45.5	107.9	194.3	198.7		433.8	3.4	3.4
	17	11.5	17.5	18.5	0.0	119.2	120.7	4.8	4.3	191.9	202.4	199.0	199.0	7.1	0.0	4.5	36.6	38.8	31.8	8.3	0.2	42.9	105.2	190.8	198.6		390.7	3.4	3.4
	18	5.5	17.5	13.5	0.0	117.7	120.7	4.8	4.3	193.0	211.4	194.0	194.0	7.1	0.0	1.6	36.5	37.7	31.8	6.6	0.2	40.9	76.6	188.2	189.3		359.9	3.4	3.4
	19	5.5	17.5	23.2	0.0	117.7	120.7	4.8	4.3	202.4	194.5	226.9	195.0	7.1	0.0	5.2	36.4	39.5	31.8	8.1	0.2	35.8	98.2	188.4	189.3		340.0	3.4	3.4
	20	5.5	17.5	19.3	0.0	117.7	120.7	4.8	4.3	192.9	182.4	157.1	189.0	7.2	0.0	4.1	36.3	39.6	31.8	8.0	0.2	23.4	5.6	189.8	189.3		344.9	6.5	3.1
	21	5.5	17.5	21.3	0.0	111.8	120.7	4.8	4.3	181.9	163.5	219.1	184.0	7.2	0.0	4.0	36.2	37.9	31.8	6.4	0.2	26.8	0.0	188.7	189.2		344.9	3.1	3.1
	22	11.5	17.5	19.3	0.0	105.6	120.7	4.7	4.3	179.8	164.0	188.0	175.0	10.1	0.0	1.0	1.0	36.2	31.8	7.9	0.2	26.8	0.0	188.7	189.2		320.7	3.1	3.1
	23	5.5	17.5	19.3	0.0	97.1	120.7	4.7	4.3	175.0	164.5	135.9	171.0	7.2	0.0	2.2	0.0	15.7	31.9	7.8	0.2	35.7	0.0	187.8	185.1		320.7	3.1	3.1
	24	5.5	17.5	21.3	0.0	113.4	117.3	4.6	4.3	186.8	165.0	202.9	171.0	7.2	0.0	2.2	0.0	8.6	31.8	6.3	0.2	35.7	0.0	183.2	179.9		297.4	3.1	3.1
20日	1	5.5	17.5	22.0	0.0	97.9	91.4	4.6	4.3	165.2	165.2	206.9	169.0	7.2	0.0	2.2	0.0	5.2	31.8	7.9	0.2	26.8	0.0	178.5	179.8		261.9	3.1	3.1
	2	5.5	17.5	21.1	0.0	91.5	91.5	4.5	4.3	143.2	166.9	186.9	155.0	7.2	0.0	2.2	0.0	5.2	31.8	6.3	0.2	35.7	0.0	179.3	179.8		316.0	6.4	3.1
	3	11.5	17.5	18.5	0.0	100.0	90.8	4.5	4.3	130.8	170.3	193.2	123.0	7.2	0.0	2.2	0.0	3.3	31.8	8.0	0.2	26.8	0.0	185.1	179.9		302.0	3.1	3.1
	4	5.5	17.5	21.8	0.0	86.1	76.9	4.5	4.3	147.9	169.0	228.3	123.0	7.2	0.0	2.2	0.0	1.6	31.8	8.0	0.2	26.7	0.0	183.0	179.9		306.7	3.1	3.1
	5	5.5	17.5	19.1	0.0	83.6	75.7	4.5	4.3	147.1	168.2	172.2	143.0	7.2	0.0	2.2	0.0	3.6	31.8	6.5	0.2	26.8	0.0	182.8	179.9		311.3	3.1	3.1
	6	5.5	17.5	19.8	0.0	82.6	75.7	4.5	4.3	184.0	168.2	126.1	148.0	7.2	0.0	1.1	0.0	2.2	31.8	6.5	0.2	26.8	0.0	182.3	180.0		316.0	3.1	3.1
	7	11.5	17.5	20.4	0.0	80.2	75.7	4.5	4.3	184.6	168.8	175.0	175.0	7.2	0.0	2.2	0.0	3.7	31.8	8.2	0.2	35.7	0.0	182.3	180.0		306.7	3.1	3.1
	8	5.5	17.5	18.4	0.0	75.7	87.1	4.4	4.3	185.3	169.5	199.1	174.0	5.4	1.1	5.9	11.3	2.0	31.7	6.6	0.2	26.8	0.0	181.9	180.0		311.3	3.1	3.1
	9	5.5	17.5	21.1	30.9	65.0	93.8	4.4	4.3	185.9	170.1	161.9	173.0	16.0	49.3	48.7	33.7	6.9	31.7	6.7	0.2	35.6	0.0	184.7	180.0		311.3	3.1	3.1
	10	5.5	17.5	28.6	30.9	79.5	120.1	4.4	4.3	186.6	168.2	161.9	175.0	10.4	66.9	68.5	36.3	25.2	31.7	8.3	0.2	35.7	0.0	179.3	175.8		302.0	3.1	3.1
	11	11.5	17.5	24.3	30.9	85.4	120.7	4.4	4.3	179.5	169.0	199.2	149.0	6.4	65.8	67.6	36.4	32.0	31.7	6.6	0.2	35.7	0.0	174.8	175.8		306.7	3.1	3.1
	12	5.5	17.5	24.3	30.9	86.0	120.7	4.4	4.3	158.4	168.9	185.9	148.0	12.0	59.8	60.8	36.5	37.1	31.7	8.1	0.2	35.6	0.0	187.2	175.8		302.0	6.4	3.1
	13	5.5	17.5	24.3	30.9	105.9	105.9	4.4	4.3	158.0	168.5	175.7	147.0	5.5	4.2	9.0	36.5	37.2	31.8	6.5	0.2	60.7	7.2	180.8	175.8		306.7	3.1	3.1
	14	11.5	17.5	17.7	30.9	102.0	120.7	4.4	4.3	157.5	168.0	176.0	148.0	8.5	53.5	57.1	36.5	37.3	31.8	8.0	0.2	158.4	131.7	184.8	184.2		306.7	3.3	3.4
	15	17.5	17.5	24.3	30.9	118.5	114.3	4.4	5.2	170.5	167.9	187.0	157.0	16.9	59.6	73.3	36.6	41.1	31.8	11.3	0.2	195.5	150.9	224.1	242.0		330.3	3.4	3.4
	16	41.4	17.5	30.9	30.9	110.5	108.4	4.4	9.9	176.0	168.1	195.3	161.0	29.2	0.0	12.5	36.6	41.4	31.8	23.1	0.2	177.5	159.6	244.3	259.3		444.9	3.4	3.4
	17	35.4	17.5	30.9	30.9	116.9	120.0	3.9	9.9	179.6	171.7	185.9	158.0	38.3	29.0	37.8	36.6	46.6	31.8	34.8	0.2	152.4	188.1	270.1	268.5		456.2	6.7	3.4
	18	29.5	17.5	59.2	30.9	133.2	120.7	3.9	8.0	214.0	208.7	274.2	234.0	34.5	68.9	76.7	36.6	44.9	31.8	29.7	0.2	126.8	314.0	265.1	294.7		479.1	-	-
	19	23.5	17.5	74.4	30.9	137.6	120.7	4.0	8.0	283.1	301.5	298.0	274.0	28.6	66.3	73.4	36.7	45.0	31.9	23.0	0.2	163.9	235.2	485.1	504.4		532.8	3.6	3.7
	20	29.5	17.5	57.3	30.9	137																							

様式 1-10

洪水%		H11.9.15		中部地方整備局 木曾川水系 主要洪水時刻流量表																									
日	時	三浦ダム		牧尾ダム		読書ダム		阿木田ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋神ダム		岩屋ダム		川辺ダム		今渡	大山	味噌川ダム	
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量			流入量	放流量
21日	1	73.1	17.5	285.1	397.6	407.8	415.7	3.7	8.0	384.7	392.6	469.8	266.6	26.9	0.0	5.6	2.2	33.5	31.9	24.9	0.2	161.4	87.1	1646.8	1778.9		2120.7	1.4	4.7
	2	54.6	17.5	238.3	390.9	338.8	395.2	3.8	8.0	528.5	520.6	465.3	484.0	27.0	0.0	5.7	0.0	17.4	31.9	23.2	0.2	145.7	108.5	1837.3	1879.3		2364.2	4.7	4.7
	3	42.2	17.5	202.1	382.6	522.4	513.6	3.7	8.0	619.0	620.5	452.1	482.5	24.1	0.0	4.6	0.0	7.4	30.9	23.3	0.2	141.5	113.7	1753.1	1879.8		3551.3	4.7	4.7
	4	42.2	17.5	188.9	373.4	575.9	579.0	3.6	8.0	630.9	629.3	575.5	606.8	21.3	0.0	4.6	0.0	10.1	31.9	21.6	0.2	125.8	60.8	1811.7	1829.4		2508.1	4.7	4.7
	5	36.0	17.5	158.7	362.4	554.3	555.3	3.7	8.0	787.5	787.5	532.1	603.3	21.4	0.0	4.6	0.0	6.7	31.9	19.9	0.2	123.8	68.1	1742.7	1799.4		2516.7	1.4	4.7
	6	29.9	17.5	139.1	350.8	528.5	527.5	3.7	8.0	754.4	754.4	610.9	683.9	21.5	0.0	5.7	0.0	6.9	31.9	18.3	0.2	172.4	88.9	2374.7	2348.9		2900.3	4.7	4.7
	7	36.0	17.5	131.7	189.5	513.1	512.1	3.6	8.0	851.5	848.9	681.6	667.6	18.7	0.0	4.6	0.0	5.1	31.9	18.4	0.2	205.7	122.2	2633.5	2576.7		3271.7	4.7	4.7
	8	36.0	17.5	101.6	136.3	494.0	496.1	3.7	8.0	795.5	798.1	628.4	590.1	21.6	0.0	8.1	11.5	6.7	31.9	18.6	0.3	269.9	158.5	2607.2	2598.7		3582.9	4.7	4.7
	9	29.9	17.5	110.2	135.9	451.3	452.3	3.4	8.0	743.2	730.0	632.9	599.0	18.8	0.0	6.9	34.4	11.9	31.9	19.3	4.5	347.7	208.4	2297.5	2318.6		3470.9	4.7	4.7
	10	36.0	17.5	103.3	135.3	364.9	357.6	3.6	8.0	752.7	758.0	608.1	606.8	19.5	0.0	8.0	36.7	30.9	31.9	28.3	13.5	358.7	237.9	2106.6	2054.2		3164.7	4.7	4.7
	11	29.9	17.5	96.2	109.0	290.0	285.8	3.9	8.0	765.3	794.3	587.6	605.7	37.2	0.0	20.5	36.6	41.2	31.9	77.5	55.8	326.3	242.8	1971.3	2024.5		2918.8	1.4	4.7
	12	29.9	17.5	95.9	95.9	262.1	261.1	3.4	8.0	753.9	751.3	601.5	557.8	45.6	0.0	34.3	36.6	48.3	31.9	82.5	85.0	282.2	245.0	1957.2	1946.6		2872.7	4.7	4.7
	13	36.0	17.5	95.9	95.9	253.5	254.5	3.7	8.0	649.3	683.5	462.7	483.0	62.5	4.2	35.4	36.6	58.3	31.9	72.7	59.8	245.1	245.1	1883.3	1868.7		2745.4	8.0	4.7
	14	36.0	17.5	90.7	95.8	238.2	239.2	4.3	3.4	550.9	548.3	392.8	413.0	62.6	74.7	100.9	36.7	58.4	31.9	59.0	245.1	245.1	1826.4	1809.6		2577.3	4.7	4.7	
	15	42.2	17.5	95.7	95.7	225.3	224.3	4.3	3.4	483.1	477.8	413.7	392.3	56.1	77.0	101.6	36.9	66.5	32.0	71.2	55.1	276.0	248.2	1832.5	1821.7		2364.2	8.0	4.7
	16	66.9	17.5	95.7	95.7	223.2	220.1	4.3	3.4	468.4	468.4	376.5	384.5	58.9	103.4	134.7	37.1	67.8	32.0	121.4	103.7	385.0	245.7	1811.8	1813.4		2322.7	5.1	5.4
	17	93.6	17.5	106.9	118.1	232.7	244.1	4.3	4.2	459.7	459.7	398.6	373.7	72.0	98.8	156.9	37.4	80.3	32.0	153.3	151.3	450.4	236.8	1890.3	1883.3		2322.7	8.7	5.4
	18	113.1	17.5	242.8	230.8	237.0	243.2	4.3	4.2	460.9	455.6	390.9	390.4	115.4	65.7	143.1	37.7	98.0	32.1	161.4	151.0	565.0	218.8	1915.1	1971.6		2406.1	7.7	9.1
	19	132.2	17.5	292.1	350.0	252.4	252.4	4.3	4.2	507.6	491.8	367.9	372.6	141.7	65.4	137.1	38.1	100.6	32.1	159.9	149.8	619.1	265.7	2235.8	2295.3		2700.7	12.4	10.6
	20	106.7	17.5	280.1	394.8	332.3	320.9	4.3	4.2	495.8	495.8	367.9	396.2	117.8	65.1	126.6	51.2	97.4	32.1	160.6	150.7	601.9	286.7	2699.9	2732.3		3059.5	12.0	12.8
	21	87.6	17.5	335.7	349.9	610.4	610.4	4.3	4.2	525.4	517.5	426.1	465.1	105.9	65.0	119.4	81.2	101.6	32.1	151.8	142.2	536.7	297.5	3129.1	3263.9		3370.6	12.8	12.7
	22	62.1	17.5	282.8	270.3	731.6	732.6	4.3	4.2	597.6	595.0	451.7	459.9	88.2	64.9	112.0	86.0	128.7	32.1	133.8	131.5	454.1	299.9	3363.2	3301.4		3865.5	12.8	12.7
	23	55.7	17.5	205.0	116.1	695.7	692.6	4.3	4.2	584.3	592.2	496.7	460.8	73.5	64.9	107.3	86.8	125.6	31.9	109.5	99.0	386.7	300.0	3313.0	3341.4		4059.8	12.8	12.7
	24	42.0	17.5	177.5	117.3	647.7	649.8	4.3	4.2	767.7	762.4	795.9	854.3	67.5	64.8	101.4	87.7	123.0	31.3	93.9	85.4	338.4	299.9	3116.4	3049.6		4081.7	12.8	12.8
22日	1	36.6	17.5	157.7	117.9	546.0	542.9	4.3	4.2	1045.0	1050.3	870.2	873.5	61.4	64.8	99.2	88.3	119.1	31.6	81.3	73.2	300.0	300.0	2822.7	2888.8		4169.8	9.7	12.8
	2	49.4	17.5	150.5	118.4	430.6	430.6	4.3	4.2	1000.7	1000.7	794.1	768.3	55.4	64.7	97.0	88.8	119.0	31.7	73.4	64.0	309.6	300.0	2595.3	2506.7		4103.6	12.8	12.7
	3	62.1	17.5	138.0	118.7	389.8	392.9	4.3	4.2	951.4	946.1	750.5	743.6	61.3	64.7	100.2	89.2	119.6	31.5	79.7	63.8	319.3	300.0	2393.2	2386.1		3707.2	9.4	12.8
	4	96.3	17.5	137.0	119.1	369.3	360.7	4.3	4.2	899.4	912.6	606.6	610.8	73.3	64.6	104.4	90.5	119.0	30.9	101.8	93.2	338.6	300.0	2250.6	2243.1		3521.6	12.8	12.7
	5	122.6	17.5	190.6	190.6	358.0	362.4	4.3	4.2	769.1	763.8	594.9	534.0	97.0	64.6	109.0	96.5	126.6	30.5	108.9	109.3	492.8	300.0	2224.5	2243.1		3252.1	16.1	12.8
	6	142.3	17.5	256.8	191.3	353.1	357.3	4.5	4.2	661.9	672.4	517.3	484.0	147.9	64.6	121.1	104.5	137.5	30.2	128.8	112.6	695.6	300.0	2216.3	2232.8		3116.6	15.4	16.7
	7	122.6	17.5	299.5	310.8	385.3	376.7	4.5	4.5	614.6	601.4	459.7	485.1	163.6	65.4	123.3	121.9	153.4	30.4	159.8	151.0	764.4	299.9	2386.5	2435.6		3002.8	16.7	16.7
	8	116.1	17.5	287.9	387.2	487.7	495.2	13.4	6.3	640.6	635.3	518.1	544.1	148.7	116.3	162.2	141.4	194.1	46.7	163.2	155.3	675.4	299.9	3022.0	2999.0		3155.1	20.8	19.7
	9	116.1	17.5	364.0	398.5	609.4	628.1	14.3	14.0	697.3	694.7	522.0	552.8	130.3	130.7	179.1	163.9	242.6	108.3	156.4	156.3	596.5	300.0	3344.3	3320.8		3759.6	19.7	19.7
	10	97.3	17.5	397.2	397.2	753.7	751.6	18.1	17.9	716.0	721.3	598.6	619.8	121.2	130.5	175.2	165.5	298.5	218.9	147.6	146.7	539.9	299.8	3436.3	3449.1		4214.2	25.9	24.6
	11	91.9	17.5	397.6	397.6	860.3	862.4	19.8	17.9	823.1	820.5	840.4	810.3	115.2	130.4	170.4	166.2	321.0	307.2	137.4	138.2	487.5	299.7	3467.3	3457.1		4360.2	29.2	28.3
	12	78.3	17.5	322.3	395.1	942.8	937.6	25.6	24.9	1045.7	1046.3	967.3	986.7	108.8	112.1	145.3	152.2	303.0	321.7	123.1	123.9	448.3	300.0	3314.9	3332.2		4359.2	25.8	29.3
	13	58.1	17.5	302.7	389.6	992.9	990.8	25.6	24.9	1203.3	1195.4	1109.8	1186.8	105.5	102.8	131.7	133.1	240.9	262.3	107.7	103.4	418.6	300.0	3158.0	3070.4		4578.0	29.3	29.3
	14	58.1	17.5	250.9	250.9	989.4	991.5	22.0	24.9	1379.8	1377.2	1234.5	1242.9	93.5	102.8	128.9	128.9	165.0	172.3	97.5	93.2	398.8	300.0	2900.3	2889.4		4543.3	22.9	29.3
	15	64.8	17.5	217.1	217.1	938.1	943.3	13.9	24.9	1436.6	1441.9	1308.1	1267.1	90.5	102.8	128.4	124.2	165.2	142.9	84.5	79.9	462.1	300.0	2728.4	2677.5		4462.7	25.9	29.3
	16	58.1	17.5	230.6	184.5	827.7	824.6	12.6	19.0	1468.5	1465.9	1277.2	1304.1	81.5	102.7	127.2	124.4	205.3	181.8	81.4	79.7	513.9	300.0	2592.6	2625.4		4326.3	25.1	25.5
	17	51.3	17.5	225.1	198.2	754.3	754.3	11.4	8.9	1448.0	1453.3	1254.0	1213.0	90.															

遼一：欠測

様式 1-10

洪水%		H12.9.11		中部地方整備局 木曽川水系 主要洪水時刻流量表																									
日	時	三浦ダム		牧尾ダム		読書ダム		阿木田ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋神ダム		岩屋ダム		川辺ダム		今渡	大山	根増川ダム	
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量			流入量	放流量
10 日	1	7.9	0.0	4.4	0.0	42.4	44.4	1.1	3.9	146.5	112.1	17.2	163.0	1.1	0.0	0.1	0.0	0.1	0.0	2.3	0.4	38.4	0.0	124.7	115.1		272.0	2.0	2.0
	2	3.9	0.0	5.1	0.0	41.9	43.9	1.1	3.9	156.8	105.2	89.6	164.0	3.0	0.0	1.1	0.0	2.1	0.0	2.3	0.4	25.6	0.0	116.4	113.2		196.2	2.0	2.0
	3	4.1	0.0	3.8	0.0	42.5	44.5	1.4	3.9	137.7	106.2	85.8	126.0	1.1	0.0	0.1	0.0	0.1	0.0	2.3	0.4	25.6	0.0	116.4	113.2		177.7	2.0	2.0
	4	4.1	0.0	3.8	0.0	40.5	25.3	1.3	3.9	87.7	69.5	29.6	70.0	3.0	0.0	0.1	0.0	0.2	0.0	2.2	0.4	32.0	0.0	116.4	113.2		165.8	2.0	2.0
	5	4.1	0.0	4.4	0.0	19.9	2.7	1.2	3.9	68.6	68.6	0.0	61.0	1.1	0.0	0.1	0.0	0.2	0.0	2.2	0.4	32.0	0.0	116.4	113.2		160.1	2.0	2.0
	6	4.1	0.0	4.4	0.0	15.8	2.7	1.3	3.9	62.5	68.6	21.3	48.0	3.0	0.0	0.1	0.0	0.2	0.0	2.2	0.4	25.6	0.0	113.2	113.2		154.4	0.0	2.0
	7	4.1	0.0	4.2	0.0	13.8	2.7	1.2	3.9	62.0	68.1	23.8	64.0	1.1	0.0	0.1	0.0	0.3	0.0	2.1	0.4	32.0	0.0	112.9	112.9		154.4	2.0	2.0
	8	4.1	0.0	4.2	0.0	11.8	2.7	1.2	3.9	57.1	68.6	18.3	55.0	3.0	0.0	0.1	0.0	5.6	13.4	2.1	0.4	25.6	0.0	106.8	113.2		160.1	2.0	2.0
	9	4.1	0.0	3.8	0.0	12.8	2.7	1.3	3.9	39.0	68.1	16.5	50.0	1.1	0.0	0.1	0.0	0.2	16.1	2.3	0.4	25.6	0.0	111.4	114.6		160.1	0.0	2.0
	10	4.1	0.0	3.8	0.0	22.5	35.6	1.1	3.9	67.9	67.6	18.5	52.0	3.0	0.0	0.1	0.0	0.2	16.1	2.5	0.4	32.0	0.0	110.6	113.8		160.1	2.0	2.0
	11	4.1	0.0	3.8	0.0	36.5	20.0	1.3	3.9	68.2	68.1	165.7	65.0	1.2	0.0	0.1	0.0	2.0	16.1	1.2	0.4	32.0	0.0	107.4	113.8		160.1	0.0	2.0
	12	4.1	0.0	3.8	0.0	43.6	20.4	1.1	3.9	85.5	68.6	85.0	85.0	1.2	0.0	1.1	0.0	0.1	16.1	2.9	0.4	32.0	0.0	100.9	113.7		171.7	2.0	2.0
	13	4.1	0.0	3.8	0.0	42.0	21.4	1.4	3.9	77.6	69.0	186.4	86.0	1.1	0.0	0.1	0.0	0.1	16.1	1.6	0.4	32.0	0.0	93.2	95.2		183.7	2.0	2.0
	14	4.1	0.0	3.8	0.0	40.9	56.3	1.2	3.9	86.6	68.4	85.7	85.0	3.0	0.0	0.1	0.0	1.5	16.1	1.7	0.4	38.4	0.0	94.1	90.9		177.7	0.0	2.0
	15	4.1	0.0	3.8	0.0	40.9	57.6	1.2	3.9	86.6	68.4	19.5	87.0	3.0	0.0	0.1	0.0	0.1	16.1	1.8	0.4	25.6	0.0	94.2	91.0		165.8	2.0	2.0
	16	4.1	0.0	3.8	0.0	42.5	57.4	1.3	3.9	80.4	68.3	51.4	84.0	1.1	0.0	0.1	0.0	1.2	16.1	3.5	0.4	32.0	0.0	92.0	92.0		160.1	2.0	2.0
	17	4.1	0.0	4.0	0.0	44.2	57.3	1.5	3.9	113.7	108.1	118.6	85.0	1.1	0.0	0.1	0.0	0.1	6.0	2.1	0.4	32.0	0.0	94.8	91.6		165.8	0.0	2.0
	18	4.1	0.0	3.6	0.0	56.4	57.4	1.5	3.9	90.1	108.1	160.1	93.0	1.1	0.0	1.1	0.0	0.7	0.0	2.1	0.4	32.0	0.0	94.8	91.6		165.8	2.0	2.0
	19	4.1	0.0	3.8	29.0	66.0	57.9	1.3	3.9	108.2	108.1	127.8	102.0	3.0	0.0	0.1	0.0	0.1	0.0	2.0	0.4	41.7	105.7	94.8	91.6		160.1	2.0	2.0
	20	4.1	0.0	8.3	29.0	65.5	58.4	1.5	3.9	107.3	115.3	135.6	102.0	1.1	0.0	0.1	0.0	0.9	0.0	0.4	0.4	16.8	93.6	88.3	91.5		160.1	0.0	2.0
	21	4.1	0.0	2.2	0.0	66.9	55.6	1.2	3.9	102.3	120.3	167.1	100.0	1.1	0.0	0.1	0.0	0.9	0.0	3.4	0.4	12.8	38.3	94.7	91.5		160.1	2.0	2.0
	22	4.1	0.0	2.1	0.0	41.1	48.8	1.2	3.9	68.2	119.8	156.1	89.0	3.1	0.0	0.1	0.0	0.1	0.0	1.8	0.4	25.6	0.0	108.9	115.3		165.8	2.0	2.0
	23	4.1	0.0	3.6	0.0	40.6	48.2	1.0	3.9	42.6	121.5	136.1	69.0	1.1	0.0	0.1	0.0	1.0	0.0	1.8	0.4	19.2	0.0	108.7	115.1		189.9	0.0	2.0
	24	4.1	0.0	4.5	0.0	43.4	48.5	1.0	3.9	42.9	122.2	76.2	42.0	1.1	0.0	0.1	0.0	1.1	0.0	1.7	0.4	19.2	0.0	106.7	113.1		196.2	2.0	2.0
11 日	1	4.1	0.0	4.5	0.0	42.7	48.8	1.2	3.9	35.5	69.9	49.0	55.0	3.1	0.0	0.1	0.0	0.1	0.0	1.4	0.2	25.6	0.0	115.0	105.1		189.9	2.0	2.0
	2	4.1	0.0	3.2	0.0	42.5	47.6	0.9	3.9	58.4	69.9	19.5	53.0	1.1	0.0	0.1	0.0	1.2	0.0	2.9	0.2	19.2	0.0	115.7	102.9		154.4	0.0	2.0
	3	4.1	0.0	4.5	0.0	39.4	51.5	1.2	3.9	52.2	69.4	22.4	56.0	3.1	0.0	0.1	0.0	0.1	0.0	1.3	0.2	25.6	0.0	116.1	106.5		148.8	2.0	2.0
	4	4.1	0.0	4.0	0.0	42.9	49.0	1.9	3.9	60.7	66.4	25.5	48.0	1.1	0.0	0.1	0.0	1.3	0.0	1.3	0.2	10.7	0.0	115.9	106.3		177.7	2.0	2.0
	5	4.1	0.0	4.9	0.0	41.1	49.2	1.9	3.9	54.4	65.9	23.8	53.0	3.1	0.0	1.1	0.0	0.1	0.0	2.7	0.2	9.5	0.0	115.8	109.4		177.7	0.0	2.0
	6	4.1	0.0	4.9	0.0	40.6	47.7	2.6	3.9	49.4	66.6	25.5	44.0	1.1	0.0	0.1	0.0	1.4	0.0	1.2	0.2	16.5	0.0	115.7	109.3		165.8	2.0	2.0
	7	8.3	0.0	6.8	0.0	45.8	48.8	3.1	3.9	94.8	66.1	142.8	100.0	3.1	0.0	1.1	0.0	1.5	0.0	2.6	0.2	26.8	0.0	115.7	112.5		183.7	5.3	2.0
	8	8.3	0.0	7.2	0.0	50.4	48.4	25.2	3.9	156.5	59.0	120.4	164.0	3.0	0.0	1.1	0.0	14.1	26.4	2.6	0.2	32.0	0.0	115.7	118.9		215.6	2.0	2.0
	9	12.4	0.0	7.6	0.0	54.2	54.2	34.9	3.9	218.4	155.3	165.4	217.0	4.7	0.0	0.1	0.0	0.1	16.5	4.3	0.2	32.0	0.0	115.6	128.4		209.1	2.0	2.0
	10	20.7	0.0	11.3	0.0	60.0	58.0	28.3	3.9	234.5	148.5	183.8	219.0	4.2	0.0	1.1	0.0	0.1	8.4	3.0	0.2	38.4	0.0	115.7	138.1		250.1	5.1	2.0
	11	28.9	0.0	16.2	0.0	69.5	57.4	21.0	3.9	229.9	207.0	173.5	194.0	7.7	0.0	1.1	0.0	1.0	0.0	4.6	0.2	58.9	58.9	130.6	153.0		310.5	5.1	2.0
	12	33.0	0.0	29.5	0.0	77.0	73.0	16.2	3.9	209.6	203.9	229.0	194.0	7.4	0.0	1.1	0.0	3.1	0.0	4.5	0.2	54.1	79.7	159.7	156.5		376.1	4.9	1.9
	13	33.0	0.0	62.6	0.0	101.2	100.2	14.6	3.5	190.8	208.0	190.6	197.0	11.3	0.0	1.1	0.0	3.1	0.0	4.5	0.2	51.4	13.0	182.7	185.9		407.0	4.6	1.5
	14	33.0	0.0	64.7	29.0	127.5	120.4	15.6	1.3	275.2	269.5	193.6	270.0	13.1	0.0	1.1	0.0	3.2	0.0	5.9	0.2	87.4	106.6	274.5	290.5		464.8	7.3	0.9
	15	37.2	0.0	69.7	0.0	153.7	128.4	22.8	1.3	289.1	289.1	305.8	270.0	18.5	0.0	0.1	0.0	3.2	0.0	5.9	0.2	80.6	99.7	297.9	301.1		571.0	4.0	0.9
	16	41.3	0.0	71.2	0.0	158.2	160.2	22.8	1.3	294.2	304.9	292.4	290.9	20.1	0.0	2.2	0.0	3.2	0.0	5.9	0.2	106.8	15.1	301.8	305.0		626.1	7.3	0.9
	17	58.2	0.0	79.4	0.0	161.8	159.8	35.8	1.3	369.8	390.2	324.8	262.4	25.5	0.0	2.2	0.0	5.3	0.0	7.4	0.2	133.4	0.0	373.5	370.3		679.2	7.0	0.9
	18	99.4	0.0	101.7	0.0	171.3	171.3	44.6	1.3	476.7	476.7	390.5	436.6	38.5	0.0	4.5	0.0	7.3	0.0	10.4	0.2	153.4	0.0	428.4	422.0		881.9	7.3	0.9
	19	138.2	0.0	182.4	0.0	197.5	198.5	59.2	1.3	581.3	677.3	480.1	556.8	65.3	0.0	13.3	0.0	9.1	0.0	16.6	0.2	173.4	0.0	473.6	473.6		1140.1	7.3	0.9
	20	221.8	0.0	336.8	0.0	247.5	247.5	71.2	1.3	890.1	974.3	762.0	749.7	92.9	0.0	25.3	0.0	20.8	5.8	28.9	0.2	218.4	0.0	600.8	626.4		1614.9	10.4	0.9
	21	229.5	0.0	495.1	0.0	293.4	292.4	71.5	1.3	1153.0	1209.5	886.0	920.4	118.9															

様式 1-10

洪水%		H12.9.11		中部地方整備局 木曾川水系 主要洪水時刻流量表																									
日	時	本 筋 川																											
		三浦ダム		牧尾ダム		読書ダム		阿木田ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋神ダム		岩屋ダム		川辺ダム		今渡	大山	味噌川ダム	
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量			流入量	放流量
12 日	1	-	-	531.5	0.0	874.6	873.6	391.2	21.8	2696.3	2696.3	2445.3	2498.1	110.3	0.0	30.2	0.0	25.1	32.1	48.8	0.2	492.8	0.0	2378.7	2416.4	今渡	大山	味噌川ダム	
	2	-	-	475.5	0.0	1101.2	1103.2	416.7	40.0	3475.5	3430.4	3541.8	3359.7	104.5	0.0	31.1	0.0	24.8	32.1	46.7	0.2	450.4	0.0	2791.2	2794.3			流入量	放流量
	3	-	-	499.8	0.0	1175.6	1177.6	452.3	70.4	3892.3	3863.0	3742.3	3659.3	98.9	0.0	29.8	0.0	20.4	32.1	48.7	0.2	370.3	0.0	2972.6	2969.9			流入量	放流量
	4	-	-	468.2	0.0	1177.2	1177.2	306.0	112.2	4008.7	4008.7	3863.2	3772.4	94.6	0.0	30.6	0.0	24.1	32.1	47.4	0.2	319.6	0.0	3006.4	3012.7			流入量	放流量
	5	-	-	470.3	0.0	1132.6	1128.6	512.0	119.4	4152.0	4152.0	3873.7	3756.6	98.3	0.0	31.9	0.0	25.8	32.1	48.1	0.2	302.2	0.0	2924.3	2936.9			流入量	放流量
	6	-	-	452.1	0.0	1184.3	1191.4	536.9	119.1	4138.2	4138.2	4009.0	3827.7	91.4	0.0	30.9	0.0	23.6	32.1	45.9	0.2	288.0	0.0	2840.8	2803.1			流入量	放流量
	7	-	-	381.2	0.0	1359.5	1355.5	331.7	119.3	4416.0	4416.0	4395.6	4191.5	70.7	0.0	50.2	0.0	25.3	32.1	46.2	0.2	265.2	0.0	2773.3	2776.4			流入量	放流量
	8	-	-	312.5	0.0	1321.9	1321.9	205.2	119.1	4649.6	4649.6	4347.2	4298.6	59.9	0.0	63.0	0.0	21.2	32.1	40.0	0.3	250.1	0.0	2494.1	2519.2			流入量	放流量
	9	-	-	266.4	0.0	1137.7	1142.8	149.9	119.3	4355.5	4407.8	3697.9	3717.6	51.4	0.0	48.2	0.0	24.1	32.1	40.1	13.5	219.8	0.0	2222.5	2222.5			流入量	放流量
	10	-	-	218.6	0.0	1014.8	1011.8	124.1	119.1	3780.6	3780.6	3300.1	3094.5	60.4	0.0	28.6	0.0	18.3	32.1	42.3	34.1	212.2	0.0	1978.8	1978.8			流入量	放流量
	11	-	-	185.4	0.0	874.1	877.1	88.2	118.8	2994.7	2994.7	2738.9	2482.2	54.1	0.0	18.9	4.4	16.3	32.1	40.4	46.9	182.2	0.0	1769.8	1766.7			流入量	放流量
	12	-	-	157.1	0.0	751.8	749.8	75.3	118.0	2518.1	2591.5	2251.0	2163.9	51.0	0.0	16.6	23.8	18.3	32.1	33.5	38.4	165.7	0.0	1634.5	1628.2			流入量	放流量
	13	-	-	136.5	0.0	659.4	659.4	64.0	117.2	2179.9	2179.9	1925.1	1980.7	44.8	0.0	10.7	37.2	42.0	32.1	28.9	28.9	157.8	0.0	1489.1	1489.1			流入量	放流量
	14	-	-	120.5	0.0	592.6	590.6	55.4	115.8	1960.8	1940.9	1762.8	1705.0	38.5	0.0	10.6	37.1	45.9	32.1	24.7	24.7	149.9	0.0	1390.4	1403.0			流入量	放流量
	15	-	-	108.2	0.0	537.1	535.1	44.1	114.6	1720.8	1730.1	1480.2	1486.6	40.1	73.6	84.1	37.1	45.9	32.1	24.7	24.7	142.4	118.8	1274.9	1262.3			流入量	放流量
	16	-	-	96.0	0.0	486.3	489.3	43.0	113.4	1581.5	1560.9	1400.5	1360.4	27.3	138.8	156.9	37.4	47.9	32.1	20.8	22.4	120.8	97.2	1174.0	1186.6			流入量	放流量
	17	-	-	88.1	0.0	448.1	446.1	41.9	112.0	1485.4	1438.9	1237.5	1273.0	27.7	138.1	155.2	37.7	46.1	32.1	20.2	20.2	118.3	0.0	1103.7	1059.8			流入量	放流量
	18	-	-	83.4	0.0	419.7	420.7	40.8	110.6	1328.8	1310.3	1164.1	1164.6	27.2	20.0	31.4	37.8	46.3	32.1	20.3	17.0	118.3	0.0	1092.1	1085.8			流入量	放流量
	19	-	-	76.5	0.0	390.7	390.7	39.7	109.2	1253.0	1269.9	1081.8	1070.5	31.5	0.0	7.2	37.8	46.3	32.1	17.9	16.3	118.4	0.0	990.7	1022.1			流入量	放流量
	20	-	-	72.1	0.0	370.3	369.3	38.5	107.7	1155.3	1155.3	1045.8	996.8	29.6	0.0	9.7	37.7	46.3	32.1	17.9	16.3	118.3	0.0	944.4	960.1			流入量	放流量
	21	-	-	65.2	0.0	352.4	349.4	24.3	48.0	1031.4	1050.9	930.4	913.6	29.4	0.0	9.3	37.7	46.3	32.1	16.4	16.4	110.4	0.0	957.9	910.8			流入量	放流量
	22	-	-	60.8	0.0	334.9	336.9	31.0	47.4	1040.4	1019.7	832.2	857.6	28.0	0.0	6.2	37.6	46.3	32.1	17.1	15.5	102.6	0.0	888.1	834.8			流入量	放流量
	23	-	-	56.4	0.0	323.0	316.7	27.4	47.3	850.1	850.1	736.4	716.6	25.9	0.0	6.1	37.5	44.3	32.1	14.4	14.4	110.5	0.0	826.2	804.2			流入量	放流量
	24	20.8	0.0	52.0	0.0	308.4	308.4	27.3	47.4	852.3	822.0	752.5	716.6	23.9	0.0	4.8	37.4	42.3	32.1	14.8	13.2	118.3	0.0	754.1	728.9			流入量	放流量
13 日	1	15.6	0.0	51.6	0.0	293.2	288.1	25.2	36.9	785.7	766.4	686.4	648.4	24.4	0.0	1.0	2.2	32.1	32.1	13.4	10.1	110.4	0.0	724.5	711.7	今渡	大山	味噌川ダム	
	2	15.6	0.0	48.5	0.0	268.1	269.4	24.3	36.4	743.0	734.6	597.4	629.9	19.6	0.0	2.4	0.0	13.8	32.1	12.0	5.5	99.9	0.0	675.4	649.8			流入量	放流量
	3	15.6	0.0	47.0	0.0	254.6	252.0	23.1	36.3	675.6	669.8	607.6	571.9	22.5	0.0	1.2	0.0	7.7	32.1	13.5	3.5	99.4	0.0	645.0	609.8			流入量	放流量
	4	15.6	0.0	43.9	0.0	246.6	242.7	22.1	36.2	660.0	660.0	580.4	572.0	20.2	0.0	1.2	0.0	7.7	32.1	11.8	3.5	103.7	0.0	604.6	604.6			流入量	放流量
	5	15.6	0.0	41.8	0.0	238.6	234.7	22.0	36.1	660.0	660.0	500.0	571.6	18.0	0.0	2.4	0.0	5.7	32.1	11.9	3.6	92.2	0.0	566.3	563.1			流入量	放流量
	6	15.6	0.0	39.2	0.0	233.2	222.9	18.7	19.9	580.4	580.4	497.3	513.3	18.9	0.0	1.2	0.0	6.2	32.1	11.9	3.6	93.6	0.0	537.6	518.4			流入量	放流量
	7	10.4	0.0	38.2	0.0	225.8	223.2	18.7	19.9	488.0	488.0	491.0	455.2	19.0	0.0	1.2	0.0	6.5	32.1	10.3	3.6	84.8	0.0	533.0	517.0			流入量	放流量
	8	15.6	0.0	36.7	0.0	226.8	208.8	18.9	19.9	552.3	520.7	491.5	474.3	19.2	0.0	5.7	11.7	6.5	32.1	10.4	3.7	103.0	1.0	500.9	491.3			流入量	放流量
	9	10.4	0.0	35.1	0.0	224.0	199.6	18.9	17.8	546.0	535.4	453.2	474.2	16.7	0.0	3.6	35.0	18.3	32.1	10.4	3.7	86.8	78.5	482.3	479.1			流入量	放流量
	10	15.6	0.0	33.0	0.0	209.0	200.0	18.9	17.9	529.5	541.0	454.2	454.2	16.9	0.0	3.3	37.0	38.0	32.1	10.9	2.6	75.1	66.8	469.4	475.8			流入量	放流量
	11	10.4	0.0	32.0	0.0	200.5	190.2	18.9	17.8	465.2	465.2	442.7	425.7	14.4	0.0	2.0	36.9	40.1	32.1	7.7	0.2	70.1	452.2	442.6	439.4	473.3		流入量	放流量
	12	10.4	0.0	29.4	0.0	195.9	185.6	17.0	17.8	455.0	465.6	467.8	396.0	17.1	0.0	2.1	36.8	38.1	32.1	9.7	0.2	72.8	426.0	439.2	461.5	406.6		流入量	放流量
	13	10.4	0.0	29.4	0.0	192.8	185.1	17.0	17.8	448.8	387.3	402.1	366.3	14.6	0.0	5.2	10.8	30.2	32.1	9.7	0.2	74.7	0.0	422.8	432.4	流入量		放流量	
	14	10.4	0.0	26.4	0.0	185.0	179.9	15.3	12.8	386.5	365.3	382.3	346.4	14.7	0.0	5.7	25.7	14.4	32.1	9.7	0.2	80.1	55.2	405.7	402.5	流入量		放流量	
	15	15.6	0.0	26.8	0.0	183.1	174.1	14.7	12.8	370.9	365.6	373.2	347.5	14.8	0.0	3.4	36.8	36.1	32.1	9.7	0.2	79.3	79.3	393.0	399.4	流入量		放流量	
	16	5.2	0.0	25.4	0.0	180.1	172.2	14.1	12.8	385.6	380.3	372.9	357.6	12.3	0.0	3.4	36.8	38.1	32.1	8.0	0.2	76.3	142.7	371.4	361.8	流入量		放流量	
	17	15.6	0.0	24.3	0.0	178.7	165.3	13.8	12.8	395.3	395.3	384.7	367.6	12.3	0.0	4.1	36.7	38.2	32.1	7.9	0.2	49.9	83.1	362.0	339.6	流入量		放流量	
	18	5.2	0.0	23.3																									

様式 1-10

洪水%		日6.10.20		中部地方整備局 木曽川水系 主要洪水時刻流量表																										
日	時	三浦ダム		牧尾ダム		読書ダム		阿木田ダム		兼山ダム		丸山ダム		高根第一ダム		高根第二ダム		朝日ダム		秋神ダム		岩屋ダム		川辺ダム		今渡	大山	味噌川ダム		
		流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量			流入量	放流量	
18日	1	4.0	9.0	16.0	30.9	108.7	94.6	5.5	3.9	191.9	163.2	166.0	183.4	8.5	0.0	3.9	37.2	45.1	32.1	0.0	0.0	23.8	0.0	132.3	132.3	-	-	3.7	0.9	
	2	3.0	8.9	9.4	30.9	94.6	102.8	5.5	3.9	183.7	163.6	164.6	182.0	5.6	0.0	2.7	37.2	45.1	32.1	0.0	0.0	20.2	0.0	130.1	133.3	-	-	3.7	0.9	
	3	3.0	8.9	10.1	30.9	90.0	104.7	5.2	3.9	189.0	163.7	168.4	180.0	8.5	0.0	2.6	37.1	45.1	32.1	0.0	0.0	21.4	0.0	131.1	134.3	-	-	3.1	0.9	
	4	3.0	8.9	10.1	30.9	72.1	105.2	5.2	5.1	185.4	164.2	162.6	180.0	8.5	0.0	2.5	37.0	45.1	32.1	0.0	0.0	22.6	0.0	130.6	133.8	-	-	3.1	0.9	
	5	3.0	8.9	7.4	30.9	66.2	96.1	5.2	5.1	185.9	164.7	169.1	180.7	8.5	0.0	3.9	36.9	45.1	32.1	0.2	0.0	19.0	0.0	130.4	133.6	-	-	3.7	0.9	
	6	3.0	8.9	10.1	30.9	64.4	103.9	5.2	5.1	182.8	164.6	64.0	180.0	8.5	0.0	2.7	36.8	45.1	32.1	0.0	0.0	22.6	0.0	133.6	133.6	-	-	3.7	0.9	
	7	4.0	8.9	8.8	30.9	67.5	102.2	5.2	5.1	186.7	168.5	72.7	182.9	5.6	0.0	2.1	36.7	45.1	32.1	0.0	0.0	22.6	0.0	130.3	133.5	-	-	3.7	0.9	
	8	3.0	9.0	8.1	30.9	59.9	89.7	5.2	5.1	193.4	166.1	158.3	181.5	8.5	0.0	4.2	36.6	43.1	32.1	0.0	0.0	28.6	168.0	130.3	133.5	-	-	3.2	0.9	
	9	3.0	8.9	10.8	30.9	80.7	86.8	5.2	5.1	172.5	166.4	166.0	148.6	20.5	79.7	70.1	36.6	45.4	32.1	0.2	0.0	26.6	168.0	133.5	133.5	-	-	3.7	0.9	
	10	4.0	8.9	11.5	30.9	101.7	95.5	5.2	5.1	102.4	116.1	140.7	88.5	8.1	126.4	129.4	36.8	38.8	32.1	3.6	0.0	35.3	168.0	133.5	133.5	-	-	3.7	0.9	
	11	4.0	14.4	10.1	30.9	103.2	102.7	5.2	5.1	99.1	165.8	152.4	88.6	17.5	86.3	78.2	36.9	41.0	32.1	3.6	0.0	17.5	168.0	133.4	143.0	-	-	3.7	0.9	
	12	5.0	17.5	10.1	30.9	104.4	106.0	5.2	5.1	99.0	165.4	146.3	88.3	23.8	81.1	72.7	37.1	41.0	32.1	5.4	0.0	46.1	168.0	132.8	152.0	-	-	3.7	0.9	
	13	3.0	13.7	12.1	30.9	91.1	106.1	5.2	5.1	97.6	163.7	152.1	88.3	11.3	11.3	12.2	37.1	38.8	32.1	5.4	0.0	14.8	97.4	142.5	152.1	-	-	3.7	0.9	
	14	6.0	9.1	12.1	30.9	103.3	106.1	5.2	5.1	94.1	125.7	152.2	88.4	19.4	84.9	79.9	37.1	38.8	32.1	5.4	0.0	38.1	167.9	161.2	158.0	-	-	4.2	0.9	
	15	4.0	17.0	11.5	30.9	96.7	106.1	5.4	4.3	95.1	126.7	152.3	88.5	17.0	93.5	85.9	37.2	41.0	32.1	5.5	0.1	48.8	167.8	165.6	162.4	-	-	4.2	0.9	
	16	5.0	17.5	9.6	30.9	101.3	108.0	7.7	7.6	91.8	126.3	148.3	88.3	20.0	90.2	81.9	37.4	41.0	32.1	7.5	3.9	38.9	167.5	173.1	169.9	-	-	4.3	0.9	
	17	6.0	17.5	11.7	30.9	102.4	117.5	7.7	7.6	91.5	126.0	154.6	85.6	22.9	87.3	77.4	37.5	41.0	32.1	6.1	5.9	38.4	166.8	199.4	193.0	-	-	4.2	0.9	
	18	5.0	17.5	12.4	30.9	105.2	110.1	9.2	9.2	94.4	125.8	155.2	89.2	21.6	80.7	70.2	37.6	38.8	32.1	6.9	6.7	43.8	166.2	206.1	199.7	-	-	4.2	0.9	
	19	6.0	17.5	13.7	30.9	105.2	110.2	11.6	10.9	97.7	161.7	103.0	103.0	22.1	83.9	76.4	37.7	41.0	32.1	6.9	6.7	38.4	165.4	209.2	215.6	-	-	4.2	0.9	
	20	5.0	17.5	11.1	30.9	103.8	110.2	11.6	11.6	96.0	157.3	113.0	113.0	10.2	10.2	16.1	37.7	41.0	32.1	6.9	6.7	34.5	164.5	212.8	219.2	-	-	4.8	0.9	
	21	6.0	16.5	5.8	30.9	105.9	113.4	11.6	11.6	111.7	157.0	133.0	133.0	10.7	0.0	3.5	37.6	41.0	32.1	8.6	6.7	66.3	322.2	215.9	219.1	-	-	4.8	0.9	
	22	5.0	9.1	17.7	30.9	96.8	121.5	11.6	11.6	159.2	156.5	173.0	173.0	10.7	0.0	3.7	37.5	41.0	32.1	7.5	7.3	10.1	0.0	227.1	223.9	-	-	4.8	0.9	
	23	6.0	9.1	13.7	30.9	98.5	121.5	11.6	11.6	194.4	157.1	173.0	173.0	13.4	0.0	4.8	37.4	41.0	32.1	8.6	8.4	27.0	0.0	238.2	228.6	-	-	4.8	0.9	
	24	6.0	9.0	9.8	30.9	93.5	123.7	11.5	11.6	175.0	157.0	103.0	103.0	13.4	0.0	3.6	37.3	38.8	32.1	6.9	8.4	27.3	0.0	233.5	236.7	-	-	4.8	0.9	
19日	1	4.0	9.0	16.0	30.9	94.6	94.6	5.5	3.9	101.6	149.5	150.0	150.0	8.5	0.0	3.9	37.2	45.1	32.1	0.0	0.0	23.8	0.0	132.3	132.3	-	106.8	3.7	0.9	
	2	3.0	8.9	9.4	30.9	104.9	102.8	5.5	3.9	165.4	85.5	105.0	105.0	5.6	0.0	2.7	37.2	45.1	32.1	0.0	0.0	20.2	0.0	130.1	133.3	-	-	111.0	3.7	0.9
	3	3.0	8.9	10.1	30.9	104.7	104.7	5.2	3.9	120.6	184.6	131.0	131.0	8.5	0.0	2.6	37.1	45.1	32.1	0.0	0.0	21.4	0.0	131.1	134.3	-	-	111.7	3.1	0.9
	4	3.0	8.9	10.1	30.9	104.1	105.2	5.2	5.1	149.3	181.2	147.0	147.0	8.5	0.0	2.5	37.0	45.1	32.1	0.0	0.0	22.6	0.0	130.6	133.8	-	-	111.0	3.1	0.9
	5	3.0	8.9	7.4	30.9	107.9	96.1	5.2	5.1	141.0	167.6	103.0	103.0	8.5	0.0	3.9	36.9	45.1	32.1	0.2	0.0	19.0	0.0	130.4	133.6	-	-	111.0	3.7	0.9
	6	3.0	8.9	10.1	30.9	101.8	103.9	5.2	5.1	129.5	142.8	134.9	134.9	8.5	0.0	2.7	36.8	45.1	32.1	0.0	0.0	22.6	0.0	133.6	133.6	-	-	111.0	3.7	0.9
	7	4.0	8.9	8.8	30.9	105.4	102.2	5.2	5.1	215.7	159.8	136.8	226.8	5.6	0.0	2.1	36.7	45.1	32.1	0.0	0.0	22.6	0.0	130.3	133.5	-	-	110.3	3.7	0.9
	8	3.0	9.0	8.1	30.9	88.6	89.7	5.2	5.1	257.1	198.5	195.7	213.7	8.5	0.0	4.2	36.6	43.1	32.1	0.0	0.0	28.6	168.0	130.3	133.5	-	-	110.3	3.2	0.9
	9	3.0	8.9	10.8	30.9	83.6	86.8	5.2	5.1	196.9	207.6	158.7	200.7	20.5	79.7	70.1	36.6	45.4	32.1	0.2	0.0	26.6	168.0	133.5	133.5	-	-	109.6	3.7	0.9
	10	4.0	8.9	11.5	30.9	101.9	95.5	5.2	5.1	253.5	208.2	173.8	263.8	8.1	126.4	129.4	36.8	38.8	32.1	3.6	0.0	35.3	168.0	133.5	133.5	-	-	111.0	3.7	0.9
	11	4.0	14.4	10.1	30.9	107.0	102.7	5.2	5.1	272.5	280.5	179.5	266.7	17.5	86.3	78.2	36.9	41.0	32.1	3.6	0.0	17.5	168.0	133.4	143.0	-	-	112.4	3.7	0.9
	12	5.0	17.5	10.1	30.9	104.9	106.0	5.2	5.1	273.9	208.5	181.6	262.8	23.8	81.1	72.7	37.1	41.0	32.1	5.4	0.0	46.1	168.0	132.8	152.0	-	-	116.0	3.7	0.9
	13	3.0	13.7	12.1	30.9	106.1	106.1	5.2	5.1	225.7	208.5	172.6	213.2	11.3	11.3	12.2	37.1	38.8	32.1	5.4	0.0	14.8	97.4	142.5	152.1	-	-	122.6	3.7	0.9
	14	6.0	9.1	12.1	30.9	109.3	106.1	5.2	5.1	245.8	208.5	183.0	258.4	19.4	84.9	79.9	37.1	38.8	32.1	5.4	0.0	38.1	167.9	161.2	158.0	-	-	124.1	4.2	0.9
	15	4.0	17.0	11.5	30.9	111.5	106.1	5.4	4.3	260.2	208.5	183.2	258.6	17.0	93.5	85.9	37.2	41.0	32.1	5.5	0.1	48.8	167.8	165.6	162.4	-	-	124.9	4.2	0.9
	16	5.0	17.5	9.6	30.9	98.3	108.0	7.7	7.6	254.5	208.5	182.2	257.6	20.0	90.2	81.9	37.4	41.0	32.1	7.5	3.9	38.9	167.5	173.1	169.9	-	-	127.9	4.3	0.9
	17	6.0	17.5	11.7	30.9	104.6	117.5	7.7	7.6	257.3	208.5	175.6	256.8	22.9	87.3	77.4	37.5	41.0	32.1	6.1	5.9	38.4	166.8	199.4	193.0	-	-	131.7	4.2	0.9
	18	5.0	17.5	12.4	30.9	115.5	110.1	9.2	9.2	252.4	208.5	185.6	255.2	21.6	80.7	70.2	37.6	38.8	32.1	6.9	6.7	43.8	166.2	206.1	199.7	-	-	137.9	4.2	0.9
	19	6.0	17.5	13.7	30.9	124.1	110.2	11.6	10.9	269.2	208.5	185.5	235.9	22.1	83.9	76.4	37.7	41.0	32.1	6.9	6.7	38.4	165.4	209.2	215.6	-	-	141.1	4	

様式 1-10

中部地方整備局 木曽川水系 主要洪水時刻流量表

日	時	洪水%		日6.10.20																													
						三浦ダム				牧尾ダム				読書ダム				阿木田ダム				兼山ダム				丸山ダム				高根第一ダム			
						流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量	流入量	放流量
20日	1	6.0	9.0	9.8	30.9	129.6	125.3	6.5	11.6	279.1	287.7	249.1	277.1	13.4	0.0	5.1	37.2	43.2	32.1	8.6	8.4	30.8	0.0	234.7	237.9	-	402.1	4.8	0.9				
	2	6.0	9.0	17.7	30.9	126.6	126.6	5.8	11.6	288.3	285.4	244.0	277.6	13.4	0.0	2.7	37.2	38.8	32.1	8.6	8.4	25.5	0.0	234.6	237.8	-	405.6	4.8	0.9				
	3	7.0	9.0	12.7	30.9	126.5	125.5	6.1	10.2	288.3	285.4	244.3	277.9	13.4	0.0	2.6	37.1	41.0	32.1	8.6	8.4	28.8	0.0	237.8	237.8	-	402.1	4.8	0.9				
	4	8.0	9.1	26.9	30.9	127.9	127.9	6.4	10.2	288.3	285.4	244.9	278.5	16.1	0.0	4.7	37.0	38.8	32.1	6.9	8.4	30.7	0.0	231.3	237.7	-	398.6	4.8	0.9				
	5	7.0	9.1	17.7	30.9	130.6	131.7	6.4	10.2	288.4	285.5	245.0	278.6	16.1	0.0	2.8	36.9	41.0	32.1	8.6	8.4	37.7	0.0	237.5	237.5	-	398.6	5.3	0.9				
	6	8.0	9.1	17.7	30.9	131.7	132.8	7.0	10.2	285.5	285.5	239.1	278.3	16.1	0.0	3.8	36.8	41.0	32.1	8.6	8.4	30.0	0.0	240.7	237.5	-	395.0	5.3	0.9				
	7	8.0	8.9	21.7	30.9	135.8	134.7	6.4	10.2	288.4	285.5	216.9	278.5	16.1	0.0	2.0	36.7	38.8	32.1	8.6	8.4	31.1	0.0	234.5	237.7	-	391.5	5.3	0.9				
	8	9.0	9.0	29.6	30.9	141.1	141.1	6.5	10.2	285.2	293.8	209.6	276.8	16.1	0.0	4.2	36.6	41.0	32.1	6.9	8.4	31.6	0.0	225.1	228.3	-	388.0	5.3	0.9				
	9	8.0	9.0	30.9	30.9	144.5	147.7	6.4	10.2	290.7	293.6	198.9	277.3	24.1	34.8	32.2	36.5	38.8	32.1	8.6	8.4	51.2	335.0	197.5	210.3	-	377.7	5.3	0.9				
	10	10.0	9.1	30.9	30.9	147.5	147.5	7.1	10.2	299.3	293.6	210.4	276.8	20.9	42.4	43.0	36.5	41.1	32.1	8.6	8.4	64.4	331.5	210.1	210.1	-	381.1	5.9	0.9				
	11	10.0	9.1	29.3	100.3	157.8	159.9	24.9	17.3	309.1	309.1	244.3	276.7	24.8	40.9	39.7	36.5	41.3	32.1	10.3	8.4	31.0	189.2	234.8	222.0	-	483.8	6.4	3.1				
	12	40.0	9.1	57.2	171.8	172.8	171.7	25.9	23.6	313.7	322.3	327.6	279.0	26.3	39.7	39.8	36.6	45.8	32.1	13.0	11.1	65.8	145.6	309.8	303.4	-	590.1	7.1	7.1				
	13	43.0	9.1	114.8	170.1	201.0	201.0	31.2	25.0	376.1	379.0	475.0	441.0	28.3	1.4	11.7	36.5	45.8	32.1	18.6	20.1	63.6	74.4	362.6	362.6	-	683.7	8.1	8.1				
	14	67.0	9.1	169.4	210.4	231.8	231.8	28.9	25.0	467.5	545.1	592.0	334.0	57.3	41.2	48.4	36.5	50.4	32.1	20.9	99.9	87.3	399.0	405.4	-	834.4	9.4	9.1					
	15	61.0	9.1	199.7	250.4	406.2	407.3	27.0	25.0	352.3	551.5	599.0	307.0	60.8	122.6	139.9	36.7	50.4	32.1	24.9	23.0	127.2	289.3	476.2	466.6	-	1126.8	11.4	10.1				
	16	86.0	17.5	213.4	268.6	507.7	506.6	34.9	25.0	418.7	440.0	474.0	474.0	73.9	108.8	129.4	36.9	55.0	32.1	36.2	36.0	157.8	98.9	556.9	553.7	-	1298.9	15.0	14.1				
	17	185.0	17.5	395.2	370.8	594.3	595.4	69.3	42.3	610.8	613.0	635.0	635.0	127.2	105.7	138.5	37.2	64.2	32.1	44.1	42.2	246.2	80.6	684.0	677.6	-	1409.4	14.6	10.1				
	18	227.0	17.5	594.2	465.4	666.8	666.8	72.8	73.3	796.5	796.5	771.0	771.0	255.5	105.1	164.2	37.5	82.5	32.1	88.1	81.0	328.5	81.1	839.0	867.8	-	1820.4	17.5	16.0				
	19	305.0	17.5	685.9	555.3	858.1	854.9	113.6	102.8	1000.1	997.4	1001.0	1001.0	357.9	104.1	204.8	37.9	101.5	32.1	148.0	149.5	529.2	80.6	1064.7	1071.1	-	2216.8	20.5	20.0				
	20	437.0	17.5	873.6	744.6	1224.4	122.4	118.8	119.2	1288.3	1293.6	1361.0	1361.0	477.1	104.8	236.7	41.8	126.5	36.7	184.2	166.8	903.4	47.4	1407.4	1563.2	-	2951.3	28.0	24.7				
	21	469.0	17.5	1393.5	1110.7	1819.1	1817.0	121.7	119.4	1643.5	1643.5	1726.0	1726.0	538.6	121.0	278.8	125.5	193.6	113.2	230.9	179.2	1331.5	47.8	1935.2	2013.9	-	3856.3	50.0	29.4				
	22	370.0	17.5	1249.6	1232.9	2636.5	2597.8	78.6	100.6	2072.5	2064.5	2545.0	2475.0	476.0	203.2	336.4	310.9	467.0	375.9	251.7	192.8	1439.9	153.3	2747.8	2722.6	-	4747.4	78.7	29.4				
	23	230.0	17.5	807.7	817.6	2923.9	2908.8	63.5	77.6	2696.0	2701.3	2984.0	2960.0	344.5	219.1	320.4	314.7	465.9	405.1	232.9	207.8	1099.3	297.1	3647.2	3631.5	-	6626.9	71.6	29.5				
	24	131.0	17.5	557.0	550.7	2736.6	2733.5	43.2	54.9	3374.2	3368.9	3598.0	3617.0	247.8	220.9	302.4	313.7	455.3	423.7	184.7	207.6	829.3	300.0	4374.5	4380.8	-	5325.9	60.2	20.5				
21日	1	120.0	17.5	459.1	459.1	2243.5	2239.2	48.8	47.7	3950.1	3944.8	3685.0	3757.0	205.6	160.8	221.7	203.3	389.4	408.8	156.4	195.7	666.2	300.0	4639.5	4633.2	-	9971.3	52.1	29.5				
	2	96.0	17.5	425.4	425.4	1732.1	1736.4	41.9	38.1	4104.6	4104.6	3829.0	3671.0	182.8	111.2	162.3	151.0	332.3	390.6	136.2	184.0	589.2	300.0	4601.4	4636.0	-	10861.3	45.5	29.5				
	3	83.0	17.5	389.6	389.4	1474.5	1475.6	39.9	38.1	3945.5	3953.5	2893.0	3255.0	161.9	99.2	139.5	146.6	314.3	382.1	140.4	165.0	489.7	300.0	4441.5	4463.5	-	10537.4	40.2	29.5				
	4	61.0	17.5	336.4	388.2	1361.5	1360.4	39.3	38.1	3227.0	3248.3	2489.0	2524.0	134.3	71.6	109.5	118.0	221.4	228.5	121.4	117.7	405.4	300.0	4156.7	4137.8	-	9291.0	36.2	29.5				
	5	56.0	17.5	312.0	384.1	1246.9	1249.0	37.2	32.8	2548.4	2537.7	2002.0	1950.0	120.1	71.7	107.1	101.4	168.2	158.7	110.1	113.4	363.1	300.0	3787.2	3793.5	-	7823.5	32.8	29.5				
	6	43.0	17.5	260.4	377.7	1160.0	1161.1	29.3	25.5	2068.5	2055.2	1763.0	1740.0	108.4	71.8	100.9	95.2	155.7	153.3	100.8	112.7	323.7	300.0	3388.5	3382.2	-	6428.2	29.5	29.5				
	7	43.0	17.5	218.1	277.8	1065.1	1061.9	27.6	25.5	1918.0	1920.7	1649.0	1649.0	96.2	71.8	99.5	93.8	149.3	151.7	81.9	80.0	296.1	301.8	2989.8	2986.7	-	5646.6	29.5	29.5				
	8	30.0	17.5	186.8	205.8	994.0	997.2	26.8	25.5	1792.3	1784.3	1503.0	1503.0	87.1	71.8	95.4	94.0	144.9	144.9	74.1	72.2	260.0	299.7	2668.3	2677.7	-	4978.6	28.4	29.5				
	9	33.0	17.5	170.7	170.7	881.1	880.0	24.6	24.3	1686.5	1675.8	1380.0	1380.0	87.1	71.8	90.4	93.2	139.0	141.4	67.9	69.4	235.4	299.7	2420.3	2414.0	-	4554.6	27.3	27.6				
	10	-	17.5	135.8	135.8	811.6	810.5	21.5	24.3	1465.0	1483.7	1305.0	1305.0	78.0	71.9	88.2	86.8	132.0	132.0	61.2	62.7	223.3	299.7	2142.0	2132.6	-	4135.5	25.5	23.8				
	11	-	17.5	135.9	135.9	727.8	726.7	21.5	21.5	1386.0	1380.7	1185.0	1150.0	75.0	71.9	84.3	81.5	122.7	120.3	55.2	55.0	296.8	299.5	1937.3	1943.6	-	3715.0	24.8	23.8				
	12	-	17.5	135.9	135.9	664.9	664.9	19.6	21.5	1248.0	1232.0	1116.0	1116.0	71.8	71.8	85.7	81.5	118.2	118.2	54.0	53.8	199.3	299.4	1781.5	1778.4	-	3388.7	24.0	22.9				
	13	-	17.5	122.5	135.7	621.4	621.4	18.7	21.5	1179.0	1189.7	996.0	961.0	65.6	71.7	84.3	81.5	118.2	118.2	48.2	51.4	171.8	299.1	1692.2	1698.5	-	3126.6	22.4	22.9				
	14	-	17.5	107.5	135.2	590.7	590.7	17.2	21.5	1066.3	1061.0	924.0	907.0	62.5	71.7	84.5	81.7	115.8	115.8	47.6	47.6	181.7	298.6	1597.2	1590.9	-	2894.0	22.1	19.1				
	15	-	17.5	91.7	91.7	565.8	567.9	16.8	21.5	979.7	985.0	856.0	856.0	59.5	71.7	84.5	84.5	117.1	117.1	43.6	43.4	154.2	297.7	1532.4	1526.1	-	2707.0	20.5	19.1				
	16	-	17.5	95.0	83.2	548.1	543.8	15.9	21.5	904.8	902.1	784.0	739.0	59.5	71.7	82.7	85.5	115.9	115.9	41.3	39.4	146.7	296.8	1439.3	1445.6	-	2553.0	20.3	15.1</				

中部地方整備局 木曾川水系 主要洪水時刻流量表

※-：欠測