									原	水測	定記録	【速幸	<b>₩</b>							平	成26	年5月
月	日	曜日	東コルゲート				西コルゲート				旧排水路				法尻西				調整池放流			降水量
			流入量 (I/min)	(pH)	電気伝導率 (mS/m)	水温 (°C)	(pH)	電気伝導率 (mS/m)	水温 (°C)	(mm)												
	1	木	80.0	5.2	_	_	10.0	6.8	-	_	1.1	6.2	_	_	1.5	5.9	_	_	_	-	_	
	2	金	71.7	5.1	_	-	8.3	6.7	-	-	0.0	6.2	-	-	23.3	6.1	_	_	_	_	-	
	3	土	71.7	5.1	_	_	6.7	6.9	_	-	0.0	6.2	-	_	21.7	6.1	_	_	_	_	-	
	4	日	71.7	5.1	_	_	6.7	6.8	_	_	0.0	6.2	-	-	21.7	6.1	_	_	_	_	ı	
	5	月	78.3	5.0	_	-	10.0	7.0	_	ı	1.7	6.2	1	-	23.3	6.0	_	_	_	_	ı	23.5
	6	火	80.0	5.2	_	_	10.0	6.8	_	-	0.0	6.2	1	-	23.3	6.1	_	_	_	_	-	
	7	水	75.0	5.0	_	_	6.7	6.8	_	-	1.7	6.2	1	-	23.3	6.1	_	_	_	_	ı	
	8	木	73.3	5.0	_	_	6.7	6.9	_	_	0.0	6.2	_	-	21.7	6.1	_	_	_	_	_	
	9	金	73.3	4.7	_	_	6.7	6.8	_	_	1.7	6.2	_	_	21.7	5.9	_	_	_	_	_	0.5
	10	土	73.3	4.9	_	_	6.7	6.8	_	_	0.0	6.2	_	-	23.3	6.1	_	_	_	_	_	
	11	日	70.0	4.7	_	_	5.0	6.8	_	_	0.0	6.2	_	-	21.7	6.1	_	_	_	_	_	
	12	月	71.7	5.0	_	_	5.0	6.8	_	-	1.7	6.2	1	-	21.7	6.0	_	_	_	_	ı	12.5
	13	火	71.7	5.0	_	_	8.3	6.9	_	_	0.0	6.2	_	-	21.7	5.9	_	_	_	_	_	11
	14	水	30.0	5.0	_	_	3.3	6.7	_	_	1.7	5.9	_	-	23.3	6.0	_	_	_	_	_	
	14日10時に迂回水路へ切換																					
																		大萱黄瀬戸橋の下流				
5	15	木	_	-	_	_	_	-	-	_	_	-	-	-	_	5.7	_	_	7.0	_	-	2
	16	金	_	-	_	_	_	-	_	_	_	-	_	-	_	6.3	_	_	7.1	_	-	0.5
	17	土	_	_	-	_	_	_	-	_	_	-	-	-	_	5.7	_	_	7.1	_	_	
	18	日	_	-	_	_	_	-	_	_	_	-	_	-	_	5.6	_	_	7.1	_	-	
	19	月	_	_	_	_	_	_	_	_	_	_	-	_	_	5.5	_	_	7.1	_	_	
	20	火	_	_	_	_	_	_	-	_	_	_	_	-	_	5.6	_	_	7.1	_	-	7.0
	21	水	_	-	_	_	_	-	_	_	_	-	_	-	_	5.6	_	_	7.0	_	-	21.0
	22	木	_	-	_	_		-	_	_	_	_	_	-	_	5.5	_	_	7.0	_	-	
	23	金	_	_	_	_		_	_	_	_	_	_	_	_	5.5	_	_	7.0		_	
	24	土	_	-	_	_		-	_	_	_	_	_	-	_	5.5	_	_	7.0	_	-	
	25	日	_	_	_	_		_	_	_	_	_	_	_	_	5.5	_	_	7.0	_	_	
	26	月	_	_	_	_	_	_		_		-	_	-	_	5.5	_	-	7.0	_	-	64
	27	火	_	_	_	_	_	_		_		-	_	-	_	5.6	_	-	6.8	_	-	1
	28	水	_	_	_	_		_	_	_		_	_	_		5.3	_	-	6.8	_	_	
	29	木	_	_	_	_	_	_		_		-	_	-	_	5.3	_	-	6.8	_	-	
	30	金	_	_	_	_		_		_	_	-	_	_	_	5.3	_	_	6.8		_	
	31	土	-	_	_	_	_	_	-	_	-	_	_	_	_	5.3	_	_	6.9	_	_	

※pHはプラントデータの午前9時の測定値を転記している。 ※流入量はプラントデータの日平均値を転記している。